Flex Add

1. PRODUCT DESCRIPTION

System component. Flexibilising additive for isocyanate-cured 2-component systems. Use on particularly soft elastic substrates. Shore D <60. Can be combined with water-based Dr. Schutz lacquers as well as eukula parquet lacquers in the areas of application specified there.

- Reduces cracking in the lacquer when loaded locally.
- Easy to use.
- Highly effective.

Substrates:
- Caoutchouc / rubber
- PU cast floorings

Please note: The application leads to increased matting.

2. APPLICATION

Pre-mix Dr. Schutz FlexAdd with the respective Crosslinker to be used, 200 ml FlexAdd to 500 ml Crosslinker. Mix this mixture into the respective base lacquer as described there and apply.

Please note:
The mixture with the Crosslinker must be applied within 24 hours.

3. CONSUMPTION

Depending on application of base system.

4. DRYING TIME

As given for the base system.

5. STORAGE

Store in a cool dry place. Keep out of the reach of children.

6. TECHNICAL DATA

Ingredients: polyester
ADR/RID: Not a dangerous good as defined by transport regulations.
CLP/GHS: no labelling obligation. UFI: EFG0-900G-P003-WAYR
Further information on labelling and on safe handling can be found in the current Safety Data Sheet.
Even when using low-pollution products, the usual safety measures are to be observed. Keep away from children. Completely emptied containers can be disposed of with household waste or with the collection of recyclables.

Flex Add

7. CROSS-REFERENCE

Our following publications in their updated form are valid as an integral part of this fact sheet:

- General notes on the application of Dr. Schutz surface products.
- Safety Data Sheet available on request.
  www.dr-schutz.com / The quoted printed matter, as well as this Product Information in its updated form, is available on our homepage or on request from the address quoted below.

Dr. Schutz - We Care About Floors

Headquarter (international) Germany	Dr. Schutz GmbH Holbeinstraße 17 53175 Bonn Germany	phone +49 (228) 95352-40 fax +49 (228) 95352-46 email: export@dr-schutz.com www.dr-schutz.com
United Kingdom	Dr. Schutz UK Ltd. 5-11 Mortimer Street W1T 3HS London United Kingdom	Contact: Sales Team phone +44 (1296) 437827 email: sales@drschutz.co.uk
Ireland	Dr. Schutz Ireland 35 Pic Du Jer Park, Ballinlough, Cork T12 R9F9 Republic of Ireland	contact: Paul O'Reardon mobile +353 87 767 8388 email: paul@drschutzireland.com

The above advice for technical application is given to the best of our knowledge and according to the latest state of technology. Therefore, if our products are used carefully heeding the advice given on their application, as well as following our suggested procedures with the materials intended for use with these products, no damage shall occur. However, our products are used outside and beyond our possible control, and are therefore subject to your own responsibility, which does not release you from the obligation to check for yourself whether our supplied products are suitable for your intended purpose and procedure. Therefore our notes and advice are not legally binding and cannot be used against us as grounds for liability - which includes the rights and protection of any third party. The relevant recommendations, guidelines and standard norms are to be observed, as well as the recognized technical rules. On publication, this product information replaces and supersedes the validity of any previous versions.