

Lino Primer

1. PRODUCT DESCRIPTION

Pore filler for open-pored linoleum coverings without factory-made permanent finish, after stripping or after sanding, prior to the application of a care film or permanent lacquer. Onepart waterbased primer. For professional use only.

- Reduces porosity and gives subsequent applications a better stand.
- Good penetration, elastic film.
- Easy to use.

2. APPLICATION

Shake up well. Apply evenly using the Dr. Schutz Aquatop roller at a temperature of at least 15 °C to the substrate prepared for the application (refer to our Technical Information "Basic cleaning of substrates").

Please note:

- The substrate must be properly prepared. It must be sound, free from residues of care products and loose coating layers and be in a abraded, clean, dry condition, free of oil, wax and dust.
- Once the linoleum has been thoroughly cleaned and sanded, rinse it thoroughly with water to prevent the pores from clogging.
- The temperature of the floor and material must not fall below +15°C during application and drying time. Ideal conditions are in the range of 18-25 °C.
- We always recommend the use of new dry paint rollers. Hardened coating residues can only be removed mechanically.
- The technical rules are to be observed.

3. CONSUMPTION

50 ml/m² (20 m²/l).

More product might be needed on rough or absorbent surfaces.

4. DRYING TIME

Can be carefully walked on, or worked on again after the water has evaporated (1- 3 hours) . If left to dry for more than 48 hours before a second application, the surface must be fully abraded.

General advice on drying and layer sequence

- Low temperatures, increased air humidity and poor ventilation can significantly extend the drying time.
- In order to remove the water, accelerate drying and reduce moistening the wood we recommend using the Dr. Schutz drying fan TG1.

Lino Primer

5. STORAGE

Protect from frost. Store in a cool, dry place away from sunlight. Shelf life in unopened original containers from date of manufacture: 12 months. Note the imprinted date of manufacture.

Keep out of the reach of children.

If exposed to direct sunlight, stored in changing temperatures and in opened canisters, dry particles can form. Filter these out with a sieve before using.

6. TECHNICAL DATA

Ingredients: water / polyacrylate / silicic acids / additives / preservation agents Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Decopaint 2004/42/IIA(i)(140)140 / GISCODE W2+ (1 component water-based sealer, VOC < 5%, NMP-free)

ADR/RID: Not a dangerous good as defined by transport regulations.

CLP/GHS: no labelling obligation.

Synthetic Micro Plastic Regulation: Do not dispose of residues or washing water in the drain. Clean work equipment mechanically after use (e.g., cloths); dispose of hardened residues as solid waste.

Further information on labelling and on safe handling can be found in the current Safety Data Sheet.

Even when using low-pollution products, the usual safety measures are to be observed. Keep away from children. Completely emptied containers can be disposed of with household waste or with the collection of recyclables.

7. SPECIAL NOTES

- Please pay attention to the printed batch number. Only use products with the same batch number in one layer. In the case of different batches, mix these in a separate container before using.
- All indications based on 23°C/50% rH/ 3-fold change of air per hour. Existing conditions can vary and account for different results.

8. CROSS-REFERENCE

- General notes on the application of Dr. Schutz surface products.
- Safety Data Sheet available on request.
www.dr-schutz.com / The quoted printed matter, as well as this Product Information in its updated form, is available on our homepage or on request from the address quoted below.

Lino Primer

Dr. Schutz - We Care About Floors

Headquarter (international)
Germany

Dr. Schutz GmbH
Holbeinstraße 17
53175 Bonn
Germany

phone +49 (228) 95352-40
fax +49 (228) 95352-46
email: export@dr-schutz.com
www.dr-schutz.com

United Kingdom

Dr. Schutz UK Ltd.
5-11 Mortimer Street
W1T 3HS London
United Kingdom

Contact: Sales Team
phone +44 (1296) 437827
email: sales@drschutz.co.uk

Ireland

Dr. Schutz Ireland
35 Pic Du Jer Park,
Ballinlough, Cork
T12 R9F9
Republic of Ireland

contact: Paul O'Reardon
mobile +353 87 767 8388
email: paul@drschutzireland.com

The above advice for technical application is given to the best of our knowledge and according to the latest state of technology. Therefore, if our products are used carefully heeding the advice given on their application, as well as following our suggested procedures with the materials intended for use with these products, no damage shall occur. However, our products are used outside and beyond our possible control, and are therefore subject to your own responsibility, which does not release you from the obligation to check for yourself whether our supplied products are suitable for your intended purpose and procedure. Therefore our notes and advice are not legally binding and cannot be used against us as grounds for liability - which includes the rights and protection of any third party. The relevant recommendations, guidelines and standard norms are to be observed, as well as the recognized technical rules. On publication, this product information replaces and supersedes the validity of any previous versions.