according to Regulation (EC) No 1907/2006, Article 31

Revision: 18.03.2015

Printing date 18.03.2015

Version number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Identification of the substance/preparation: Dr. Schutz PU Cleaner
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Not required. • Sector of Use
- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • Application of the substance / the mixture Floor cleaner

· 1.3 Details of the supplier of the safety data sheet

• **Company/undertaking identification:** CC-Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany Tel.: +49(0)228-95352-0, Fax: +49(0)228-95352-28 info@dr-schutz.com

For the UK and Ireland: Dr. Schutz U.K. Unit 24 Anglo Buisness Park, Smeaton Close Aylesbury Bucks HP19 8UP Tel.: 0044/1296-437827 Fax: 0044/1296-334219 E-Mail: steve@dr-schutz.com

- Further information obtainable from: Department for product development E-Mail: steve@dr-schutz.com
- 1.4 Emergency telephone number: Dr. Schutz U.K. steve@dr-schutz.com
 0044 (0) 1296 437827(mon – fri 9am-5pm)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

• Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. • Information concerning particular hazards for human and environment:

- The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.03.2015

Version number 1

Revision: 18.03.2015

Identification of the substance/preparation: Dr. Schutz PU Cleaner

Hazard pictog	rams (Contd. of p	age
\wedge		
\mathbf{V}		
GHS07		
Signal word W	Varning	
Hazard statem		
H319 Causes s	serious eye irritation.	
Precautionary	statements	
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P280	Wear eye protection / face protection.	
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lens	ses,
	if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P501	Dispose of contents/container in accordance with local/regional/national/internatio	nal
	regulations.	
2.3 Other haza	ards	
Results of PB	T and vPvB assessment	
PBT: Not applie	cable	

• **PBI:** Not applicable. • **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
CAS: 69011-36-5	Isotridecanol, exthoxyliert (>7 - < 15 EO)	1-5%
EC number: 931-138-8	🗙 Xn R22; 🗙 Xi R41	
Reg.nr.: 01-2119976362-32	📀 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302	-
	Alkohol, C4-8, ethoxyliert	1-5%
	🗙 Xn R22; 🗙 Xi R36/38	
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
	Sulfonsäuren, C 13-17-sec-Alkan-, Na-Salze	1-5%
	🗙 Xi R38-41	
	📀 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315	
CAS: 64-17-5	ethanol	1-5%
EINECS: 200-578-6	🔥 F R11	
Index number: 603-002-00-5	🚸 Flam. Liq. 2, H225	
Reg.nr.: 01-2119457610-43		
	(2-Methoxymethylethoxy)-propanol	1-5%
	substance with a Community workplace exposure limit	
· Additional information: For	the wording of the listed risk phrases refer to section 16.	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: No special measures required.
- · After skin contact:
- Rinse with warm water.

After each cleaning use treatment creams, for very dry skin greasy ointments.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

- GB -

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.03.2015

Version number 1

Identification of the substance/preparation: Dr. Schutz PU Cleaner

(Contd. of page 2)

- After swallowing: Rinse out mouth and then drink plenty of water.
 Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture Danger of forming toxic pyrolysis products.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with the eyes and skin.

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet. Avoid contact with the eyes and skin.

- Keep receptacles tightly sealed.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store receptacle in a well ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.03.2015

Version number 1

Revision: 18.03.2015

Identification of the substance/preparation: Dr. Schutz PU Cleaner

(Contd. of page 3)

· Exposure limit values:				
64-17-5 ethanol				
WEL Long-term value: 1920 mg/m³, 1000 ppm				
(2-Methoxymethylethoxy)-propanol				
WEL Long-term value: 308 mg/m ³ , 50 ppm				
Sk				
• DNELs No available values.				
• PNECs No available values. • Additional information: The literation of th	sts valid during the making were used as basis.			
	sis valid during the making were used as basis.			
8.2 Exposure controls				
 Occupational exposure contr General protective and hygie 				
Be sure to clean skin thorough				
Keep away from foodstuffs, bev	verages and feed.			
• Respiratory protection: Not re	equired.			
Protection of hands: After each cleaning use treatment	ant arooma far yang dru akin gradou sinteranta			
	ent creams, for very dry skin greasy ointments. hpermeable and resistant to the product/ the substance/ the preparation.			
	on consideration of the penetration times, rates of diffusion and the			
degradation				
 Material of gloves 				
Butyl rubber, BR				
	oves does not only depend on the material, but also on further marks of cturer to manufacturer. As the product is a preparation of several			
substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.				
· Penetration time of glove material				
 Penetration time of glove may 	terial			
The exact break trough time ha				
The exact break trough time ha be observed.				
The exact break trough time habe observed. • Eye protection:	as to be found out by the manufacturer of the protective gloves and has to			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles acco	eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended.			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the	eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended.			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles acco • Body protection: Not required	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended.			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles acco • Body protection: Not required SECTION 9: Physical and che	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended. I.			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles acco • Body protection: Not required • SECTION 9: Physical and che • 9.1 Information on basic phys	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended. I.			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles acco • Body protection: Not required SECTION 9: Physical and che • 9.1 Information on basic phys • General Information	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended. I.			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles acco • Body protection: Not required SECTION 9: Physical and che • 9.1 Information on basic phys • General Information • Appearance:	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended. I. emical properties sical and chemical properties			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles acco • Body protection: Not required • SECTION 9: Physical and che • 9.1 Information on basic phys • General Information • Appearance: Form:	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended. I. emical properties sical and chemical properties Fluid			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles acco • Body protection: Not required SECTION 9: Physical and che • 9.1 Information on basic phys • General Information • Appearance:	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended. I. emical properties sical and chemical properties			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles acco • Body protection: Not required • Body protection: Not required • SECTION 9: Physical and che • 9.1 Information on basic phys • General Information • Appearance: Form: Colour:	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended. I. emical properties sical and chemical properties Fluid Colourless			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles acco • Body protection: Not required • Body protection: Not required • SECTION 9: Physical and che • 9.1 Information on basic phys • General Information • Appearance: Form: Colour: • Odour:	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended. I. emical properties sical and chemical properties Fluid Colourless Pleasant			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles accord • Body protection: Not required • SECTION 9: Physical and che • 9.1 Information on basic phys • General Information • Appearance: Form: Colour: • Odour: • Odour: • Odour threshold: • pH-value at 20 °C:	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended. I. emical properties sical and chemical properties Fluid Colourless Pleasant Not determined.			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles accord • Body protection: Not required • SECTION 9: Physical and che • 9.1 Information on basic phys • General Information • Appearance: Form: Colour: • Odour: • Odour threshold: • pH-value at 20 °C: • Change in condition	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended. I. emical properties sical and chemical properties Fluid Colourless Pleasant Not determined. 9.5			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles accord • Body protection: Not required • SECTION 9: Physical and che • 9.1 Information on basic phys • General Information • Appearance: Form: Colour: • Odour: • Odour: • Odour threshold: • pH-value at 20 °C:	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended. I. emical properties sical and chemical properties Fluid Colourless Pleasant Not determined. 9.5 e: Undetermined.			
The exact break trough time has be observed. • Eye protection: Where there is a danger of the quantities), safety goggles accord • Body protection: Not required • Body protection: Not required • SECTION 9: Physical and che • 9.1 Information on basic phys • General Information • Appearance: Form: Colour: • Odour: • Odour: • Odour threshold: • pH-value at 20 °C: • Change in condition Melting point/Melting range	as to be found out by the manufacturer of the protective gloves and has to eyes coming into contact with splashes of liquid (i.e. when refilling larger ording to EN 166 (i.e. goggles with side shields) are recommended. I. emical properties sical and chemical properties Fluid Colourless Pleasant Not determined. 9.5 :: Undetermined.			

(Contd. on page 5) GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.03.2015

Version number 1

Revision: 18.03.2015

Identification of the substance/preparation: Dr. Schutz PU Cleaner

		(Contd. of page 4)
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
· Density at 20 °C:	1.007 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
 Evaporation rate 	Not determined.	
 Solubility in / Miscibility with 		
water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 °C:	23 s (ISO 3 mm)	
 9.2 Other information 	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity see section "Possibility of hazardous reactions".

• 10.2 Chemical stability No information available.

· Conditions to avoid: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values relevant for classification:				
69011-36-5 Isotridecanol, exthoxyliert (>7 - < 15 EO)				
Oral	LD50	300-2000 mg/kg (rat)		
Dermal	LD50	>2000 mg/kg (rat)		
Alkohol	Alkohol, C4-8, ethoxyliert			
Oral	LD50	500-2000 mg/kg (rat)		
Dermal	LD50	>2000 mg/kg (rat)		
Sulfons	Sulfonsäuren, C 13-17-sec-Alkan-, Na-Salze			
Oral	LD50	>2000 mg/kg (rat)		
Primary irritant effect:				
	• on the skin: No data available.			
· on the e	• on the eye: Strong irritant with the danger of severe eye injury.			

(Contd. on page 6)

GB -

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.03.2015

Version number 1

Revision: 18.03.2015

(Contd. of page 5)

Identification of the substance/preparation: Dr. Schutz PU Cleaner

• Sensitisation: No sensitising effects known.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

69011-36-5 Isotridecanol, exthoxyliert (>7 - < 15 EO)

EC50/48h (static) >1 - 10 mg/l (Daphnia magna) (OECD 202)

LC50/96h (dynamic) >1 - 10 mg/l (Cyprinus carpio (Karpfen)) (OECD 203)

Alkohol, C4-8, ethoxyliert

EC50/48h >100 mg/l (Daphnia magna)

- Sulfonsäuren, C 13-17-sec-Alkan-, Na-Salze
- LC50/96h 1-5 mg/l (Danio rerio) (OECD 203)

• **12.2 Persistence and degradability** No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

07 06 01* aqueous washing liquids and mother liquors

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	

[·] Uncleaned packaging:

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.03.2015

Version number 1

Revision: 18.03.2015

Identification of the substance/preparation: Dr. Schutz PU Cleaner

		(Contd. of page 6)
 · 14.5 Environmental hazards: · Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· UN "Model Regulation":	-	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- R11 Highly flammable.
- R22 Harmful if swallowed.
- R36/38 Irritating to eyes and skin.
- R38 Irritating to skin.
- R41 Risk of serious damage to eyes.
- · Department issuing MSDS: Department for product development

· Contact: Dr. Olaf Janßen · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 ·* Data compared to the previous version altered.

GB -