


PRODUCT OVERVIEW

Dr. Schutz[®] eu (ula[®] scratchno



CONTENT

Dr. Schutz[®]

| Products for resilient and resin floors | 4 |
|--|----|
| Only for trained and certified professionals | 11 |
| Products for synthetic fibre carpets | 18 |
| Products for natural fibre carpets & rugs | 20 |
| Cleaning & care products for wood, laminate and cork | 21 |
| Outdoor care | 24 |
| Products for stone & tiles | 25 |
| Interior products | 25 |
| | |
| eu(ula [®] | |
| strato water based system | 27 |
| strato system overview | 30 |
| Only for trained and certified professionals | 31 |
| euku oil and lye systems | 33 |
| Solvent based products | 35 |
| After care products | 36 |
| euku system overview | 38 |
| Classics and increased accession | |
| Cleaning appliances and accessories | _ |
| Safe preparation of floor coverings | 40 |
| Cleaning appliances and accessories | 41 |
| scratchnomore | _ |
| scratchnomore - furniture foot-gliders | 52 |
| Servicemonore furniture root guders | |
| Sales tools & floor care guides | 56 |
| Dr. Karl Schutz Training Academy | 57 |

We reserve the right to make corrections as well as technical changes. Please refer to the instructions for use on the product labels and to current care instructions on our homepage www.dr-schutz.com.

STRIPPING



Clean and Strip for resilient floors

| Item number | Packaging | Units | Coverage per item* |
|-------------|-----------|-------|--------------------|
| 06170750 | 750 ml | 6 | as required |
| 06170005 | 5 l | | as required |
| 06170010 | 10 l | | as required |

Gentle strip-cleaner with strong solvent properties and low alkalinity for the removal of waxes, mopped careproducts, care films, as well as glue residues and building dirt for post-construction cleaning of factory-applied PU finishes. Universal strip-cleaner for all resilient floors. Range 0.75l: 7,5 m² undiluted up to 75 m² 1:10 diluted. Range 5l: 50 m² undiluted up to 500 m² 1:10 diluted. Range 10l: 100 m² undiluted up to 1000 m² 1:10 diluted.



Turbo-Strip

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 09710010 | 10 L | | as required | |

Express-strip-cleaner with quick solvent formula and low alkalinity. Powerfully and thoroughly removes care-films of innately glossy dispersions, even for stubborn, old or multi-layered care-products, as well as floor areas covered with very thick care-products. Short soaking-in time, low odour, for professional use in public buildings, on PVC, polyolefin and rubber. Range: 100 m² undiluted up to 500 m² when diluted 1:5.



Super Basic Cleaner for PVC

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 09700005 | 5 l | | as required | |

Alkaline cleaner with high dissolving power for removing residues of wash polishes and self-shining dispersions. For professional use only on PVC. Range: 33,3 m² undiluted, up to 300 m² when diluted 1:5.

→ **Recommended accessories:** see matrix "Safe preparation of floor coverings" → page 40

PRODUCTS FOR RESILIENT AND RESIN FLOORS

2-PART-PU COATINGS FOR LONG-TERM PROTECTION



PU NEO solvent and isocyanate free

| Item number | Packaging | Units | Coverage per item* | |
|-------------------------------|-------------------------------|-------|--|--|
| mat | | | | |
| 50320005 50320001 | 5 l + 500 ml 0,9 l + 90 ml | | 55 m ² 10 m ² | |
| satin 50310005 50310001 | 5 l + 500 ml 0,9 l + 90 ml | | 55 m² 10 m² | |

Innovative water-based 2-component polyurethane sealer on the basis of carbodiimide cross-linking for the long-term protection of floors. Low emissions, because solvent-free. No labelling obligation, because without isocyanate. Hard-wearing sealing film, excellent elasticity and good resistance against colourless chemicals. Easy application with good adhesion. Can be applied optionally in single-coat system (1x100ml/sq.m) or in 2-coat system (2x50ml/sq.m). Reduces dirt adhesion and care time. Safe to use in application. High solids content. No intrinsic yellowing. Slip-resistance class R9. Emissions tested building material in accordance with AgBB principles.



PU Sealer

| Item number | Packaging | Units | Coverage per item* | |
|---|-------------------------------|-------|--|--|
| ultramat 50540005 50540001 | 5 l + 500 ml 0,9 l + 90 ml | | 55 m ² 10 m ² | |
| mat 50520005 50520001 | 5 l + 500 ml 0,9 l + 90 ml | | 55 m ² 10 m ² | |
| satin 50500005 50500001 | 5 l + 500 ml 0,9 l + 90 ml | | 55 m ² 10 m ² | |
| gloss 50530005 | 5 l + 500 ml | | 55 m² | |

Special water-based 2 part polyurethane sealer for the long-term protection of floors. Only for professional users. Reduces dirt adhesion and the time needed for day-to-day maintenance. Hardwearing sealer film, excellent elasticity and good resistance against colorless chemicals. Optional in one-coat system with 1x 100ml/m² or in two-coat system with 2 x 50ml/m². Easy and safe to apply with excellent adhesion. High solids content. No intrinsic yellowing. Tested according to DIN 18032-2 and DIN EN 14904, suitable for sports floors (satin). Very low emission (EMICODE: EC1). abZ-Nr. Z-157.20-69, emission tested building material. Slip-resistant category R9.



PU Anticolor

| Item number | Packaging | Units | Coverage per item* | |
|--------------------------------------|-------------------------------------|-------|--------------------|--|
| mat 41720006 41720001 | 5 l + 2x 500 ml 0,9 l + 2x 90 ml | | 60 m² 11 m² | |
| satin 41700006 41700001 | 5 l + 2x 500 ml 0,9 l + 2x 90 ml | | 60 m² 11 m² | |
| semi gloss 41000025 | 2 l + 500 ml | 2 | 25 m² | |

Water-based 2part-polymer-sealer with especially high cross-linking density and therefore high resistance to coloured dyes, plasticizers and chemicals. Only for professional use. Reduces dirt adhesion and the time needed for day-to-day maintenance. Hard-wearing sealer-film, excellent elasticity. Easy and safe to apply with excellent adhesion. High solids content. Low emission (EMICODE: EC2). abZ-Nr. Z-157.20-69, emission tested building material. Slip-resistant category R9.

→ **Recommended accessories for all coatings:** Aquatop lacquer roller, lettice frame

*Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

^{**} As a representative proxy, the gloss levels were tested for PU Sealer satin and PU Anticolor mat.

SUPPLEMENTARY PRODUCTS FOR PU SEALER



R10 Antislip Add anti-slip category R10

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 40020500 | 500 ml | | 110 m² | |

Structuring additive for increasing slip resistant safety. For Dr. Schutz 2-component water-based lacquers and for eukula strato lacquers in a top-coat. Fluid compound for simplified application. Effective results. Slip resistance class R10 in accordance with BGR 181 and DIN 51130. VOC free. Meets and exceeds HSE slip resistance guidelines of low risk for floors according to BS 7976-2 in the UK.

R11 Antislip Add anti-slip category R11

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 4000044005 | 440 g | | 110 m² | |

Ceramic-based structuring additive of coarser grain for Dr. Schutz 2-component lacquers and for eukula strato lacquers. Due to the resulting surface structure the slip resistance of the floor is substantially increased. Due to the round form of the grain, soiling is reduced despite increased structure. Slip resistance class C for wet-barefoot areas according to DIN 51097. Slip resistance class R11 in application with Dr. Schutz and eukula-2-component lacquers (see list on the product page Antislip Additive under www.dr-schutz.com). Only for professional use. VOC free. Meets and exceeds HSE slip resistance guidelines of low risk for floors according to BS 7976-2 in the UK



Duro Plus L Add

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 43010001 | 1 l | | 110 m² | |

Fluid additive for renewed increase in scratch resistance and matting finish. For all Dr. Schutz 2-component lacquers and for eukula strato lacquers. Easy to work in, effective results. VOC free.



Decelerator Add

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 01130250 | 250 ml | | 5 l | |

Drying decelerator for Dr. Schutz and strato waterbased lacquers.

Flex Add

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| | | | | |
| 40030200 | 200 ml | | | |

Flexibilising additive for isocyanate crosslinked 2-component systems. Can be combined with all Dr. Schutz 2-component waterbased sealers. Emission free.

PRIMERS FOR SPECIAL SUBSTRATES



Primer for screed floors

| Item number | Packaging | Units | Coverage per item* |
|-------------|-----------|-------|----------------------|
| 20010005 | 5 l | | 60-80 m ² |

Water-based roll-out primer for approved absorbent, cement-based resin substrates before sealing with Dr. Schutz PU Anticolor. Reduces absorbency, improves adhesion of the subsequent sealing film. Good penetrating quality, even visual impression, easy to use.

*Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information. --- Only on flooring compounds and screeds that have been tested and approved by us.

PRODUCTS FOR RESILIENT AND RESIN FLOORS

PRIMERS FOR SPECIAL SUBSTRATES



Lino Primer

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-------------|-------|--------------------|--|
| 20000002 | 2 l + 90 ml | 2 | 70 m² | |

Two component roll-on primer for openpored linoleum. Only for professional users. Reduces porousness and prepares the subsurface for subsequent applications. Good penetrating quality, even visual impression, easy to use. Optimal for subsequently applied Dr. Schutz PU sealers or Dr. Schutz hard sealers. For professional use only.



Super Bond

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 03010005 | 5 l | | 200-250 m² | |

Bonding primer for isocyanate-reactive non porous siliceous substrates, such as ceramic tiles, polished stone surfaces (e.g. granite), as well as glass and metal surfaces. Solvent free, easy to use, does not form a film.

CONVENTIONAL HARD SEALERS



Secura Mat Hard Sealer

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|-------------|-------|--|--|
| 26500005 26500010 | 5 l 10 l | | 100 m ² 200 m ² | |

Metal cross-linked polymer dispersion for the initial care of strip-cleaned floors in public buildings. Protects the floor. Reduces dirt adhesion. Makes day to day cleaning easier. The step safety of the floor is still retained. Results in a slip-resistant, satin-matt care-film with good resistance to heelmarks. Fulfills the requirements of German norm DIN 18 032 for sports floors.



Ultra High Shine Hard Sealer

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|-------------|-------|--|--|
| 25500005 25500010 | 5 l 10 l | | 100 m ² 200 m ² | |

Metal cross-lined polymer dispersion for the initial care of strip-cleaned floors in public buildings. Protects the floor. Reduces dirt adhesion.

Makes day to day cleaning easier. The step safety of the floor is still retained. Suitable for care-film renovation in a high-speed process. Results in a slip-resistant, glossy care-film with good resistance to heel-marks.



Medica Hard Sealer

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 29500005 | 5 l | | 100 m² | |

Special, metal cross-linked polymer dispersion for the initial care of strip-cleaned floors in the area of medical practice and health care. With increased resistance against disinfectants and compounds containing alcohol. Dirt adhesion is reduced and day to day cleaning is made easier. Suitable for care-film renovation in a high-speed process. Results in a slip-resistant, satin-gloss care-film.

FLOOR CARE PRODUCTS



Floor mat

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|---|--|
| 26170750 26170005 | 750 ml 5 l | 6 | 15 m ² 100 m ² | |

Matt polymer dispersion for the initial care of newly laid, or strip-cleaned floors, and for the refreshing of PU coated floors. For households and public buildings. Free of metal. Protects the floor with an elastic, slip-resistant, matt care-film. Dirt adhesion is reduced and day to day cleaning is made easier. Now delivers an even matter finish – for a natural appearance. Fulfills the requirements of German norm DIN 18032 (sliding behaviour) for sports floors.



Floor shine

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|--------------------|--|
| 20020750 20020005 | 750 ml 5 l | 6 | 15 m² 100 m² | |

Glossy polymer dispersion for the initial care and refreshing of strip-cleaned floors and PU coated floors. For households and public buildings. Free of metal. Protects the floor with an elastic, slip-resistant, glossy care-film. Dirt adhesion is reduced and day to day cleaning is made easier. Suitable for care-film renovation in a high-speed process.

CLEANING PRODUCTS



PU Cleaner

| Item number | Packaging | Units | Coverage per item* |
|-------------|-----------|-------|--------------------|
| 07150750 | 750 ml | 6 | 750 m² |
| 07150005 | 5 l | | 5.000 m² |
| 07150010 | 10 l | | 10.000 m² |

Cleaning concentrate for post-construction and day to day cleaning of factory-applied PU/PUR finishes, or with floors treated with a Dr. Schutz PU Sealer. High cleaning power, even on residues containing grease. Does not leach out the surface, does not form a grey haze. Cleaning without residue of care-film, free of streaks. For slip-resistant surfaces. Fulfills the requirements of German norms DIN 18032 and DIN EN 14904 for sports floors.



Spraymax

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 11400001 | 1 L | 5 | 50 m² | |

Environment-friendly cleaner for all hard floors (PVC, lino, CV, Design floors, stone floors and all wood, cork and laminate floors) used in combination with our Spray-Mop. Also ideal for post-installation cleaning.



Design Floor Care Set

| Item number | Packaging | Units | Coverage per item* | | |
|-------------|-----------|-------|--------------------|--|--|
| 07260750 | | 9 | | | |

Consists of 750ml PU Cleaner for regular cleaning, 750ml Floor Mat for refreshing worn surfaces, a white hand-pad for removing heel-marks, as well as cleaning and care instructions in accordance with DIN 18365.

PRODUCTS FOR RESILIENT AND RESIN FLOORS

CLEANING PRODUCTS



Floor Cleaner R 1000

| Item number | Packaging | Units | Coverage per item* | |
|--|--------------------------------|-------|---|--|
| 00170750 00170025 00170005 00170010 | 750 ml 2,5 l 5 l 10 l | 6 4 | 750 m ² 2.500 m ² 5.000 m ² 10.000 m ² | |

For day-to-day cleaning and care of all resilient floors. Also recommended for the initial care of rubber floors. Slip-resistant, anti-static and repels dirt. Fulfills the DIN 18032 requirements for sports floors. Can be polished and is suitable for use with cleaning machines.



Disinfectant Cleaner Concentrate

| Item number | Packaging | Coverage per item* | |
|-------------|-----------|---|--|
| 46850005 | 5 l | depends on the dilution and intended soak-in time | |

Surface disinfectant cleaner for application by mopping in medical areas. Alcohol-free fluid concentrate based on tertiary alkylamine. Acts effectively as anti-bacterial, fungicidal and virucidal (e.g.against hepatitis-B viruses). The combination of active substances with anionic and non-ionic surfactants provides for high surface activity and causes good cleaning effectiveness with a comparatively low pH-value. Tested in accordance with the standard methods of the DGHM for testing chemical disinfectant procedure (dated 01.09.2001) and in compliance with the requirements for testing methodology of the VAH (dated 15.04.2010).



ESD Floor Cleaner

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 50910010 | 10 L | | 10.000 m² | |

Cleaning concentrate for the day to day and post-construction cleaning of conductive floors, also after sealing with Dr. Schutz ESD Sealers. Excellent binding of dirt, including residues containing grease. Does not leach out the surface, does not form a grey haze. Streak-free cleaning.



Active Cleaner R 280

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|---|--|
| 02170750 02170005 | 750 ml 5 l | 6 | 37,5 m ² 250 m ² | |

Neutral active cleaner for the day to day cleaning of floors and the gentle removal of intense dirt and grease. Ideal for post-construction cleaning of floors in households and public buildings. Without solvating the existing care-films. Can be used for the cleaning of all washable surfaces. Excellent cleaning and emulsification properties.

Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

f 8

SPECIAL PRODUCTS



Elatex Stain Remover

| Item number | Packaging Units | Coverage per item* |
|-------------|-----------------|--------------------|
| 13200200 | 200 ml 6 | as required |

Universal surfactant-free stainremover for the removal of heel-marks and stubborn stains, like glue residues, as well as water-soluble or water-insoluble stains in households, such as cola, fruit juice, ketchup, ball-pen ink, jam, red wine, coffee, chocolate, chewing gum, shoe creme, nail polish, tar, felt-pen and many more. Reinforces the effect of strip-cleaners when removing layers of dispersion.



ScratchFix PU Repair Set

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 06010004 | | 3 | as required | |

The solution for the partial renovation of scratches and stress whitening on PVC Designfloors and other resilient floor coverings. Includes the PU Repair Spray for restoring the surface after fine scratches, the PU Repair Pen for mending deep scratches, as well as a complete package of accessories with instructions for use. Optimal matching of the gloss grade on modern Design floors.



Handball Wax Remover

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 01090025 | 2,5 l | 2 | | |

Mixture of mild solvents. For the cleaning of stains, resins, heel-marks, as well as the removal of wax films on parquet, wood floors and other solvent-free surfaces. Especially suitable for removing resins in the area of sport floors, whose subsurface can be damaged by alkaline cleaning solutions.

Application advices and care instructions can be found ato **dr-schutz.com/care-instruction**

All items and quantities that you need for stripping, neutralization and coating of resilient floors can be found at \rightarrow **dr-schutz.com/calculation**

SERVICE

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS





PU Color

on demand

| Item number | Packaging | Units | Coverage per item* | | |
|-------------|---------------------------------|-------|--------------------|--|--|
| | 5,5 kg + 500 ml 1 kg + 90 ml | | | | |

Colored 2-component polyurethane sealer on water basis. Only for professional use. Durable sealer film, excellent elasticity and good resistance against colorless chemicals. Easy application and good adhesion, safe to use in application. High solids content. Color tones: on request by the customer. Possible color selection according to RAL-K5, NCS-S, Pantone and Sikkens 4041, excluding fluorescent and metallic colors, and according to given samples. abZ-Nr. Z-157.20-69, emissions tested building material in accordance with AgBB principles. Please note: Only for trained and certified professionals.



Foils & Templates

on demand



For the individual creation of floors in combination with PU Color. Decorative motifs, borders, samples, logos, route-signs and much more. Can be used in public buildings, schools and kindergartens, hospitals, old people's homes, hotels and restaurants, industrial buildings, as well as private rooms. Only for use by trained and certified professionals.



Renovation boards and skirting boards # New

| Description | Item number | Packaging | Units |
|---|-------------|------------------------------|-------|
| Variable package consisting of 5 units, free choice of: | 9100001100 | | |
| Floor remake renovation board, white-lacquered | 8000001000 | L: 2 m W: 22 mm H: 110mm | 9 |
| Floor remake renovation board, white primer | 8000001100 | L: 2 m W: 22 mm H: 110mm | 9 |
| Floor remake skirting board, white-lacquered | 8000001500 | L: 2m W: 13 mm H: 58mm | 17 |
| Floor remake skirting board, white primer | 8000001600 | L: 2m W: 13 mm H: 58mm | 17 |

The extra-large renovation boards, which can be installed over existing baseboards, and the simple modern square skirting boards protect the wall from dirt and wear and ensure a clean transition between the floor covering and the wall. Available in white, optionally lacquered or primed.

Floor Remake glue for skirting boards ** New

| Item number | Packaging | Units | | |
|-------------|-----------|-------|--|--|
| 8000001900 | 310ml | 6 | | |

Glue for renovation and skirting boards

*Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS

Chips



| Item number | Packaging | Units | | |
|-------------|---------------|-------|--|--|
| | 1 kg 100 g | | | |

Colored chips for scattering when creating floors in combination with PU Color/PU Sealer. Available in 2 sizes (1 and 3mm), in many standard and special colours.



Chipper Pro consists of: Chipper turbine, flocking gun, shoulder strap for turbine, systainer for turbine and flocking gun

| Item number | Packaging | Units | | |
|-------------|-----------|-------|--|--|
| 8000506000 | | | | |

Spreads chips over large areas in the shortest time. Thanks to HVLP technology, the new DS Chipper Pro makes it possible to scatter coloured and decorative chips very quickly, effectively and uniformly, for example using the PU Design chip technique.



PU Color Decorative Edge Applicator 25 x 15 cm

| Item number | Packaging | Units | | |
|-------------|-----------|-------|--|--|
| 8000925200 | | | | |

Handy applicator for decorating edge areas and smaller areas in combination with PU Color. Size: 15cm x 15cm.



PU Color Decorative Roller 18 cm

| Item number | Packaging | Units | | |
|-------------|-----------|-------|--|--|
| 8000925100 | | | | |

Rosette-roller with leather flap. For the decoration of large areas in combination with PU Color. Width: 18cm. Without bracket.





Floor and Sport Liner

| Item number | Packaging | Units | | |
|-------------|-----------|-------|--|--|
| 800000900 | | | | |

The Floor and Sport Liner is a marking device for creating absolutely uniform and precise, decorative and technical masking work on the floor, such as sports floor lines, before colouring it with the floor remake system. Specially adapted to the Dr. Schutz ProTape 30mm.

Ideal for attractive floor designs in many areas such as daycare centers, schools, surgeries, nursing homes, hospitals etc.

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS



PU LINE COLOR

| Product |
|--|
| PU LINE COLOR YELLOW RAL 1012 PU LINE COLOR WHITE RAL 1013 PU LINE COLOR ORANGE RAL 2000 PU LINE COLOR RED RAL 3000 PU LINE COLOR BLUE RAL 5010 PU LINE COLOR LIGHT BLUE RAL 5012 PU LINE COLOR GREEN RAL 6016 PU LINE COLOR LIGHT GREEN RAL 6018 PU LINE COLOR BLACK RAL 9005 |

For professional use only. Special waterbased 2 part polyurethane sealer. For colours marking courts and fields. With reduced bleeding under marking tapes on sport floors and increased opacity for application with one coat.



PU FIELD COLOR

| Product | Item number | Packaging | |
|--|--|--|--|
| PU FIELD COLOR YELLOW RAL 1012 PU FIELD COLOR WHITE RAL 1013 PU FIELD COLOR ORANGE RAL 2000 PU FIELD COLOR RED RAL 3000 PU FIELD COLOR BLUE RAL 5010 | 5005101350 5005200050 5005300050 5005501050 | 5,5 kg + 0,5 l 5,5 kg + 0,5 l 5,5 kg + 0,5 l | |
| PU FIELD COLOR LIGHT BLUE RAL 5012 PU FIELD COLOR GREEN RAL 6016 | 5005501250 5005601650 | . 3 . | |
| PU FIELD COLOR LIGHT GREEN RAL 6018 | 5005601850 | 5,5 kg + 0,5 l | |
| PU FIELD COLOR BLACK RAL 9005 | 5005900550 | 5,5 kg + 0,5 l | |

For professional use only. Special waterbased 2 part polyurethane sealer. For the full/solid colouring of floor areas. Ideal option in flow for opaque lacquer covering on sport courts and fields with a single application.





PU Filler Rapid

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|----------------|---------|--------------------|--|
| 80005373 80005374 | 150 g 150 g | 10 1 | | |

PU Filler Rapid is a special 2-component polyurethane filler that can be used on all floors where the Dr. Schutz floor remake system is being used. Linoleum, epoxy and PU cast floors, rubber floors, PVC etc. Likewise, thanks to its good adhesive properties, PU Filler can also be used for small repairs in seams, plinth areas etc. for re-gluing. PU filler is only to be used under coloured coatings. The size of the areas to be repaired should not exceed 10x10cm.



EP Prime

| Item number Packaging Units Coverage per item* 20040005 19,7 kg + 5,3 kg 3,86 kg + 1,04 kg (order related (order related | | | | | |
|--|----------------------------|---------------------------------------|-------|--------------------|--|
| 20040049 3,86 kg + 1,04 kg | Item number | Packaging | Units | Coverage per item* | |
| production) | 20040049 (order related | 19,7 kg + 5,3 kg 3,86 kg + 1,04 kg | | | |

2-component primer based on epoxy resin. For the pretreatment of subsurfaces as a barrier and adhesive primer on stable founding concrete, tiled and screed floors, before further treatment with Dr. Schutz PU Flow or Dr. Schutz PU Color. Only for professional users.

*Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS



EP Prime Add

| Item number | Packaging | Units | Coverage per item* | | |
|----------------------|---------------|-------|--------------------|--|--|
| 20060003 20060600 | 3 l 600 ml | | | | |

System dilution. For the application of EP Prime with the roller.



PU Flow

| Item number | Packaging | Units | | |
|---|---------------------------------------|-------|--|--|
| 20030005 20030049 (order related production) | 20,5 kg + 4,5 kg 4,02 kg + 0,88 kg | | | |

2-component cast coating based on polyurethane resin. To produce well levelled surfaces before creating coloured designs with Dr. Schutz PU Color in the renovation of floor coverings firmly bonded to the subsurface, like concrete, ceramic tiles. Only for professional users.



PU Flow color RAL 1014; RAL 7001; RAL 7035

| Item number | Packaging | Units | |
|-------------|------------------|-------|--|
| | 20.5 ka + 4.5 ka | | |

Pigmented version of PU Flow. Only for professional users.

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS





UV PU Sealer

| Item number | Packaging | Units | Coverage per item* | | |
|-----------------------|--------------|-------|--------------------|--|--|
| mat 50720005 | 5 l + 500 ml | | | | |
| satin 50690005 | 5 l + 500 ml | | | | |

Special water-based Dual-Cure polyurethane sealer with UV and isocyanate cross-linking for the long-term protection of floors. Can be used directly after UV treatment. Reduces dirt adhesion and care time. Durable sealer film. Very good resistance against colorless chemicals. Please note: Only for professional use and for trained staff.



FLOORMATE UV3000 for rent

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 8000010300 | | | | |

For the UV curing of UV PU Sealer in the surface. Self-driving. Working width 40 cm. For trained users only.



HANDMATE UV600 for rent

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 8000010400 | | | | |

For hand-guided UV curing of UV PU Sealer in the edge area and stairs. For trained users only.

Dr. Schutz shows you how to do it!

You want to know more about what our products do, or would like to make doubly sure before using them?

In short clips we show you how to apply our products, how they work and what advantages they have. How to tips on our youtube channel:



youtube.com/DrSchutzInt

*Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS





ESD Hicon Primer

| Item number | Packaging | Coverage per item* | | |
|----------------------|-------------------------------------|--------------------|--|--|
| 53090005 53090046 | 5,5 kg + 18 kg 1,08 kg + 3,55 kg | | | |

Waterbased epoxy primer with high conductivity. For modifying non-conductive floors to conductive prior to sealing with Dr. Schutz ESD Color Base. For floors with high requirements to dissipation of electrostatic charge. For mineral floors.



ESD Color Base on demand

| Item number | Packaging | Coverage per item* | | |
|-------------|---------------------------------|--------------------|--|--|
| | 5,5 kg + 500 ml 1 kg + 90 ml | | | |

Special conductive water-based 2-component polyurethane sealer. With high horizontal and vertical conductivity for the renovation of conductive floors before the final finish with Dr. Schutz ESD Top Coat. Fulfills the requirements of EN 61340-5-1, ANSI/ESD S.20.20 (IEC 61340-4-1,4-5, ANSI S7.1, ESD STM97.1), TRBS 2153. Durable sealer film, excellent elasticity and good resistance against colorless chemicals. Please note: Only for professional use and for trained staff.



ESD Base Coat

| Item number | Packaging | Coverage per item* | |
|-------------|---------------|--------------------|--|
| 5300000525 | 5 kg + 500 ml | | |

Special conductive waterbased 2-component polyurethane sealer. With high horizontal and vertical conductivity for the renovation of conductive floors before the final finish with Dr. Schutz ESD Top Coat. Fulfills the requirements of EN 61340-5-1, ANSI/ESD S.20.20 (IEC 61340-4-1,4-5, ANSI S7.1, ESD STM97.1), TRBS 2153. Durable sealer film, excellent elasticity and good resistance against colorless chemicals. Please note: Only for professional use and for trained staff.

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS



ESD Top Coat

| Item number | Packaging | Coverage per item* | |
|--------------------------|---------------------------------|--------------------|--|
| 5302000525 5302000125 | 5 kg + 500 ml 1,1 kg + 90 ml | | |

Special conductive waterbased 2-component polyurethane sealer for the long-term protection of floors. Fulfills the requirements of EN 61340-5-1, ANSI/ ESD S20.20 (IEC 61340-4-1,4-5, ANSI 57.1, ESD STM97.1), TRBS 2153 when applied as the final finish over Dr. Schutz ESD Base Coat, or over Dr. Schutz ESD Color Base in a single-coat application on subsurfaces with good conductivity without previous priming. Reduces dirt adhesion and care time. Durable sealer film, excellent elasticity and good resistance against colorless chemicals. Please note: Only for professional use and for trained staff.



ESD Medicoat

| Item number | Packaging | Coverage per item* | |
|-------------|------------------|--------------------|--|
| 5304000525 | 5 kg + 2x 500 ml | | |

Special conductive waterbased 2 part polyurethane sealer with especially high crosslinking density and high re-sistance against dying chemicals. For the long-term protection of conductive PVC and epoxy resin floorings. Fulfills the requirements of EN 61340-5-1, ANSI/ESD S20.20 (IEC 61340-4-1,4-5, ANSI S7.1, ESD STM97.1), TRBS 2153 in single layer application on floorings which provide good conductivity. Hardwearing sealer film. Please note: Only for professional use and for trained staff.



Earth conductor socket

| Item number | Packaging | Coverage per item* | |
|-------------|-----------|--------------------|--|
| 8000540000 | | | |

Earth conductor socket ready for installation with 2m self-adhesive copper tape, measuring point and connection cable to create the necessary discharge point for dissipative Dr. Schutz ESD surfaces.



Electric field meter EFM 8120 for rent

| Item number | Packaging | Coverage per item* | |
|-------------|-----------|--------------------|--|
| 8000010500 | | | |

For determination of the walking test charge according to DIN EN 61340-4-5. For trained users only.



EP-STATEST-FLOOR for rent

| Item number | Packaging | Coverage per item* | |
|-------------|-----------|--------------------|--|
| 8000010600 | | | |

To determine the conductivity according to DIN EN 61340-4-1. For trained users only.

*Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

PRODUCTS FOR SYNTHETIC FIBRE CARPETS

PRE-AND INTENSIVE CLEANERS



Fresh-Up 2 in 1

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|--------------------|--|
| 12300500 12300005 | 500 ml 5 l | 6 | 20 m² 200 m² | |

Provides fresh air indoors, thanks to a new FreshUp formula. Bad odors on carpet floors and upholstery are completely absorbed. Moreover, also dissolves dirt and stains, therefore ideal as a pre-cleaner before spray-extraction or dry-cleaning of carpets and upholstery. Suitable for fibrepad cleaning.



Carpetlife Tebo dry cleaning granulate

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|--------------------|--|
| 10500001 10500010 | 1 kg 10 kg | 10 | 15 m² 150 m² | |

A carpet cleaning granulate with excellent dirt releasing properties for the intensive cleaning of textile floor coverings. It is possible to walk on the floor at all times during the cleaning operation. Ideally suitable for the cleaning of moisture-sensitive floors as well as for loosely installed or tightened carpets. Minimised development of dust due to an optimised dispersion of granule sizes. Recommended accessories: Multi Clean 350.



Concentrated Carpet Cleaner also suitable for wool

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|---|--|
| 14820750 14820005 | 750 ml 5 l | 6 | 50 m ² 350 m ² | |

Spray-extraction cleaner for fibre-deep cleaning of carpet floors and upholstery made of synthetic fibres and wool. With integrated stain-dissolver and foam inhibitor, incl. FreshUp formula for better air indoors. With soft-feel effect.



Carpet Floor Cleaning Kit

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 14800750 | | 9 | | |

Everything for successful carpet cleaning and care. 100ml Floor Mate for removing water-soluble and non-water soluble stains from wall-to-wall carpet and fitted carpets made of synthetic fibers, 750ml Concentrated Carpet Cleaner for fiber-deep cleaning of carpets made of synthetic fibers and wool and 500ml Baygard for impregnation after cleaning.

On demand. Currently not available in English.

STAIN REMOVER



Floor Mate

| Iter | m number | Packaging | Units | Coverage per item* | |
|------|------------------|------------------|---------|-------------------------|--|
| | 400100 400400 | 100 ml 400 ml | 12 6 | as required as required | |

WE CARE ABOUT FLOORS.

Removes water-soluble and non-water-soluble stains from carpet floors and fitted carpets made of synthetic fibres. Its active oxygen component is also effective in treating intensively coloured stains such as red wine, coffee, tea, etc.



Super Stain Remover R

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 13010200 | 200 ml | 12 | as required | |

Professional solvent-based stain remover of particularly stubborn water-insoluble stainssuch as grease, oil, chewing-gum, laquers.



Stain Removal Set

| Item number | Packaging | Units | Coverage per item* | | |
|-------------|-----------|-------|--------------------|--|--|
| 13020200 | | | | | |

Consists of 100ml Floor Mate for removing water-soluble and non-water soluble stains from wall-to-wall carpets and fitted carpets made of synthetic fibers, 200ml Super Stain Remover R for removing stubborn stains, a microfiber cloth and a stain removal guide.

On demand. Currently not available in English.

PROTECTIVE AGENTS



"Baygard" Carpet Protection Spray

| tem number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|--------------------|--|
| 15050500 15050005 | 500 ml 5 l | 6 | 20 m² 200 m² | |

Provides longlasting anti-dirt/-dust protection for textile floor coverings, wall coverings and wallpaper with a textile finish. Envelops the fibres in an invisible, dirt-resistant film, stabilises carpet pile, prevents felting and fading.



Stain Guard

| Item number | Packaging | Units | Coverage per item* |
|-------------|-----------|-------|--------------------|
| 16010400 | 400 ml | 6 | 10 m ² |

A long-lasting impregnation treatment to guard against stains and marks. Liquids form into droplets on the surface and can be dabbed up with a cloth. For textile floor coverings and upholstery made of synthetic fibres, natural fibres and mixtures of the same, as well as smooth and rough-surfaced leather. Extremely flammable.

*Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information

PRODUCTS FOR SYNTHETIC FIBRE CARPETS

PROTECTIVE AGENTS



Anti-Static Spray

| Item number | Packaging Units | Coverage per item* |
|-------------|-----------------|--------------------|
| 14010400 | 400 ml 6 | 10 m ² |

Antistatic spray for the prevention and elimination of electrostatic charges on carpets and rugs, mini-shocks when touching metal parts as well as increased dust attraction on surfaces covered by synthetic materials (e.g. computer & TV screens, lamps) can thus be avoided.

Anti-Static-Spray leaves no stains or discoloration. Highly inflammable

PRODUCTS FOR NATURAL FIBRE CARPETS & RUGS



Concentrated Carpet Cleaner also suitable for wool

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|---|--|
| 14820750 14820005 | 750 ml 5 l | 6 | 50 m ² 350 m ² | |

Spray-extraction cleaner for fibre-deep cleaning of carpet floors and upholstery made of synthetic fibres and wool. With integrated stain-dissolver and foam inhibitor, incl. FreshUp formula for better air indoors. With soft-feel effect.



Alibaba Stain Remover for natural fibre

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 13300200 | 200 ml | 6 | as required | |

Broad spectrum stainremover, kind to carpets and fitted carpets made of wool, silk, jute, coconut-fibres and other natural fibres. Also suitable for oriental carpets.



Dry Foam for Carpets and Upholstery for natural fibre

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 10120400 | 400 ml | 6 | 10 m² | |

A dry foam with excellent cleaning qualities as a mild shampoo treatment. For natural fibre and oriental carpets (e.g., wool, silk, coir, jute, sisal), up-holstery, textile-finish wall coverings, etc. Extremely flammable.

CLEANING & CARE PRODUCTS FOR WOOD, LAMINATE AND CORK



Wood & Cork Floor Polish satin

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|--------------------|--|
| 20120750 20120005 | 750 ml 5 l | 6 | 30 m² 200 m² | |

For the initial care treatment and refreshing of all sealed wood and cork floors treated with a water-resistant silk-finish lacquer. Gives the floor a pleasant satin appearance and protects it against scratches. Recommended accessories: Polish Applicator.



Wood & Cork Floor Polish mat

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|---|--|
| 21720750 21120005 | 750 ml 5 l | 6 | 30 m ² 200 m ² | |

For the initial care treatment and refreshing of all sealed wood and cork floors treated with a water-resistant mat lacquer. Gives the floor a pleasant mat appearance and protects it against scratches. Recommended accessories: Polish Applicator. Now even better matt finish - for a natural look!



Wood & Cork Floor Cleaner

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|--|--|
| 21120750 21120005 | 750 ml 5 l | 6 | 750 m ² 5.000 m ² | |

For the regular cleaning of all wood and cork floors which have been provided with a water-resistant seal. Excellent grease and dirt lifting properties. Fulfills the conditions of DIN 18032 for sports floors.



Wood Floor Deep Clean

| tem number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|--|--|
| 21200750 21200005 | 750 ml 5 l | 6 | 5 m² (undiluted) 33,3 m² (undiluted) | |

Gentle deep cleaner especially for wood to remove old residues from cleaning agents and polymer dispersion films on waterproof lacquered wood and cork floors. Also suitable for intensive cleaning of oiled and waxed floors.



Premium Hardwax Oil+ satin

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|--------------|--------|--------------------|--|
| satin | | | | |
| 01530001 01530025 | 1 l 2,5 l | 4 2 | 10 m² 25 m² | |
| mat | | | | |
| 01520001 01520025 | 1 l 2,5 l | 4 2 | 10 m² 25 m² | |

Layer-forming oil based on vegetable oils for easy care surfaces with a natural appearance. Increased water resistance. Dries to a natural matt finish. Easy to apply with a roller. Quick-drying. Good penetration properties, elastic film. Enhances the wood grain, warm color effect. In optional combination with euku premium nature add the grain enhancement is reduced and the color effect achieved is "like untreated". Ideal in optional combination with the reactive finish euku master FS, to achieve an especially tough surface and quick drying (e.g. for heavily frequented areas). The oiled surface conforms to the slip-resistance class R9. In combination with the optional product euku premium antislip R10 add the slip-resistance class R10 can be achieved. As 2-component variant only for professional use.

Care products | Please note our cleaning and care instructions

for sealed floors for oiled floors for laminate

Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

CLEANING & CARE PRODUCTS FOR WOOD, LAMINATE AND CORK



Premium Care Oil for Wood Floors

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 01620001 | 1 L | 4 | 50 m² | |

Deeply penetrating care-oil on the basis of vegetable oils and carnauba wax. Refreshes dull, especially heavily used and intensively cleaned oil surfaces anew. Enhances wood grain. Good penetrating properties and high filling capacity. Satin-matt appearance.



H20il

| Item number | Packaging | Units | Coverage per item* |
|-------------|-----------|-------|--------------------|
| 21400750 | 750 ml | 6 | 30 m² |
| 21400005 | 5 l | | 200 m² |

Water-based care oil on a natural basis for freshening up all oiled wood and cork floors. It makes the care of oiled floors very easy: simply apply H20il with a mop and that's all — no polishing necessary, no cleaning off remnants, either! The floor gains a high-quality silk-matt appearance and optimal protection.



H20il white

| Item number | Packaging | Units | Coverage per item* |
|-------------|-----------|-------|--------------------|
| 21410750 | 750 ml | 6 | 30 m² |

Water-based (highly concentrated) care-oil with white pigment, naturebased for the refreshing of all white oiled wood and cork floors. Has all the features of H2Oil.



Wood Care for oiled floors

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|--|--|
| 01800750 01800005 | 750 ml 5 l | 6 | 375 m ² 2.500 m ² | |

Cleans and cares for all oiled and oiled/waxed wood and corkfloors in one step. Top cleaning power with an optimum pH level.



Wood Care for oiled floors white

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 01810750 | 750 ml | 6 | 375 m² | |

White pigmented version of Wood Care enables regular refreshing of white colored floors in the framework of daily cleaning.

CLEANING & CARE PRODUCTS FOR WOOD, LAMINATE AND CORK



Care set for oiled wood and cork floors

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 01802140 | | 6 | | |

The perfect Starter Set for newly laid floors for consumers. Consists of 1.5 litres of Wood care for oiled floors, 2x750ml H20il, as well as Padmaster with green Pad and care instructions for wood floor treatment according to DIN 18356 standard.



Laminate Cleaner 🔺

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|--------------------|--|
| 22100750 22100005 | 750 ml 5 l | 6 | 750 m² 5.000 m² | |

Mild neutral cleaning agent for the initial and regular cleaning of laminate floors. Removes dirt, fat, grease and shoe marks. Does not leave a residue. For EN 13329-defined laminate floor coverings and laminated surfaces (including kitchen and bathroom furniture). Specifically developed for all click-laminate floors.



Cleaning set for laminate floors ▲ # New

| Item number | Packaging | Units | Coverage per item* | | |
|-------------|-----------|-------|--------------------|--|--|
| 22102220 | | 9 | | | |

The set includes 1x750ml Laminate Cleaner, 1x200ml Elatex Universal stain remover and a white hand pad 12x26 cm.



Click Sealer

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|----------------------|--|
| 22600250 | 250 ml | 8 | 20-50 m ² | |

Ideal protection against swelling of laminate, pre-finished wood and sealed cork floors, as it reduces the risk of water and moisture entering the joints.



Spraymax ■▲

| Item number | Packaging | Units | Coverage per item* |
|-------------|-----------|-------|--------------------|
| 11400001 | 1 l | 5 | 50 m ² |

Environment-friendly cleaner for all hard floors (PVC, lino, CV, Design floors, stone floors and all wood, cork and laminate floors) used in combination with our Spray-Mop. Also ideal for post-installation cleaning.

*Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

Care products | Please note our cleaning and care instructions

☐ for sealed floors ☐ for oiled floors ⚠ for laminate

OUTDOOR CARE



Terrace Oil

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 10640001 | 1 l | 4 | 10 m ² | |
| 10640025 | 2,5 l | 2 | 25 m ² | |

Unpigmented deep impregnation based on natural oils for use outdoors. Good penetrating properties. The wood is protected against direct water absorption, while remaining open pored and breathable. Accentuates the structure and wood grain (or WPC). Slip resistance class R 10.



Bangkirai Oil

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|--------------|--------|--|--|
| 10630001 10630025 | 1 l 2,5 l | 4 2 | 10 m ² 25 m ² | |

Transparent pigmented deep impregnation based on natural oil for use outdoors. Good penetrating properties. The wood is protected against direct water absorption, while remaining open-pored and breathable. High UV-protection due to pigmentation. Accentuates the structure and wood grain.



Intensive Cleaner for wood, WPC and stone, for outdoor use

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|-------------------------|--|
| 21650750 | 750 ml | 6 | 25 m² (dilution 1:3) | |

Intensive cleaner for deposits left on stone, WPC and wood by weather conditions. Simply and effortlessly removes dirt and stains with a long-term effect. Flammable.



Outdoor Wood refresher

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 21500025 | 2,5 l | 4 | 13 m ² | |

Intensive cleaning agent for all hardwood surfaces which have turned grey. Good adhesion and virtually non-drip. Quickly freshens up all wooden surfaces which have turned grey. Wood regains its natural colour. Harmful.

PRODUCTS FOR STONE & TILES



Stone Care

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|----------------|-------|---------------------|--|
| 03170750 03170010 | 750 ml 10 l | 6 | 750 m² 10.000 m² | |

For the cleaning and care of all stone and tile floors (marble, granite, brick, slate, flagstone, terracotta, terrazzo, glazed and unglazed tiles, etc.).



Inolit Active Powder

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|----------------------|--|
| 32100001 | 1 kg | 10 | 10-20 m ² | |

An acidic cleaning powder containing quartz-free abrasives for the cleaning of newly-laid floors and the basic cleaning of acid-resistant tiles and stone surfaces. Removes cement "clouding", urinary stone, lime deposits (scale) and rust marks.

INTERIOR PRODUCTS



Universal Cleaner

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--|--|
| 08170750 | 750 ml | 6 | Depends on the dilution and on the intensity of the dirt | |
| 08170005 | 5 l | | Depends on the dilution and on the intensity of the dirt | |

For the thorough and regular cleaning of all water resistant surfaces, e.g. in kitchen, bath, WC,as well as natural and artificial leather, metallic parts, windows, glass, mirrors, blinds and garden furniture. Removes greasy dirt, lime-soap, dirt of drinks and food. Ideal for household and home.




Textile Fresh

| Item number | Packaging | Units | Coverage per item* | |
|----------------------|---------------|-------|----------------------|--|
| Color | | | | |
| 24110750 24110005 | 750 ml 5 l | 6 | 15 loads 56 loads | |
| White | | | | |
| 25110750 25110005 | 750 ml 5 l | 6 | 15 loads 56 loads | |

An active detergent for the gentle treatment of colored or white curtains, bathroom textiles and bedding. Full cleaning power at temperatures as low as 30 -40°. Effectively removes dust, grease and nicotine. Textile fresh COLOR preserves the color, Textile fresh WHITE keeps white fabrics brilliant white.

*Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.



STRATO WATER BASED SYSTEM

STRATO - FILLERS & PRIMERS



strato fill 101

| Item number | Packaging | Units | Coverage per item* | |
|--------------------------|------------|-------|--------------------|--|
| 0193000590 0193000190 | 5 l 1 l | | 100 m² 20 m² | |

Joint filler binder. Water based binder for the preparation of wood filler. Guick drying, good filling power, no darkening under oil, easy to use. free of solvents.



strato 110

Grouting filler powder,oak

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 0194000500 | 5 kg | | 100-150 m² | |

Grouting filler powder,oak. Plaster-based grout powder for mixing with water. Solvent-free, pre-colored (oak), high filling capacity, no wood dust added. Manufactured on demand.



strato classic prime 200

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|----------------------|--|
| 0101000590 | 5 l | | 30-40 m ² | |

Primer for roller application. Water based primer for all types of wood as well as cork floors. Warm coloring, strong barrier effect, reduces side bonding, suitable for underfloor heating, low in odour.



strato intensive prime 201

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 0099000524 | 5.1 | | 30-40 m² | |

Waterbased lacquer primer with warm accentuation of the woods color. Roller primer for wood and cork floors. Especially recommended for priming on exotic wood species. Reduces side-bonding. Suitable for under-floor heated floors. Suitable under approved strato-finishes easy 30x, professional 31x, perform 46x.



euku oil 1 FS

| tem number | Packaging | Units | Coverage per item* | |
|------------|-----------|-------|----------------------|--|
| 0166002590 | 2,5 l | 2 | 50-80 m ² | |
| 0166000190 | 1 l | 4 | 20-30 m ² | |

Strongly accentuating oil primer in combination with euku master FS. (on p. 33). Can be lacquered over with recommended strato lacquers. As a 2 part variation only for professional use.



strato trowel prime 220

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 0108000500 | 5 l | | 100 m ² | |

Primer sealer. For the application with spatula of the optimal primer for parquet and wood floors. Can be used as a lacquer primer for filling untreated wood, as well as a filler for an intermediate layer. Virtually odourless, reduces side gluing, suitable for under-floor heating, enhances the subsequent finish of applications.

Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.



STRATO WATER BASED SYSTEM

STRATO - FILLERS & PRIMERS



strato amber prime add

| Item number | Packaging | Units | Coverage per item* | | |
|--------------|-------------|-------|--------------------|--|--|
| 0119050024 | 500 ml | | 40 m² | | |
| strato frost | t prime add | | | | |
| 0123050024 | 500 ml | | 40 m ² | | |

Pigmenting process additives for applying primer to basically sanded wood and cork floors with strato lacquers. Especially easy to apply. Extends the area of application of the strato-series. Can be used in all strato primer applications. Additional UV-protection for the wood. Recommended mixing ratio 1:10. strato amber prime add: Honeytoned pigmentation, warm coloration. Simulates strong color enhancement "like oiled" (oak). strato frost prime add: Brightening pigmentation, cold coloration. Especially suitable for roller priming on floors made of light woods.

STRATO 1 COMPONENT LACQUERS



strato easy 301 satin

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------------|-------|--------------------|--|
| 0129001090 | 10 L | | 30 m² | |
| | | | | |
| strato easy | 302 matt | | | |

One component water based finish. Easy to use, for normally frequented areas, e.g. living areas. Low odour, easy to use, resistant against household chemicals.



strato professional 311 satin

| Item number | Packaging | Units | Coverage per item* | |
|--------------------------|--------------|---------|--|--|
| 0138001090 0138000590 | 10 l 5 l | | 30 m² 15 m² | |
| strato prof | essional 312 | mat | | |
| 0139001090 0139000590 | 10 L 5 L | | 30 m ² 15 m ² | |
| strato prof | essional 313 | ultrama | t | |
| 0149000590 | 5 l | | 15 m² | |

Premium one component water based finish. Easy to use, for residential and light commercial areas. Easy to use, anti-slip R9, non yellowing, low odour.



strato premium 371 satin

| Item number | Packaging | Units | Coverage per item* | |
|-------------|--------------|-------|--------------------|--|
| 0126000590 | 5 l | | 15 m² | |
| strato pren | nium 372 mat | | | |
| 0127000590 | 5 l | | 15 m ² | |

Special one component water based finish. Extremely hard wearing 1 part PU finish. Good abrasion resistance, free of solvents, non yellowing, easy to use.

*Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

STRATO 2 COMPONENT LACQUERS



strato perform 461 satin

| Item number | Packaging | Units | Coverage per item* | |
|-------------|--------------|-------|--------------------|--|
| 0274000590 | 5 l + 500 ml | | 16 m² | |
| | / 63 | | | |
| strato perf | Orm 462 mat | | | |

Two component water based finish. For heavily frequented areas, especially suitable for sport floors. Easy to use, non yellowing, ideal for sport floors, not susceptible to shoemarks.



strato extreme 470 gloss

| Item number | Packaging | Units | Coverage per item* | | |
|---------------------|--------------------------------|--------|--------------------|-----|--|
| | | UIIILS | | | |
| 0297000590 | 5 l + 500 ml | | 16 m ² | | |
| strato extr | eme 471 satin | | | | |
| 0296000590 | 5 l + 500 ml | | 16 m² | | |
| strato extr | eme 472 mat | | | | |
| 0298000590 | 5 l + 500 ml | | 16 m² | | |
| strato extre | eme 473 ultram 5 l + 500 ml | nat | 16 m² | I I | |
| 0233000330 | J (1 300 IIII | | 10 111- | | |

Two component water based PU finish. For extremely frequented areas. Low odour, extremely high abrasion resistance, easy to use, non yellowing.



strato nature 484

| Item number | Packaging | Units | Coverage per item* | |
|-------------|--------------|-------|--------------------|--|
| 0262000590 | 5 l + 500 ml | | 16 m² | |

Two component water based finish. For a natural appearance of the wood floor "like untreated". Directly applied without primer, high wear resistance for heavy duty use, especially low odor, easy to use.

SUPPLEMENTARY PRODUCTS FOR STRATO 2 COMPONENT LACQUERS



strato UV protect add

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 0080050024 | 500 ml | | 40 m² | |

Optional system add-on for strato lacquers. Has a protective effect against the effects of UV radiation and thus reduces the yellowing of wood. Recommended for light types of wood.



R10 Antislip Add

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 4002050024 | 500 ml | | 110 m² | |

R11 Antislip Add

| ' | | | | |
|-------------|-----------|-------|--------------------|--|
| Item number | Packaging | Units | Coverage per item* | |
| 4000044005 | 440 g | | 110 m² | |

STRATO SYSTEM OVERVIEW

| | LACQUER SYSTEM WITH PRIMER | PURE LACQUER SYSTEM WITHOUT PRIMER | OIL / LACQUER SYSTEM |
|------------|--------------------------------|------------------------------------|--|
| 1 | strato fill 101 () 60 min. = | strato fill 101 (i) 60 min. = | strato fill 101 () 60 min. = |
| 2 | strato prime ① 3 h | strato 3XX 4XX | euku oil 1 FS & euku master FS (-) 24 h |
| 3 | strato 3XX 4XX () 6 h = | strato 3XX 4XX () 6 h = | strato 37X 4XX (i) 6 h = |
| 4 | strato 3XX 4XX () 6 h = 1 | strato 3XX 4XX () 6 h = | strato 37X 4XX (+) 6 h = |
| \bigcirc | FULLY USABLE AFTER 7 DAYS | FULLY USABLE AFTER 7 DAYS | FULLY USABLE AFTER 7 DAYS |

REFERENCES



STRATO

The best in wood floor protection. Made in Germany, globally at home.



ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS



PUSTATE AND ADDRESS OF THE PUBLISH O

UV PU Sealer

| Item number | Packaging | Units | Coverage per item* | | |
|-------------|--------------|-------|--------------------|--|--|
| mat | | | | | |
| 50720005 | 5 l + 500 ml | | | | |
| satin | | | | | |
| 50690005 | 5 l + 500 ml | | | | |

Special water-based Dual-Cure polyurethane sealer with UV and isocyanate cross-linking for the long-term protection of floors. Can be used directly after UV treatment. Reduces dirt adhesion and care time. Durable sealer film. Very good resistance against colorless chemicals. Please note: Only for professional use and for trained staff.



FLOORMATE UV3000 for rent

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 8000010300 | | | | |

For the UV curing of UV PU Sealer in the surface. Self-driving. Working width 40 cm. For trained users only.



HANDMATE UV600 for rent


| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 8000010400 | | | | |

For hand-guided UV curing of UV PU Sealer in the edge area and stairs. For trained users only.

*Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information and the property and use.

eu(ulaº

ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS





Floor and Sport Liner

| Item number | Packaging | Units | | |
|-------------|-----------|-------|--|--|
| 8000000900 | | | | |

The Floor and Sport Liner is a marking device for creating absolutely uniform and precise, decorative and technical masking work on the floor, such as sports floor lines, before colouring it with the floor remake system. Specially adapted to the Dr. Schutz ProTape 30mm.

Ideal for attractive floor designs in many areas such as daycare centers, schools, surgeries, nursing homes, hospitals etc.



PU LINE COLOR

| Product | Item number | Packaging | |
|--|--|---|--|
| PU LINE COLOR YELLOW RAL 1012 PU LINE COLOR WHITE RAL 1013 PU LINE COLOR ORANGE RAL 2000 PU LINE COLOR RED RAL 3000 PU LINE COLOR BLUE RAL 5010 PU LINE COLOR LIGHT BLUE RAL 5012 PU LINE COLOR GREEN RAL 6016 PU LINE COLOR LIGHT GREEN RAL 6018 PU LINE COLOR BLACK RAL 9005 | 5001101290 5001101390 5001200090 5001300090 5001501090 5001501290 5001601690 5001601890 5001900590 | 1 kg + 0,09 l 1 kg + 0,09 l | |

For professional use only. Special waterbased 2 part polyurethane sealer. For colours marking courts and fields. With reduced bleeding under marking tapes on sport floors and increased opacity for application with one coat.



PU FIELD COLOR

| Product | Item number | Packaging | |
|---|--|--|--|
| PU FIELD COLOR YELLOW RAL 1012 PU FIELD COLOR WHITE RAL 1013 PU FIELD COLOR ORANGE RAL 2000 PU FIELD COLOR RED RAL 3000 PU FIELD COLOR BLUE RAL 5010 PU FIELD COLOR LIGHT BLUE RAL 5012 PU FIELD COLOR GREEN RAL 6016 PU FIELD COLOR LIGHT GREEN RAL 6018 PU FIELD COLOR BLACK RAL 9005 | 5005101250 5005101350 5005200050 5005300050 5005501050 5005501250 5005601650 5005601850 5005900550 | 5,5 kg + 0,5 l 5,5 kg + 0,5 l | |

For professional use only. Special waterbased 2 part polyurethane sealer. For the full/solid colouring of floor areas. Ideal option in flow for opaque lacquer covering on sport courts and fields with a single application.

EUKULA OIL SYSTEM

IMPREGNATING OILS



euku oil 1 FS

| Item number | Packaging | Units | Coverage per item* |
|-------------|-----------|-------|----------------------|
| 0166002590 | 2,5 l | 2 | 50-80 m ² |
| 0166000190 | 1 l | 4 | 20-30 m ² |

Pure natural Impregnation. Oil for wood and cork floors in residential and commercial areas. Solvent free, easy to use, suitable for underfloor heating, anti-slip R10 according to BGR 181, 100% VOC free, in combination with euku master FS can be lacquered over with recommended strato lacquers.



euku oil 2 plus FS

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|----------------------|--|
| 0167002590 | 2,5 l | 2 | 50-80 m ² | |
| 0167000190 | 1 l | 4 | 20-30 m ² | |

Oil wax combination. Combination for wood and cork floors in residential and commercial areas. Solvent-free, oiling and waxing in one step, water resistance, 100% VOC free, anti-slip R10 according to BGR 181. As 2-component variant only for professional use.



euku master FS

| Item number | Packaging | Units | Coverage per item* | |
|--------------------------|------------------|--------|--|--|
| 0154025000 0154010000 | 250 ml 100 ml | 2 4 | 50-80 m ² 20-30 m ² | |

Reactive coating. Brings euku oil 1 FS, euku 2 plus FS and euku color oil FS to 2K oils of highest value. Solvent-free, improved oil hardening properties, improved surface consistency and resistance, improved pigment binding. Mixture ratio with the impregnating oils 1:10. Only for professional users.



euku color oil FS

| Product | Item number | Packaging | Coverage per item* |
|------------|-------------|-----------|----------------------|
| Snow | 0169000100 | 1 l | 20-30 m ² |
| Snow | 0169800100 | 100 ml | 2-3 m ² |
| Pine | 0169001500 | 1 l | 20-30 m ² |
| Pine | 0169801500 | 100 ml | 2-3 m ² |
| Cherry | 0169001600 | 1 l | 20-30 m ² |
| Cherry | 0169801600 | 100 ml | 2-3 m ² |
| Red | 0169001700 | 1 l | 20-30 m ² |
| Red | 0169801700 | 100 ml | 2-3 m ² |
| Coffee | 0169001800 | 1 l | 20-30 m ² |
| Coffee | 0169801800 | 100 ml | 2-3 m ² |
| Hazel | 0169001900 | 1 l | 20-30 m ² |
| Hazel | 0169801900 | 100 ml | 2-3 m ² |
| Mahogany | 0169002000 | 1 l | 20-30 m ² |
| Mahogany | 0169802000 | 100 ml | 2-3 m ² |
| Ebony | 0169002100 | 1 l | 20-30 m ² |
| Ebony | 0169802100 | 100 ml | 2-3 m ² |
| Light grey | 0169002200 | 1 l | 20-30 m ² |
| Light grey | 0169802200 | 100 ml | 2-3 m ² |
| Black | 0169002300 | 1 l | 20-30 m ² |
| Black | 0169802300 | 100 ml | 2-3 m ² |
| | | | |

Natural coloured oil. Solvent-free, easy to use, without layer buildup, natural open pore characteristic, sealable with strato waterbased lacquers.

*Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.



LYES FOR WOODEN FLOORS



euku classic lye conditioner

| Item number | Packaging | Units | Coverage per item* |
|-------------|-----------|-------|----------------------|
| 0251000124 | 1 l | 4 | 10-12 m ² |

Classic Scandinavian pre-treatment of coniferous woods before oiling. Deep honey-tone with accentuation of the heartwood, reduces photo-ageing, easy to apply, free of solvents.



euku oak antique conditioner

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 0252000124 | 1 l | 4 | 10-12 m² | |

Lye for woods containing tannic acid. Pre-treatment before oiling in order to achieve an antique effect. Intensification of the colour tone of oak, easy to apply, even effect, free of solvents.



euku oak iron conditioner

| Item number | Packaging | Units | Coverage per item* |
|-------------|-----------|-------|----------------------|
| 0253000124 | 1 l | 4 | 10-12 m ² |

Lye for woods containing tannic acid. Pre-treatment before oiling in order to blacken the tannic acid. Colour effect similar to smoky, easy to apply, free of solvents.

HARD WAX OILS AND OPTIONAL SUPPLEMENTS



Premium Hardwax Oil+

| Item number | Packaging | Units | Coverage per item* | |
|--------------------------|--------------|--------|--|--|
| satin | 2.51 | 7 | 7F m2 | |
| 0153002590 0153000150 | 2,5 l 1 l | 4 | 25 m ² 10 m ² | |
| mat | | | | |
| 0152002590 0152000150 | 2,5 l 1 l | 2 4 | 25 m ² 10 m ² | |

Layer-forming oil based on vegetable oils for easy care surfaces with a natural appearance. Increased water resistance. Dries to a natural matt finish. Easy to apply with a roller. Quick-drying. Good penetration properties, elastic film. Enhances the wood grain, warm color effect. In optional combination with euku premium nature add the grain enhancement is reduced and the color effect achieved is "like untreated". Ideal in optional combination with the reactive finish euku master FS, to achieve an especially tough surface and quick drying (e.g. for heavily frequented areas). The oiled surface conforms to the slip-resistance class R9. In combination with the optional product euku premium antislip R10 add the slip-resistance class R10 can be achieved. As 2-component variant only for professional use.



euku master FS

| Item number | Packaging | Units | Coverage per item* | |
|--------------------------|------------------|--------|--|--|
| 0154025000 0154010000 | 250 ml 100 ml | 2 4 | 25 m ² 10 m ² | |

Reactive coating. Brings Hardwax Oil+ to 2K oil of highest value. Solvent-free, improved oil hardening properties, improved surface consistency and resistance, improved pigment binding. Mixture ratio with Premium Hardwax Oil+ 1:10. Only for professional users.

HARD WAX OILS AND OPTIONAL SUPPLEMENTS



euku premium antislip R10 add

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 0259025000 | 250 ml | | 50 m² | |

Optional system component for adding to Premium Hardwax Oil+. Structuring additive for increasing anti-slip safety. Mixture ratio 1:10. Liquid preparation for simplified application. Effective results, slip resistance class R10 according to BGR 181 and DIN 51130.



euku premium nature add

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 0258025000 | 250 ml | | 50 m ² | |

Optional system component for adding to Premium Hardwax Oil+. Additive reduces grain enhancement, for an appearance which looks "like untreated", effective results. Mixture ratio 1:10. Liquid preparation for simplified application.

SOLVENT BASED PRODUCTS (PLEASE NOTE REGULATIONS IN ACCORDANCE WITH TRGS 617)



H 99 A Wood filler

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 0090001000 | 10 l | | 200 m ² | |

Alcohol based wood filler binding medium. For the manufacture of grouting material as a filler mass from sanding dust. Quick drying, can quickly be sanded, high filling properties, mild smell.



G 200 A Roller primer

| Item number | Packaging | Units | Coverage per item* |
|-------------|-----------|-------|----------------------|
| 0095000500 | 5 l | | 40-50 m ² |

Alcohol based primer for wood, parquet and cork floors. Gives wood a warm color. Blocking primer against interaction with topcoats. Quick druing, reduces side bonding, for tropical woods.



PU 551 satin

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 0009000500 | 5 l | | 50-60 m² | |

Two-component polyurethane sealer in combination with PU550 hardener. Optimal resistance against chemical and mechanical influences Virtually odourless after hardening. Please note: Always use with PU 550 hardener.



PU 550 hardener for PU 551 1:1

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 0010000500 | 5 l | | | |

Hardener for PU 551. Mixture ratio 1:1. Only for professional use.

^{*}Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information

AFTER CARE PRODUCTS



euku wax

| Item number | Packaging | Units | Coverage per item* | |
|--------------------------|------------|-------|--------------------|--|
| 2173000500 2173000100 | 5 l 1 l | 5 | 150 m² 30 m² | |

Satin polish. For the care and visual freshening up of sealed wood and cork floors, PVC and linoleum. Protects the floor from damage and the wood against water. Ready to use, waterbased, wipe-proof. Fulfills the requirements of German norm DIN 18 032 for sports floors.



euku mattwax 🔼 🗥

| Item number | Packaging | Units | Coverage per item* | |
|--------------------------|------------|-------|--------------------|--|
| 2174000500 2174000100 | 5 l 1 l | 5 | 150 m² 30 m² | |

Matt version of euku wax for matt sealed floors Also for matt hardwax-oiled wood and cork floors.



euku clean

| Item number | Packaging | Units | Coverage per item* | |
|--------------------------|------------|-------|--|--|
| 2113000500 2113000100 | 5 l 1 l | 5 | 5.000 m ² 1.000 m ² | |

Cleaning concentrate. For day-to-day cleaning of all floors and the cleaning of other surfaces, also post-installation cleaning. Effectice cleaning concentrate, for cleaning sealed floors.



euku intensiv

| Item number | Packaging | Units | Coverage per item* | |
|--------------------------|------------|-------|--|--|
| 2122000500 2122000100 | 5 l 1 l | 5 | 75 m ² 15 m ² | |

Intensive cleaner. For the removal of all remnants of mopped care-products and polymer-dispersion films on wood and cork floors. Removes stains and heel marks.



euku care oil

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|----------------------|--|
| 0159002590 | 2,5 l | 2 | 50-75 m ² | |
| 0159000100 | 1 l | 4 | 20-30 m ² | |

Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

Natural maintenance for oiled floors. Follow-up impregnation based on natural oils and waxes for the care treatment of floors in private residences and public buildings. Excellent cleaning power, replenishes natural fats, leaves no residue or film, mild smelling.



euku refresher

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|----------------------|--|
| 0183002590 | 2,5 l | 2 | 50-75 m ² | |
| 0183000100 | 1 l | 4 | 20-30 m ² | |

Aftercare. Follow-up impregnation based on natural oils and waxes for the care treatment of floors in private residences and public buildings. For maintaining the natural surface, optimises the durability, can be repaired spot-wise, water resistance.



euku refresher classic A(2)

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 2240002590 | 2,5 l | 2 | 100 m ² | |
| 2240000100 | 1 l | 4 | 40 m ² | |

Deeply effective care-oil on the basis of resins, vegetable oils and carnauba wax. For impregnated-oiled and hard-wax oiled surfaces. Refreshes dull, especially stressed and intensively cleaned oil surfaces anew. Good penetrive and high filling properties. Satin appearance. Enhances the wood grain. Optimizes durability. For spot-cleaning and touching up. Classic filling effect "like in the past".



euku refresher classic white

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 2241000100 | 1 l | 4 | 20-30 m² | |

Refresher for white oiled floors. Other properties like euku refresher classic.



euku care emulsion A(2)

| Item number | Packaging | Units | Coverage per item* | |
|--------------------------|--------------|--------|--|--|
| 0182002590 0182000100 | 2,5 l 1 l | 4 4 | 375 m ² 150 m ² | |

Soap cleaner. Concentrate for the mopping and day-to-day cleaning of impregnated-oiled surfaces. Excellent cleaning power, high replenishment of natural oils, leaves no residue or film, mild smelling.



euku care emulsion white

| CORO COI C | | | • | |
|-------------|-----------|-------|--------------------|--|
| Item number | Packaging | Units | Coverage per item* | |
| 0187000190 | 1 l | 4 | 150 m² | |

For white oiled floors. Has all the features of euku care emulsion.



euku polish

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|----------------------|--|
| 2250000100 | 1 l | 4 | 20-50 m ² | |

Hard wax care product. Solution of special hard waxes. Mild smell, easy to use, strong water repellent effect, strong cleaning effect.



Handball Wax Remover

| Item number | Packaging | Units | Coverage per item* | |
|-------------|-----------|-------|--------------------|--|
| 01090025 | 2,5 l | 2 | | |

Mixture of mild solvents. For the cleaning of stains, resins, heel-marks, as well as the removal of wax films on wood floors and other solvent-fast surfaces. Especially suitable for removing resin residues on sport floors, whose subsurface can be damaged by alkaline cleaning solutions. Basic cleaner for floors that have been treated with care products containing wax (euku polish, euku refresher). Also suitable as a convenient thinner for diluting euku oils and Premium Hardwax Oil, especially in a primer application on very absorbent woods.

 $\textbf{Care products} \mid \textbf{Please note our cleaning and care instructions}$

sealed floors oiled floors hardwax- oiled floors

Note: for hardwax- oiled floors ▲ you can choose between the water-based (1) and oil-based (2) care systems.

EUKU SYSTEM OVERVIEW

| | OIL SYSTEM | 2 PART OIL SYSTEM | OIL / LACQUER SYSTEM |
|----------|---|--|---|
| 1 | strato fill 101 (a) approx. 60 min. = | strato fill 101 () 60 min. = | strato fill 101 (i) 60 min. = |
| 2 | euku oil 2 plus FS pad within 60 min. ① 12 h = | euku oil 1 FS 2 plus FS + euku master FS pad within 30 min. 1 h = | euku oil 1 FS & euku master FS pad within 60 min. (1) 24 h = |
| 3 | euku refresher refresher classic polish out within 60 min. 12 h = 1 finish with euku polish cloth or alternatively with white or beige pad | euku refresher refresher classic polish out within 60 min. 12 h = 1. finish with euku polish cloth or alternatively with white or beige pad | strato 37X 4XX 2x ① 6 h = |
| (| FULLY USABLE AFTER 7 DAYS | FULLY USABLE AFTER 7 DAYS | FULLY USABLE AFTER 7 DAYS |

REFERENCES



EUKU OILS

The best in wood floor protection. Made in Germany, globally at home.





PERFECT PREPARATION OF FLOORS

| | Linol | Linoleum³ | LVT, smooth (heteroighomog | LVT, PVC smooth floors (heterogenous/ homogenous) | Rubber smooth floors | ber floors | Rubber structured floors e.g. studded | ber ad floors udded | LVT, PVC structured floors (heterogenous/ homogenous) | PVC d floors enous/ | Wood floors | Wood floors | Floors / coated | Wood floors oiled/waxed | floors waxed | All Floor coverings deep and very fine structures? | Loor ings very fine ures? |
|--|--------------------------------|----------------------------------|----------------------------------|--|--------------------------------|----------------------------------|---|----------------------------------|--|----------------------------------|---|---------------------------------|------------------------------|-------------------------|--|--|------------------------------------|
| Strip-cleaning regular | Grit-brush green | Superpad green ⁸ | Grit-brush green | Superpad green ⁸ | Grit-brush green | Superpad green ⁸ | Grit-brush green | | Grit-brush green | Superpad green ⁸ | | Superpad green | Superpad red ⁸ | Superpad green | Superpad red ⁸ | Grit-brush red | Grit-brush green |
| Strip-cleaning thick an hard care product layers | Grit-brush black | Superpad green ^{5,8} | Grit-brush black | Superpad green ^{5,8} | Grit-brush black | Superpad green ^{s,8} | Grit-brush black | Superpad green ^{5,8} | Grit-brush black | Superpad green ^{5,8} | | | | | | | |
| Day-to-day Cleaning | Superpad red ⁸ | | Superpad red ⁸ | | Superpad red ⁸ | | Grit-brush red | | Grit-brush red | | | Superpad | | Superpad red | | Grit-brush red | Superpad red ⁸ |
| Cleaning by Machine | Superpad red ⁸ | | Superpad red ⁸ | | Superpad red ⁸ | | Grit-brush red | | Grit-brush red | | | Superpad | | Superpad red | | Grit-brush red | Superpad red ⁸ |
| Spray-Cleaning | Superpad red ⁸ | | Superpad red ⁸ | | Superpad red ⁸ | | Polishing brush | Superpad red ⁸ | Polishing brush | Superpad | | Superpad | | Superpad red | | Polishing brush | Superpad red ⁸ |
| Polishing | Superpad white ⁸ | | Superpad white ⁸ | | Superpad white ⁸ | | Polishing brush | Superpad red ⁸ | Polishing brush | Superpad | | Superpad white | | Superpad white | | Polishing brush | Superpad red ⁸ |
| Neutralization / Rinsing with raw, untreated surface | Superpad green ⁸ | | Abranet Ace ⁴ | | Abranet Ace" | | Abranopp extreme | | Abranopp extreme | | | | | | | | |
| Neutralization sanding/ Sanding back before OnTop coating with PU / factory-applied PU floors | Abranet Ace ⁶ | | Abranet Ace" | | Abranet Ace ⁴ | | Abranopp extreme | | Abranopp extreme | | | Abranet Ace¹ + Interface-pad | t Ace¹ ce-pad | | | | |
| Sanding between lacquer coats | | | | | | | | | | | | Abranet Ace¹ + Interface-pad | t Ace¹ ce-pad | | | | |
| Fine sanded finish | | | | | | | | | | | Abranet Ace ^{1,2} + Interface-pad | | | | | | |
| Working in oils/waxes | | | | | | | | | | | | | | Normal- pad beige | Superpad green ⁸ + Superpad | | |

Cleaning appliances and accessories

WE CARE ABOUT FLOORS.

ABRASIVE MATERIALS/ABRASIVE PADS





Abranet Ace

| ADIGICE ACC | | | |
|--|-------------|-------|--|
| Product | Item number | Units | Description |
| Abranet Ace Ø 406 mm, grain 80 | 8000927900 | 1 | System relevant sanding materials for the preparation |
| Abranet Ace Ø 406 mm, grain 120 | 8000928000 | 1 | of floors WITHOUT surface structure before the application of PU Sealer products. Ceramic high performance sanding material with |
| Abranet Ace Ø 406 mm, grain 150 | 8000928100 | 1 | extra long service life. For use during the neutralisation phase with water. Also ideally suitable for fine sanding of raw wood and inte- |
| Abranet Ace Ø 150 mm, grain 80 | 8000928200 | 8 | rim sanding between lacquer coats on wood floors. Clean sanded image with very slight roughness depth. In combination with the |
| Abranet Ace Ø 150 mm, grain 120 | 8000928300 | 8 | Interface-pad even better results. Can be used with commercially |
| Abranet Ace Ø 150 mm, grain 150 | 8000928400 | 8 | available hard pads. Also especially suitable for very hard surfaces as well as for sophisticated sanding work. |
| Abranet Ace 485 x 335 mm grain 80 ♣ New | 8000932300 | 1 | |
| Abranet Ace 485 x 335 mm grain 120 © New | 8000932400 | 1 | |
| Abranet Ace 485 x 335 mm grain 150 🌞 New | 8000932500 | 1 | |
| Abranet Ace 340 x 190 mm grain 80 🌞 New | 8000932000 | 1 | |
| Abranet Ace 340 x 190 mm grain 120 <mark>≑</mark> New | 8000932100 | 1 | |
| Abranet Ace 340 x 190 mm grain 150 🌞 New | 8000932200 | 1 | |
| Abranet Ace 70 x 198 mm, grain 80 | 8000928600 | 8 | |
| Abranet Ace 70 x 198 mm, grain 120 | 8000928700 | 8 | |
| Abranet Ace 70 x 198 mm, grain 150 | 8000928800 | 8 | |
| Abranet Ace HD Ø 150 mm, grain 40 | 8000929900 | 1 | Abranet ACE HD with ceramic grain is long-lasting, robustly resistant and entirely suitable for the coarse sanding of many different surfaces. |
| Abranet Ace HD Ø 150 mm, grain 60 | 8000931000 | 1 | The reinforced mesh material of the HD series guarantees even high hard-wearing strength, compared with Abranet ACE, and is resistan against tearing even in the hardest applications. |



Abranopp

| Product | Item number | Units | Description |
|------------------------------|-------------|-------|--|
| Abranopp ∅ 406 mm extreme | 8000926100 | 1 | System relevant sanding materials for the preparation |
| Abranopp Ø 150 mm extreme | 8000926200 | 5 | of floors WITH surface structure before the application of PU Sealer products. Especially suitable for studded floors. |
| Abranopp 485 x 335 mm ♠ New | 8000926700 | 1 | Highly abrasive, but never the less gentle on the surface. Special sanding grain mixture for the safest results. To be used during |
| Abranopp 340 x 190 mm ♣ New | 8000926600 | 1 | the neutralization phase with water. Service life of up to 150 m ² (depending on floor and surface finish). |
| Abranopp 70 x 198 mm extreme | 8000926300 | 4 | Can be used on all commercially available pad-machines. |
| | | | |

Cleaning appliances and accessories

WE CARE ABOUT FLOORS.

GRIT BRUSHES

Sockets for further machines available. You can find a precise list under www.dr-schutz.com/grit-brushes.



Grit brushes

| Product | Item number | Units | Description |
|-----------------------|-------------|-------|---|
| Socket: SRP1/Numatic/ | Cleanfix | | Higher flexibility as well as a pronounced high-deep arrangement of |
| with Grit brush black | 8000981000 | 1 | the bristles ensure a better removal rate, especially with structured floors. Angled bristles make it possible to work close to the edge. |
| with Grit brush green | 8000982000 | 1 | A "water ring" with drainage holes in the brush plate ensures even better water distribution when working with tank systems. |
| with Grit brush red | 8000983000 | 1 | Grit brush black: Coarse-bristled cleaning brush with abrasive grit with aggressive abrasion behaviour for removing particularly stub- |
| Socket: Sorma | | | born old coatings during strip cleaning. |
| with Grit brush black | 8000981020 | 1 | Grit brush green: Universal strip cleaning brush with abrasive grit for the safe removal of old care product layers on smooth and structure |
| with Grit brush green | 8000982020 | 1 | floors. Fast action, long service life, no clogging as with cleaning pads. |
| with Grit brush red | 8000983020 | 1 | Grit brush red: Fine-bristled cleaning brush with abrasive grain for deep structures in floors. Thanks to coordinated flexible bristles, the brush can also achieve finer and deeper structures. Please check whether your single disc machine has the required working width. Our brushes have a diameter of 406 mm! Please also compare the type designation of your machine with our adapter list. |

| Socket: Columbus (only 405 mm diameter) | | | | | | |
|---|------------|---|--|--|--|--|
| with Grit brush black | 8000981030 | 1 | | | | |
| with Grit brush green | 8000982030 | 1 | | | | |
| with Grit brush red | 8000983030 | 1 | | | | |
| Socket: Wirbel/Wolff | | | | | | |
| with Grit brush black | 8000981050 | 1 | | | | |
| with Grit brush green, grain 120 | 8000982050 | 1 | | | | |
| with Grit brush red | 8000983050 | 1 | | | | |
| Socket: WETROK | | | | | | |
| with Grit brush black | 8000981070 | 1 | | | | |
| with Grit brush green, grain 120 | 8000982070 | 1 | | | | |
| with Grit brush red | 8000983070 | 1 | | | | |

Higher flexibility as well as a pronounced high-deep arrangement of the bristles ensure a better removal rate, especially with structured floors. Angled bristles make it possible to work close to the edge. A "water ring" with drainage holes in the brush plate ensures even better water distribution when working with tank systems. Grit brush black: Coarse-bristled cleaning brush with abrasive grit with aggressive abrasion behaviour for removing particularly stubborn old coatings during strip cleaning. Grit brush green: Universal strip cleaning brush with abrasive grit for the safe removal of old care product layers on smooth and structured floors. Fast action, long service life, no clogging as with cleaning pads. Grit brush red: Fine-bristled cleaning brush with abrasive grain for deep structures in floors. Thanks to coordinated flexible bristles, the brush can also achieve finer and deeper structures. Please check whether your single disc machine has the required working width. Our brushes have a diameter of 406 mm! Please also compare the type designation of your machine with our adapter list.

MACHINERY AND ACCESSORIES FOR PREPARING AND CLEANING FLOORS BEFORE COATING



Monodisc SRP1

| Product | Item number | Units | Description |
|----------------------------|-------------|-------|--|
| SRP 1 | 8000915100 | 1 | A multi-functional, robust monodisc appliance. |
| Tank | 8000915200 | 1 | For cleaning of newly-laid floors, intermediate, basic and spray cleaning of all hard floors. For shampooing of synthetic and natural fibre textile floor coverings (sisal). Also suitable for the |
| Driving Disc Plate | 8000916800 | 1 | sanding of wooden floors and for the grinding of cast plaster |
| Sanding Plate | 8000916200 | 1 | flooring. Technical data: Power consumption: 1.500 W, Tension: 230 V, Revolutions: 150 rev./min, Cable length: 12 m, Brush diameter: 450 mm, Pad diameter: 400 mm, Weight: 30 kg, CE approved. |
| Polishing brush | 8000915400 | 1 | ter. 430 min, Pad diameter. 400 min, Weight. 30 kg, Ct approved. |
| Suctionring / spray shield | 85401001139 | 1 | |
| Vacuum | 8000916100 | 1 | |
| Fleece filter bags (SRP1) | 8000996200 | 10 | |

MACHINERY AND ACCESSORIES FOR PREPARING AND CLEANING FLOORS BEFORE COATING



TG1 Turbo drier

| Product | Item number | Units | Description |
|-----------------|-------------|-------|--|
| TG1 Turbo drier | 8000010100 | 1 | High quality fan as ideal support for significantly shortening drying time. Due to its flexible base can be set in every direction. Technical data: Total power: max. 125 W; Supply voltage: 220-240 V; Weight: 9 kg; Frame size: 69 x 20 x 67 cm; Volume flow rate: max. 6.600 m³/h; Rpm: max. 1.400 UpM. |



PS27 Power suction machine

| Product | Item number | Units | Description |
|----------------------------|-------------|-------|---|
| PS27 Power suction machine | 8000010200 | 1 | Ideal professional machine for suction removal of water and soiled solutions. High suction power with 25 l extracted volume. Its stainless steel cylinder is very robust and ideally suitable for daily use. Technical data: Total power: max. 1.150 W, Weight: 10,4 kg, Useable volume: 25 l, Cable length: 10 m, Vacuum pressure: 1.190 mbar. |
| PS27 Suction set 450 | 8000909500 | 1 | The set includes a wider, height-adjustable wet suction nozzle with a total width of 45 cm and a longer, segmentable suction tube. |
| PS 27 spiral hose | 85101001041 | 1 mtr | Spiral hose for PS27, by the meter (without connecting piece). We recommend not to exceed the maximum hose length of 5 meters. The connector from the original hose can be used. |

SATELLITE DISC

Sockets for further machines available. You can find a precise list under www.dr-schutz.com/satellite-disc. You can find a precise list under www.dr-schutz.com/satellite-disc.



Satellite disc

| Product | Item number | Units | Description |
|--|-------------|-------|---|
| Socket: SRP1/Numatic/ Cleanfix | 8000972200 | 1 | Satellite sanding disc with four individually rotating satellite discs fastened by velcro with 150 mm diameter for fine sanding |
| Socket: Sorma | 8000972220 | 1 | on parquet and wood floors, as well as for working on the surface of suitable resilient floors, e.g. smooth, homogenous |
| Socket: Columbus (only 405 mm diameter) | 8000972230 | 1 | PVC floors. The protective covers supplied with the implement are to protect the actual velcro fasteners from dirt and early wear, and can be replaced at any time. The perfect combination |
| Socket: Wirbel/Wolff | 8000972250 | 1 | with Abranet sanding materials. Please check the diameter of |
| Socket: WETROK | 8000972270 | 1 | your monodisc machine. Complete working width satellite plate: 406 mm diameter. |
| Protective covering 150 mm | 8000928900 | 5 | Protective covering for satellite disc |

ABRASIVE MATERIALS/ABRASIVE PADS



Handblock

| Рго | duct | Item number | Units | Description |
|-----|--------------------|-------------|-------|---|
| Han | dblock 70 x 198 mm | 8000928500 | 1 | Hand-block with vacuum suction for Abranet and Abranopp 70x198mm for corner and edge areas. |



High Performance Pad

| Product | Item number | Units | Description |
|-------------------------------|-------------|-------|---|
| High Performance Pad Ø 410 mm | 8000913500 | 1 | Aggressive sanding pad with corundum edge and open fleece structure. Especially suitable for the coarse removal of hard-to-remove layers. Strong sanding grooves with prominent opening of the surface. |



Interface Pad

| Product | Item number | Units | Description |
|-----------------------------------|-------------|-------|--|
| Interface Pad Ø 410 mm | 8000926400 | 1 | Adapter-pad with velcro for the best sanding results with Abranet ACE. Even better improved sanded look. Has a muting effect |
| Interface Pad Ø 150 mm | 8000926500 | 4 | for the kind treatment of surfaces, including uneven surfaces. |
| Interface Pad 485 x 335 mm New | 8000932700 | 1 | Can be used with every commercially available hedgehogpad- holder. For hard applications, for example on raw, resilient floors, such as linoleum. Thanks to its perforations, it is also ideally |
| Interface Pad 340 x 190 mm New | 8000932600 | 1 | suitable for machines with a vacuum-cleaner attachment. |



PU Renovation pad

| Product | Item number | Units | Description |
|-----------------------------------|-------------|-------|---|
| PU Renovation pad grey Ø 430mm | 8000913000 | 1 | Sanding pad with fine corundum coating. For abrading surfaces before applying PU Sealer products. Abranet and Abranopp have been our first recommendation since 2017. |

ABRASIVE MATERIALS/ABRASIVE PADS



'High Quality' Superpads

| Product | Item number | Units | Description |
|----------------------------|-------------|-------|---|
| | | | Superpads in 'High Quality' for a higher and even performance over the entire pad surface as well as a longer service life. Thickness: 20 mm. |
| HQ-Superpad white Ø 410 mm | 8000917100 | 5 | Polishing pad for resilient floors, for upkeep oiling $\&$ color oiling of wood floors. |
| HQ-Superpad red Ø 410 mm | 8000917200 | 5 | Cleaner pad for resilient floors. For cleaning before applying care products by mopping. |
| HQ-Superpad green Ø 410 mm | 8000917300 | 5 | Strip cleaning and finishing pad for hard floors insensitive to mechanical cleaning, before applying care films. |

ABRASIVE MATERIALS/ABRASIVE PADS



Pads

| Product | Item number | Units | Description |
|--------------------|-------------|-------|---|
| | | | Pads for an economic performance and service life. Thickness = 10 mm. |
| Pad beige Ø 410 mm | 8000919500 | 10 | eukula oil-pad for polishing out eukula oils. |
| Pad white Ø 410 mm | 8000914400 | 10 | soft pad for polishings and upkeep oiling of wood floors. |
| Pad red Ø 410 mm | 8000914500 | 10 | low-abrasive cleaner pad for machine cleaning without final care treatment. |
| Pad green Ø 410 mm | 8000915700 | 10 | mediumhard pad for strip cleaning and finishing, before applying care-film. |
| Pad black Ø 410 mm | 8000915800 | 10 | hard abrasive pad for increased sanding effect in cleaning processes. |



Sanding screen

| Product | Item number | Units | Desc | ription |
|----------------------------------|-------------|-------|------|---------|
| Sanding screen 60 grit Ø 410 mm | 8000915900 | 10 | | |
| Sanding screen 80 grit Ø 410 mm | 8000925700 | 10 | | |
| Sanding screen 100 grit Ø 410 mm | 8000925800 | 10 | | |
| Sanding screen 120 grit Ø 410 mm | 8000925900 | 10 | | |

CLEANING APPLIANCES



Padmaster System

| Product | Item number | Units | Description |
|--|-------------|-------|---|
| Padmaster holder with joint for universal handle | 8000930500 | 1 | Pad green: For easy removal of wax and other coatings on smaller areas, as well as in corners and edges. Pad white: Non-scratch pad for the easy removal of stubborn stains, |
| Universal aluminium handle 140cm | 8000924400 | 1 | heel marks, the remains of glue and adhesive, and much more. Pad grey: For roughening surfaces with factory-ap- plied PU fnishes, in corners and edge, before the application |
| Padmaster with handle | 8000931100 | 1 | of PU Sealer products. |
| Pad green 12x26x0,8cm | 8000930600 | 10 | |
| Pad white 12x26x0,8cm | 8000930700 | 10 | |

8000930100 5



Professional mop system

Pad grey 12x26x0,8cm

| Product | Item number | Units | Description |
|-------------------------------------|-------------|-------|--|
| | | | Professional system for initial cleaning and care, as well as upkeep cleaning of hard floors. |
| Universal aluminium handle 140cm | 8000924400 | 1 | |
| Holder | 8000924500 | 1 | |
| Cotton mop 40cm | 8000924700 | 1 | For the simple application of polishes and hard sealers and for the economical upkeep cleaning of floors which were initially protected by polishes or hard sealers. |
| Micro-fibre mop 40cm | 8000924600 | 1 | For the optimal upkeep cleaning of PU coated floor coverings. |

CLEANING APPLIANCES

) os

Polish Applicator PRO 🌞 New

| Product | Item number | Units | Description |
|---|-------------|-------|---|
| Polish Applicator PRO- Holder 40 cm incl. telescopic pole 🐥 New | 8000920100 | 1 | For the simple application of polishes and hard sealers in a professional way, on resilient floor coverings, as well as on wooden and cork coverings in households and small size projects. |
| Polish Applicator PRO- Holder 40 cm # New | 8000920200 | 1 | Polish Applicator holder (40 cm) incl. handle. |
| Polish Applicator PRO - Cover ** New | 8000920300 | 1 | Wischwiesel PRO Cover with Velcro fastener. |
| Polish Applicator PRO - Telescopic pole 🌞 New | 8000920400 | 1 | Telescopic pole 100-160 cm. |

SPRAY MOP



Spray Mop

| Product | Item number | Units | Description |
|---|-------------|-------|---|
| Spray Mop | 8000114501 | 12 | Contents: cleaning appliance with mop. Ideal cleaning appliance for the daily cleaning of all hard floors, such as PVC & LVT, linoleum, stone floors and all types of wood, cork and laminate floors. By simply operating the spray-lever, this results in mopping the floor by slight moistening. In this way moisture-sensitive floors can also be easily and simply cleaned. Also suitable for cleaning following installation. Please note: use our product Spraymax exclusively to avoid damage to the SprayMop and the floor. |
| Spray Mop Set Contents: Spray Mop, cover, Spraymax | 8000114000 | 4 | Contents: cleaning appliance with mop and one 1l bottle of Spraymax for filling up the tank. Ideal cleaning appliance for the daily cleaning of all hard floors, such as PVC & LVT, linoleum, stone floors and all types of wood, cork and laminate floors. By simply operating the spray-lever, this results in mopping the floor by slight moistening. In this way moisture-sensitive floors can also be easily and simply cleaned. Also suitable for cleaning following installation. Please note: use our product Spraymax exclusively to avoid damage to the SprayMop and the floor. |
| Spray Mop Cover | 8000114100 | 1 | Cover for the Spray Mop. |

APPLICATION SYSTEMS





Rollers

| Des deset | Item number | 11-34- | Description |
|--|-------------|--------|---|
| Product | item number | Units | Description |
| Super PU Roller 25 cm | 8000922800 | 1 | Specially developed for the application of Super PU Sealer (approx. 100g/m²) on larger surfaces. |
| Super PU Roller 50 cm | 8000925000 | 1 | Specially developed for the application of Super PU Sealer (approx. 100g/m²) on larger surfaces. |
| Roller "Aquatop" 25 cm | 8100922200 | 1 | For the optimal and fast application of all lacquers for wood and cork floors and PU Sealer range on large areas. |
| Roller "Aquatop" 50 cm | 8000922200 | 1 | For the optimal and fast application of all lacquers for wood and cork floors and PU Sealer range on large areas. |
| Lattice frame 25 cm with click soft handle | 8100922000 | 1 | Special frame for Aquatop and Super PU rollers. With Click soft handle. Perfect for use with the Click telescopic pole |
| Lattice frame 50 cm with click soft handle | 8000922000 | 1 | Special frame for Aquatop and Super PU rollers. With Click soft handle. Perfect for use with the Click telescopic pole. |



Laquer Roller & Roller Handle 10 cm

| Product | Item number | Units | Description | |
|---------------------|-------------|-------|---|-----------|
| Laquer Roller 10 cm | 8100924600 | 5 | Specially developed roller for the application of PU Seale all lacquers for wood and cork floors and primers on smal areas such as stairs and edging. | er, ll |
| Roller handle 10 cm | 8100924400 | 1 | Slot-in holder for roller 10 cm. | |



Hardwax Oil Roller & Roller Handle 25 cm

| Product | Item number | Units | Description |
|--------------------------|-------------|-------|---|
| Hardwax Oil Roller 10 cm | 8000924800 | 5 | Hardwax oil roller 10 cm. |
| Hardwax Oil Roller 25 cm | 8300900200 | 5 | Special roller for small areas and edges. |
| Roller handle click soft | 8300900100 | 1 | With Click soft handle. Perfect for use with the Click telescopic pole. |



Lacquer Roller strato

| Product Item r | number Units | Descript | ion |
|-----------------------------------|--------------|----------|----------------------|
| Lacquer Roller strato 25 cm 83009 | 900300 5 | Water ba | sed lacquers roller. |

APPLICATION SYSTEMS



Professional Radiator Paint Brush

| Product | Item number | Units | Description |
|--|-------------|-------|---|
| Professional Radiator Paint Brush as long as available | 8000925500 | 1 | Radiator paint brush with natural bristles in good quality for professional workers. The brush is characterized by its dense bristles and its long handle with an angled head. This makes it possible to work ergonomically even in hard-to-reach places. The brush is suitable for applying sealers which are water-based and solvent-based. |



Click-Telescopic Pole

| Product | Item number | Units | Description |
|-------------------------------------|-------------|-------|--|
| Click-Telescopic Pole 150-300 cm | 8100921200 | 1 | High-quality aluminium-Fibreglasscombination with Click system for the simple and safe connection with the Aquatop Roller brackets, user-friendly 2-component-handle |
| | | | |



Professional lacquer bucket

| Product | Item number | Units | Description |
|--|-------------|-------|--|
| Professional lacquer bucket 22 L (rollable, with handle) | 800000200 | 1 | The rollable lacquer bucket is eminently suitable for larger quantities of lacquer. Thanks to its plas-tic rollers it's no problem to move the lacquer bucket along the floor even when full, without having to reckon with damage to freshly lacquered surfaces. In combination with the appropriate lacquer bags this bucket provides for ergonomic and efficient work, while also economical. Capacity: max. 22 litres. Dimensions incl. rollers: 54 x 27 x 33cm. |



PE bag large

| Product | Item number | Units | Description |
|--|-------------|-------|--|
| PE bag large (for Professional lacquer bucket) | 8000000300 | 50 | Insert bag for Professional lacquer bucket (22 l). |



Lacquer tray

| Product | Item number | Units | Description |
|-----------------------------|-------------|-------|--|
| Lacquer tray | 8100931600 | 1 | Large lacquer tray for working with lacquers, oils and hard-wax oils using a roller or a broad brush. Ideally suitable for working with hard-wax oils. Thanks to an integrated scraper-surface it is possible to work with the correct dose of lacquer. In combination with the appropriate blister-linings the lacquer tray can be re-used many times. Dimensions: 32 x 35 cm Capacity: 1.0 litre |
| Lacquer tray blister lining | 8100931700 | 10 | Transparent blister lining for the lacquer tray 32 x 35 cm. By using the blister lining the lacquer tray can be re-used again and again. Dimensions: 32 x 35cm Capacity: 1.0 litre. |

APPLICATION SYSTEMS

Рго Таре



| Product | Item number | Units | Description |
|------------------------------|-------------|-------|---|
| Pro Tape 30 mm x 50 m | 800000400 | 1 | High-grade washi-tape in professional quality. The Pro Tape offers a medium to good adhesive strength and can be removed without leaving traces — even from sensitive surfaces. With the Pro Tape it is possible to draw extremely sharp paint and lacquer edges, because the tape stops liq-uid seeping underneath. High resistance to UV. Ideally suitable also for edge fixing with Protect Fleece. Dimensions: 30 mm x 50 m long. |
| Pro Tape XL 48 mm x 50 m | 8000000700 | 1 | High-grade washi-tape in professional quality. The Pro Tape offers a medium to good adhesive strength and can be removed without leaving traces — even from sensitive surfaces. With the Pro Tape it is possible to draw extremely sharp paint and lacquer edges, because the tape stops liq-uid seeping underneath. High resistance to UV. Ideally suitable also for edge fixing with Protect Fleece. Dimensions: 48 mm x 50 m long. |



Protect fleece

| Product | Item number | Units | Description |
|------------------------------|-------------|-------|--|
| Protect fleece 1 m x 50 m | 8000000600 | 1 | Masking freshly lacquered and oiled surfaces is already possible after 48 hours*. High quality special protective fleece for protecting freshly lacquered or oiled surfaces. The Dr. Schutz Protect Fleece is characterized by its high "breathing" activity while simultaneously protect-ing against wetness. Water or other fluid media cannot penetrate from above, while water vapour from below can escape upwards through special membranes. On Dr. Schutz products it is possible to mask off areas after only 48 hours (at 20°C / 50 % rel. humidity). 1m x 50m. |



T-Applicator

| Product | Item number | Units | De | escription |
|------------------------|-------------|-------|----|--|
| T-Applicator | 8398005300 | 1 | Ар | pplicator for euku refresher and euku maintenance oil. |
| Cover for T-Applicator | 8398005400 | 1 | | |



Polishing cloth

| Product | Item number | Units | Description |
|-----------------|-------------|-------------------------------|---|
| Polishing cloth | 8398005500 | approx.250 p (approx.15kg) | For polishing and taking up residues of euku refresher and euku maintenance oil. Can be used with SRP1 and Floorboy. Box approx. 250 pcs. Carton weight approx. 15 kg. |
| | 8100979800 | 20 p | box approx. 250 pcs. carton weight approx. 15 kg. |

APPLICATION SYSTEMS



Spatula

| Product | Item number | Units | Description |
|---------|-------------|-------|---|
| Spatula | 8100922800 | 6 | Double blade spatula. Stainless steel, curved edges for fillers and oils. |



Dust binding cloth

| Product | Item number | Units | Description |
|--|-------------|---------------|-----------------------------|
| Dust binding cloth as long as stock lasts | 8398002300 | 1 bag 5 p. | For taking up sanding dust. |

CLEANING EQUIPMENT AND ACCESSORIES FOR TEXTILE, RESILIENT, WOOD AND STONE FLOORS AND TERRACES



Multi CLEAN 350

| Product | Item number | Units | Description |
|--|-------------|-------|--|
| Multi CLEAN 350 incl. set of brushes (your choice) | 8000929000 | 1 | High performance combi-machine with counter rotating brushes for the intensive cleaning of just about all surfaces indoors and outdoors. For the cleaning of textile floor coverings in combination with Carpetlife Powder. For the intensive cleaning of terraces made of wood, WPC and stone, in combination with the appropriate intensive cleaner. For renovating grey wooden surfaces in combination with Outdoor Wood refresher. For the cleaning of PVC, Lino, rubber and stone floors (including natural stone) in combination with the appropriate basic cleaners. Even structured floors can also be cleaned thoroughly. Technical data: Total power: 550 W, Weight: 19,5 kg, Rotational speed of the brushes: approx. 400 c/m, Cable length: 10 m, Working width: 350 mm. |
| Soft brush (white) | 8000929100 | 2 | For cleaning wool Berbers and Saxony. |
| Medium brush (blue) | 8000929200 | 2 | For cleaning carpets made of velour, smooth loop and needle felt. |
| Hard brush (brown) | 8000929300 | 2 | For cleaning carpets made of velour, smooth loop and needle felt as well as PVC, linoleum and rubber. |
| Extra hard brush (black) | 8000918300 | 2 | For cleaning wooden and WPC terraces as well as stone floors. |



Spray Boy 2000

| Product | Item number | Units | Description |
|-------------------|-------------|-------|--|
| Spray Boy 2000 | 8000906000 | 1 | Spray-extractor appliance which is particularly compact, |
| Upholstery nozzle | 8000906100 | 1 | handy and easy to transport. The cleaning solution is sprayed into the depths of the pile, the dirt is loosened and |
| Filter bags | 8000906700 | 10 | then vacuumed away. By using the optionally available accessories which can additionally be applied for the cleaning of cushions, vacuuming of hard floors by cleaning fleets or as a classical dry vacuum cleaner. Technical data: Working width: 26 cm, Dimensions: 53 x 53 x 40 cm, Dirt water tank: 7 l, Cleaning pressure: 2,5 bar, Fresh water tank: 6 l, Total power: 1.000 W, Water discharge: 1,7 l/min, Weight: 9,0 kg. |
| Hard floor tool | 8000906600 | 1 | 3 brass spray nozzles, brush, 37 cm working width. |
| Wet floor tool | 8000906200 | 1 | Nozzle, working width 22 cm . For spray extraction after one basic cleaning of hard floors. |
| Cap purple | 85001000517 | 1 | Colored transparent cover for Spray Boy. |

CLEANING EQUIPMENT AND ACCESSORIES FOR TEXTILE, RESILIENT, WOOD AND STONE FLOORS AND TERRACES



Mini Mono Disc "Floor Boy"

| Product | Item number | Units | Description |
|----------------------------|-------------|-------|--|
| Mini Mono Disc "Floor Boy" | 8000911800 | 1 | Handy single-disc machine, only 33 cm wide, especially developed for all types of hard floors and stairs. Ideally suited for cleaning, polishing and oiling floors. Thanks to its oscillating movements this machine is very easy to guide effortlessly, and ensures very efficient cleaning of surfaces. In addition, the fitted water-tank facilitates dosage when carrying out cleaning work. Suitable for oiled, waxed or lacquered wood floors, terazzo, granite, laminate, linoleum, vinyl, PVC, stone and tiles. Technical data: Total power: max. 290 W/230 V, Working width: 33 cm, Cable length: 7,5 m, Weight: 13 kg, Revolutions: 1.450 rot./min. |
| Driving disc plate | 8000912200 | 1 | Driving disc for holding cleaning pads. |
| Micro fibre pad Ø 330 mm | 8000911900 | 1 | For cleaning of textile floors and for intensive cleaning of stone. |
| Red pad Ø 330 mm | 8000912400 | 5 | For intensive cleaning of sealed wood and cork floors. |
| Green padØ 330 mm | 8000912300 | 5 | For basic and intensive cleaning of oiled wood and cork floors and resilient floors. |
| White pad Ø 330 mm | 8000912000 | 5 | For polishing care product on oiled wood and cork floors, resilient and stone floors. |
| Felt pad Ø 330 mm | 8000911500 | 10 | For taking up residues of oil on oiled wood floors. |



Carpetlife 310/370 brush vacuum cleaner

| Product | Item number | Units | Description | |
|-------------------------------------|-------------|-------|--------------------------------------|---|
| Carpetlife 310 brush vacuum cleaner | 8000960600 | 1 | fective maintenan | ruum cleaner with two engines for the ef- ce of textile floors. Also removes deepdown . Suitable for all carpets which are insensiti- |
| Carpetlife 370 brush vacuum cleaner | 8000961100 | 1 | ve to handle. The | alternative hard floor attachment to clean and polish wipe over care products |
| Hard floor vacuum adapter | 8000960900 | 1 | | |
| Fleece filter bags | 8000961700 | 10 | 875 W*/900 W**, drive/Tooth belt: | arpetlife 310/**Carpetlife 370, Total power: Working width: 310 mm*/370 mm**, Brush Filterbag: 3,5 litres, 3-layer, Weight: 7 kg, |

CANISTER ACCESSORIES



Dispensing pump & Drain tap


| Product | Item number | Units | Descripti | on |
|---|-------------|-------|--------------------------------------|--|
| Dispensing pump for 2,5l; 5l; 10l can. | 8000930000 | 1 | high dosir | sy pouring from Dr. Schutz canisters. Thanks to ng accuracy for detergents and care products it ed universally. This makes it possible to use every n the stationary refill / dispenser system and is le and functional in system and performance. |
| Drain tap for 5l and 10l can. | 8000930900 | 1 | Universal and loss-i horizonta | ly usable on 5 l and 10 l canisters. For optimal free use of cleaning and care products. Ideal for l storage. |







FootClick 2* FootClick 2 threadable for all chair and table legs made of wood and plastic





Multifixx* for furnitures with 50 x 26mm legs



Minifixx* for furnitures with 35x18mm legs



28mm = 8210107000 34mm = 8210200000

Footfixx Wood* for all legs made of wood



M8 28 = 8210300700 | M10 28 = 8210301700

M8 34 = 8210300000 | M10 34 = 8210301000



8210105500 8210106500 small = Ø10-15mm medium = Ø14-21mm



8210107500 large = Ø20-30mm

Footfixx Threaded

Footfixx Hollow* Footfixx Hollow for all hollow legs



Ø 12mm (hard floors + pin) Ø 16mm (hard floors + pin) Ø 22mm (hard floors + pin) Ø 22mm (hard floors + pin)









Chairfixx* The transparent glider solution for swinging chairs.



Footfixx Replacement parts (1)



Tubefixx Replacement parts (1)

SCRATCHNOMORE FURNITURE FOOT-GLIDERS

WE CARE ABOUT FLOORS.

| scratchnomore | FURNITURE | FOOT-GL | IDERS | | | | |
|---|--|-----------------------|----------------|-------------|------------------|--|--|
| Product | Item number | Packaging | Units | | | Description | |
| scratchnomore Sample Case | 8210026000 | 1 | | | | All Scratchnomore gliders at a glance in an attractive display case. Presented in a classy and functional way, ideal when travelling or on display in a high quality showroom. | |
| FOIL PACKAGING BAG | afad aad al | aatia that a | | | /Sl-b | side esia (f) 2.5 es es) | |
| For chair and table legs made | of wood and pl | astic that ar | e perpendicula | ar to the f | oor (flat unders | | |
| FootClick 2 for hard floorsØ 25 mm for hard floors Ø 31 mm for hard floors Ø 44 mm | 8210245000 8210255000 8210270000 | 4 4 4 | | | | The ideal solution for all chair- and table legs made of wood and plastic. Basic part can be screwed on with replaceable protective heads. | |
| For all types of furniture | | | | | | | |
| Tubefixx Medium for hard floors (25-40 mm) | 8210401000 | 4 | | | | The flexible solution, above all for wider swinging chairs. Easily adjustable for chairs with round, oval, square and rectangular legs. | |
| Multifixx for hard floors for hard floors (50 x 26 mm) | 8210700000 | 4 | | | | The all-round-solution for all types of furniture. Basic part can be glued permanently, or screwed on with replaceable protective heads, universally adaptable. | |
| Minifixx for hard floors 35 x 18 mm | 8210710000 | 4 | | | | The all-round solution for all smaller kinds of furniture. Basic part can be glued fast or screwed, universally adaptable. Also for all swinging chairs with square, narrow tubes. | |
| For chair and table legs made | of wood and pl | astic with a | minimum dian | neter of 2 | 8 mm | | |
| Footfixx Wood for hard floors Ø 28 mm for hard floors Ø 34 mm | 8210207000 8210200000 | 4 | | | | Fits on all chair- and table legs made of wood. Simply screw the basic part into the wooden base. Replaceable protective caps. | |
| For chair and table legs with i | nternal screw th | read of M8 | or M10 | | | | |
| Footfixx Threaded M8 for hard floors Ø 28 mm for hard floors Ø 34 mm | 8210300700 8210300000 | 4 4 | | | | For all chairs with interior screw thread sizes of M8 or M10. Easy to fit with repleaceable protective caps. | |
| Footfixx Threaded M10 for hard floors Ø 28 mm for hard floors Ø 34 mm | 8210301700 8210301000 | 4 4 | | | | | |
| For wickerwork chairs with an | interior diamet | er of 10-30 | mm. | | | | |
| Footfixx Hollow Small for hard floors, (10-15 mm) Ø 28 mm | 8210105500 | 4 | | | | Tailor-made flexibility: for all wickerwork chairs with an interior diameter of 10-30 mm. Replaceable protective caps. | |
| Footfixx Hollow Medium for for hard floors, (14-21 mm) Ø 28 mm | 8210106500 | 4 | | | | | |
| Footfixx Hollow Large for hard floors, (20-30 mm) Ø 28 mm | 8210107500 | 4 | | | | | |
| Footfixx Hollow Small for hard floors, (10-15 mm) Ø 34 mm | 8210100000 | 4 | | | | | |
| Footfixx Hollow Medium for hard floors, (14-21 mm) Ø 34 mm | 8210101000 | 4 | | | | | |
| Footfixx Hollow Large for hard floors, (20-30 mm) Ø 34 mm | 8210102000 | 4 | | | | | |
| For swinging chairs with round tubes Ø 12-25 mm | | | | | | | |
| Chairfixx for hard floors 12 mm, without pin 12mm, with a fixed pin 16 mm, removable pin 19 mm, removable pin 22 mm, removable pin 25 mm, removable pin | 8210601000 8210607000 8210610000 8210620000 8210630000 8210640000 | 4 4 4 4 4 | | | | The transparent glider solution for swinging chairs. Ideal for classic and modern chairs in the office or at home. | |
| Chairfixx Flex Tape | 8212834000 | 1 | | | | To optimally fix Chairfixx in case of a different diameter. | |

| Product | Item number | Packaging | Units | Description |
|--|-------------|-----------|-------|---|
| | | | | |
| BLISTER PACK 8X4P | | | | |
| FootClick 2 for hard floors Ø 25 mm | 8210245050 | 4 | 8 | The ideal solution for all chair- and table legs made of wood and plastic. Basic part can be screwed on with replaceable protective heads. |
| for hard floors Ø 31 mm | 8210255050 | 4 | 8 | protective neads. |
| for hard floors Ø 44 mm | 8210270050 | 4 | 8 | |
| Multifixx for hard floors for hard floors (50 x 26 mm) | 8210700050 | 4 | 8 | The all-round-solution for all types of furniture. Basic part can be glued permanently, or screwed on with replaceable protective heads, universally adaptable. |
| Footfixx Wood for hard floors Ø 28 mm | 8210207050 | 4 | 8 | Fits on all chair- and table legs made of wood. Simply screw the basic part into the wooden base. Replaceable protective caps. |
| for hard floors Ø 34 mm | 8210200050 | 4 | 8 | replaceable protective caps. |
| Footfixx Hollow Small for hard floors, (10-15 mm) Ø 28 mm | 8210105550 | 4 | 8 | Tailor-made flexibility: for all wickerwork chairs with an interior diameter of 10-30 mm. Replaceable protective caps. |
| Footfixx Hollow Medium for hard floors, (14-21 mm) Ø 28 mm | 8210106550 | 4 | 8 | |
| Chairfixx for hard floors | | | | The transparent glider solution for swinging chairs. Ideal for classic and modern chairs in the office or at home. |
| 16 mm, removable pin | 8210610050 | 4 | 8 | |
| 22 mm, removable pin | 8210630050 | 4 | 8 | |
| | | | | |
| Product | Item number | Packaging | Units | Description |

FOIL PACKAGING BAG

Replacement part

| FootClick 2 replacement for hard floors Ø25mm replacement for hard floors Ø31mm replacement for hard floors Ø44mm | 8210940000 8210941000 8210945000 | 4 4 4 | | Replacement part for FootClick 2 for hard floors. |
|---|--|-------------|--|--|
| Replacement Tubefixx for hard floors | 8210950000 | 4 | | Replacement part for Tubefixx for hard floors. |
| Multifixx replacement for hard floors | 8210970000 | 4 | | Replacement part for Multifixx for hard floors. |
| Minifixx replacement | 8210980000 | 4 | | Replacement part for Minifixx |
| Footfixx replacement Round for hard floors Ø28mm for hard floors Ø34mm | 8210930000 8210900000 | 4 | | Replacement part for Footfixx Wood, Footfixx Threaded and Footfixx Hollow for hard floors. |

KNOW - HOW & SALES TOOLS FOR PROFESSIONALS









ARCHITECTS COLLECTION ART. NO. 6000006000



FLOOR+ COLLECTION ART. NO. 6000301401



EUKULA COLLECTION & ART. NO. 6000301100

EL SY AF

EUKULA SYSTAINER ART. NO. 6000007000

SALES SUPPORT FOR YOUR CUSTOMER MEETINGS





DR. KARL SCHUTZ TRAINING ACADEMY

in Hessisch-Oldendorf

Further education and training with certificate in the Dr. Schutz training academy on over 500m²











1. Applicability

- 1.1 These General Terms and Conditions apply to all present and future business relations.
- 1.2 Where a customer's general business terms differ from, contradict or go beyond these conditions, such terms shall not become part of any contract, even if acknowledged, save with our express written consent to their applicability.

2. Conclusion of the Contract

- 2.1 Our sales proposals are made subject to confirmation. We reserve the right to make reasonable changes to technical aspects of our products or to their composition, colour and/or weight.
- 2.2 By placing an order, the customer gives binding confirmation of his intent to purchase the goods ordered. We shall be entitled to accept the contract proposed in such order at any time up to two weeks after receipt thereof. Acceptance may be declared in writing or by delivering the goods to the customer.
- 2.3 Delivery deadlines shall be binding only if we have confirmed them in writing.

3. Prices and Paument Terms

- 3.1 Unless specifically agreed otherwise in writing, the prices that shall apply shall be those on the pricelist in force at the time the order is placed, taking into account any discounts granted. If more than 4 months elapse between concluding the contract and despatching the goods to the customer, then the price payable for the goods shall be the price prevailing on delivery, save only if there has been a delay in delivery for which we are responsible.
- 3.2 Unless specifically indicated otherwise, prices shown on the pricelist or otherwise issued are quoted exclusive of value added tax at the rate legally applicable upon delivery.
- 3.3 Following despatch of goods, an invoice will be promptly sent to the customer. The customer undertakes to pay the invoice amount within 30 days from receipt of goods. If this deadline passes without payment the customer shall be in default. Where payment is made within 14 days from receipt of goods, the customer shall be granted a discount of 3% on the balance of the invoice remaining after deduction of any sales rebates.
- 3.4 During any period of arrears, the customer shall pay interest on all unpaid debts at the rate of 8% above the base rate prevailing from time to time. Furthermore, we reserve the right to show just cause for and to claim damages in excess of this.
- 3.5 The customer may offset our payment demands against unpaid invoices only if such invoices are undisputed and legally enforceable. Further, the customer may exercise the right of retention only if such invoices relate to business done on the same contractual terms.

4. Delivery and Transfer of Risk

- 4.1 The place of performance and execution shall be the seat of our works in Hessisch Oldendorf.
 Ex works
- 4.2 We shall despatch the goods ordered by a means and route of carriage of our choosing to the customer's head office, unless the customer has specifically given us an alternative delivery address. Delivery will be made on working days during normal business hours (07.00-18.00 hrs.). Even if specific notification of the delivery date is not given in advance, it is the customer's responsibility to ensure that the delivery can be accepted. If goods cannot be delivered due to lack of preparedness, the customer shall be in default.
- 4.3 All risks associated with the goods being accidentally destroyed or damaged shall pass to the customer as soon as we hand the goods over to the carrier, haulier or such other person or organisation as we may charge with despatching said goods. If we have entered into a special agreement about the means of delivery and deviate from this without good reason, then we shall be liable for any damage arising therefrom.
- 4.4 The customer shall without delay advise both us and the carrier of any damage caused during transit.
- 4.5 We do not take back empty packaging.
- 4.6 Insofar as we are prevented from keeping any delivery deadline agreed as a result of circumstances that fall within the customer's area of risk, by strike action, a lock-out organised by the employers' trade association at our business or at a business working directly for us, due to force majeure or to other circumstances beyond our control, and if we notify the customer promptly of the reason for the delay, then the customer shall agree to an extension of the deadline by up to 4 weeks. The length of such extension shall be set based on the duration of the events causing the delay.
- 4.7 he customer shall reimburse us for any extra costs that we incur due to delivery delays for which
- 4.8 Should we default on our delivery obligations, the customer may claim a lump sum compensation in the amount of 0.5 % of the item's price then prevailing, for each full week that each delivery item is delayed, up to a maximum of 5%. The customer shall only be entitled to claim compensation in excess of this figure subject to the terms and limitations of clause 7.

5. Reservation of Title

- 5.1 Delivered goods shall remain our property until full settlement is received for all pecuniary claims made by us arising from the delivery itself and from all on-going business dealings up to that point. The transfer of individual debts to an open account or the balance setoff, even where such actions are approved, shall not affect the reservation of title.
- 5.2 The customer undertakes to handle the goods carefully and to inform us without delay of any claim on the goods by third parties, for instance in the event of the goods being impounded, or if they are damaged or destroyed. The customer must promptly advise us of any change of title to the goods or change of address.
- 5.3 Should the customer's conduct be in violation of the contract, particularly in the event of payment default or failure to meet the obligations of clause 5.2, we shall be entitled to withdraw from the contract and to require the return of the goods. Should we impound the delivered goods, this shall not be considered as a withdrawal from the contract.

5.4 As part of the ordinary course of business, the customer is entitled to resell the goods. The customer herewith assigns to us and we herewith accept the assignment of all such receivables, up to the value of invoices we have raised, as may accrue from third parties through such resale. After such assignment, the customer remains entitled to collect said receivables. We, however, retain the right to collect these ourselves if, and as soon as, the customer fails to fulfil payment obligations on time and falls into payment arrears. For as long as we reserve the title to the goods, the customer is not authorised to dispose of them in any other way than through resale.

6. Warranties

- 6.1 Insofar as it is feasible in the normal course of business, the customer shall check the goods for completeness and external damage promptly after receipt. If anything is missing or defective, the customer shall notify us in writing within two weeks from receipt of the goods. If he fails to make such notification, it shall be deemed that the goods have been approved and no warranty claims shall be asserted, save only in the event that a defect arises that could not have been noticed during inspection or had been concealed by us with wilful intent.
- 6.2 The quality of the goods shall strictly be deemed to be agreed exclusively as defined by our product description. By contrast, any statements about the goods' qualities in general advertising or promotion shall have no contractual relevance.
- 6.3 We offer the customer no specific legal guarantees.
- 6.4 In the event of our goods being defective, we shall, in the first instance, have the option to make amends by remedial work or by replacement delivery (post-performance). If such post-performance fails to suffice, the customer may, in accordance with the following provisions, demand a reduction in the price (abatement), cancellation of the contract (rescission) or compensation for damage.
 - Where contractual infractions are only of an insubstantial nature, especially where defects in the goods are only minor, the purchaser shall have no right of cancellation.
 - The customer may only claim compensation subject to the terms and limitations of clause 7.
 - f electing to withdraw from the contract, the customer shall not be entitled to claim compensation for any deficiencies.
 - If electing to seek compensation for damage, the customer shall retain the goods insofar as the
 customer can reasonably be expected so to do. In such event, and unless the vendor has wilfully concealed a breach of contract, compensation shall be limited to the difference between
 the purchase price and the value of the defective goods.
- 6.5 All rights to warranty claims in respect of any deficiency, including claims for compensation, are strictly limited to a period of one year from the date at which the goods are delivered. After this date, all warranty rights lapse unless we have wilfully concealed such deficiencies. The period of limitation shall be 5 years insofar as the purchase contract relates to goods that have, according to their ordinary mode of application, been used in the construction of a building and caused its defectiveness. The assumption of approval as defined in clause 6.1 is not affected by this provision.

7. Compensation for Damage

- 7.1 In the event of non-compliance with any contractual or non-contractual obligation, also by our senior executives or any other vicarious agents, a claim for compensation may only be made against us subject to the following provisions:
- 7.2 In the event of a wilful or grossly negligent breach, our liability shall be governed by the provisions of the law. In the event of less negligent breaches, we shall be liable only where such breach relates to a material contractual obligation. Our liability in such cases shall be based on the type of goods in question and limited to actual average damages that could be anticipated and are typical in contracts for goods of this type. The customer's rights in respect of product liability are not affected by these liability limitations for cases or minor negligence; further, such limitations shall not apply in the event of bodily harm, damaged health or loss of life attributable to us.
- 7.3 Rules in respect of burden of proof are unaffected by the foregoing provisions.

8. Other Provisions

- 8.1 The laws of the Federal Republic of Germany shall apply to all claims between the parties in respect of this contract to the exclusion of the provisions of CISG (United Nations Convention on Contracts for the International Sale of Goods).
- 8.2 Exclusive jurisdiction on all claims arising out of or in connection with this contract shall rest with the courts of the city in which Dr. Schutz GmbH has its registered office.
- 8.3 Should individual provisions of the contract with the customer, including provisions of these General Terms and Conditions be or become wholly or partially unenforceable, this shall not affect the validity of the remaining provisions. In such case, the wholly or partially invalid clause shall be replaced by a clause that comes as near as possible to the economic success of the invalid one.
- 8.4 Changes or additions to the contract must be made in writing. The same applies to any waiver of the written form requirement itself.

Issued: 20-11-2002

Dr. Schutz GROUP

Head office

Tel.: +49 (0) 228 / 95352-0 Web: www.dr-schutz.com

Export

Tel.: +49 (0) 228 / 95352-40 Fax: +49 (0) 228 / 95352-46 E-Mail: export@dr-schutz.com

Dr. Schutz GmbH Holbeinstraße 17 53175 Bonn

Technical hotline

Tel.: +49 (0) 5152 / 9779-16 Fax: +49 (0) 5152 / 9779-26 E-Mail: technik@dr-schutz.com

Machine service

Tel.: +49 (0) 5152 / 9779-17 Fax: +49 (0) 5152 / 9779-48

E-Mail: geraeteservice@dr-schutz.com

Logistics

Tel.: +49 (0) 5152 / 9779-19 Fax: +49 (0) 5152 / 9779-20 E-Mail: versand@dr-schutz.com

Dr. Schutz GmbH Steinbrinksweg 30

31840 Hessisch Oldendorf