

CC-Dr. Schutz GmbH

Steinbrinksweg 30
D-31840
Hessisch Oldendorf
Fax: +49-(0)5152-9779-30
Tel: +49-(0) 5152-9779-0
info@dr-schutz.com
www.dr-schutz.com

Dr. Schutz UK Ltd.
Unit 24, Anglo Business Park
Smeaton close Aylesbury Bucks HP19 8UP
Great Britain
Fax: 01296-334 219
Tel: 01296-437 827
steve@dr-schutz.com
www.dr-schutz.com

Product-Information

Stain Guard

1. Product Description

A long-lasting impregnation treatment to guard against stains and marks. Liquids form into droplets on the surface and can be dabbed up with a cloth. For textile floor coverings and upholstery made of synthetic fibres and mixture of the same, as well as smooth and rough-surfaced leather. Extremely flammable.

2. Areas of Application

Wall-to-wall carpets, rugs and upholstery made of synthetic fibres (polyamide, polyacrylic, polyester, etc.), natural fibres (wool, cotton, sisal, etc.) and mixtures of the same. Also suitable for smooth and rough surfaced leathers. For use at home as well as in the car, boat, caravan, camping and furniture.

3. Method of Application

Give Stain Guard a short shake and spray it evenly onto the clean and completely dry object to be treated from a distance of approx. 25 cm until the impregnated material feels slightly damp to the touch. Apply twice to seating areas and coarsely woven materials and in areas subjected to extreme use. The effect is increased by repeated application. Before re-using the impregnated material, allow it to dry for at least four hours, wherever possible overnight.

Consumption: 1 l = 25 sq. m / one application

Attention: Before use, test for material suitability and colour-fastness in an inconspicuous place or on a scrap of spare material. Any sensitive (e.g., varnished) surfaces should be covered before work commences. Ensure that there is sufficient ventilation during and after use of Stain Guard. Where there is insufficient ventilation, wear respiratory protection. Do not inhale product vapours. Contact with hot liquids or those containing solvents, longer-standing stains, the remains of cleaning agents and anti-static treatments and extreme use can reduce the effectiveness of the product. After damp cleaning or stain removal treatments, reapply Stain Guard.



Stain Guard

4. Technical Data

pH level cannot be determined since the product is not water-based.
Product code for cleaning and care products (Giscode): n.a.

Data on ingredients: less than 5% anionic surfactants, oxygen-based bleaching agents. Contains perfumes, LIMONENE, solvents, acids, stabilisers. Keep locked up and out of the reach of children. Store in a cool dry place. Polyolefin packaging. Only feed into recycling systems when clean and completely empty.

Stain Guard should be stored in a cool, dry place in its closed original container. Protect from frost. Keep locked up and out of the reach of children.

5. Quality Inspection

Certified in Germany by Fraunhofer Institut Toxikologie und Aerosolforschung (ITA), Hanover

6. Unit Sizes

6 x 400 ml

Art.-No. 1601040016

www.dr-schutz.com

The above advice on procedure for use is based on the best of our knowledge and the latest information available on cleaning technology. For this reason, when using our quality products, no damage will be incurred to the materials to be cleaned if strict attention is paid to the instructions printed on the container and the procedure suggested by us is followed. The use to which our products are put is, however, beyond our control. It is the responsibility of the user and does not release the user from making his own checks of the products supplied by us as to their suitability for the intended procedure and purposes. The information supplied by us is therefore non-binding and cannot be used as a basis for establishing the company's liability for any damage incurred. This also includes the infringement of any rights for the protection of third parties.

