



eukula[®]
WOOD.FLOOR.LOVE

eukula hardwax nature add

1. PRODUCT DESCRIPTION

Optional system component for addition to eukula hardwax oil+. Additive that reduces scorching for an "as untreated" appearance. Application in the base coat during the priming treatment of sanded wood and parquet floors as well as cork floors and OSB boards. Especially recommended for application on brighter wood types.

- Liquid preparation for simplified application.
- Highly effective.
- Mixing ratio 10:1.
- When applied additionally in the finish layer, clear white glaze effect.
- Emissions tested building product according to AgBB guidelines. abZ-Nr. Z-157.10-213 (Germany)

2. APPLICATION

Shake up well. Mix in to base system in a ratio of 1:10. Roll out thin wet-on-wet several times, lastly in the direction of the wood for an even finish. Avoid the formation of layers.

Please note:

- If the application is stronger than the absorbency of the wood, a whitish glaze effect occurs.
- If the add is also used in the second coat, a whitish glaze effect will always occur.
- In general, glazes applied by roller on large surfaces such as the floor are associated with increased demands on the applicator. Roller marks are easily possible.
- If the effect is too strong on dark or porous woods, the add can also be mixed in in smaller quantities without any problems. Pre-testing recommended.
- Combined application with other components of the eukula hardwax system is optional.

3. CONSUMPTION

4-5 ml/m² at mixing ratio 10:1 in primer application. Range: 20 m² per 100 ml.
More product might be needed on rough or absorbent surfaces.

4. DRYING TIME

As given for the base system.



eukula[®]
WOOD.FLOOR.LOVE

eukula hardwax nature add

5. CLEANING & MAINTENANCE

As given for the base system.

6. STORAGE

Store in a cool dry place. Shelf life in unopened original containers from date of manufacture: 24 months. Note the imprinted date of manufacture.

Keep out of the reach of children.

7. TECHNICAL DATA

Ingredients: aliphatic hydrocarbons (Repeated exposure may cause skin dryness or cracking.)
/ Pigments / silicic acids / modified vegetable oils / additives

ADR/RID: Not a dangerous good as defined by transport regulations.

CLP/GHS: no labelling obligation. UFI: CGE0-N04C-M00Q-PGK8

Further information on labelling and on safe handling can be found in the current Safety Data Sheet.

Even when using low-pollution products, the usual safety measures are to be observed. Keep away from children. Completely emptied containers can be disposed of with household waste or with the collection of recyclables.

8. CROSS-REFERENCE

Our following publications in their updated form are valid as an integral part of this fact sheet:

- General notes on the application of eukula finishes.
- Safety Data Sheet available on request.

www.eukula.com / The quoted printed matter, as well as this Product Information in its updated form, is available on our homepage or on request from the address quoted below.



eukula[®]
WOOD.FLOOR.LOVE

eukula hardwax nature add

eukula – contact us

Germany
Headquarter (international)

Dr. Schutz GmbH
Holbeinstraße 17
53175 Bonn
Germany

phone +49 (228) 95352-40
fax +49 (228) 95352-46
email: export@dr-schutz.com
www.dr-schutz.com

United Kingdom

Dr. Schutz UK Ltd.
Unit 24, Anglo Business Park,
Smeaton Close, Aylesbury Bucks
HP19 8UP
United Kingdom

contact: Richard Nelson
phone +44 (1296) 437827
fax +44 (1296) 334219
email: richard@drschutz.co.uk

Ireland

Dr. Schutz Ireland
35 Pic Du Jer Park,
Ballinlough, Cork
T12 R9F9
Republic of Ireland

contact: Paul O'Reardon
mobile +353 87 767 8388
email: paul@drschutzireland.com

The above advice for technical application is given to the best of our knowledge and according to the latest state of technology. Therefore, if our products are used carefully heeding the advice given on their application, as well as following our suggested procedures with the materials intended for use with these products, no damage shall occur. However, our products are used outside and beyond our possible control, and are therefore subject to your own responsibility, which does not release you from the obligation to check for yourself whether our supplied products are suitable for your intended purpose and procedure. Therefore our notes and advice are not legally binding and cannot be used against us as grounds for liability – which includes the rights and protection of any third party. The relevant recommendations, guidelines and standard norms are to be observed, as well as the recognized technical rules. On publication, this product information replaces and supersedes the validity of any previous versions.