



Stain Guard

1 PRODUCT DESCRIPTION

A long-lasting impregnation treatment to guard against stains and marks. Liquids form into droplets on the surface and can be dabbed up with a cloth. For textile floor coverings and upholstery made of synthetic fibres and mixture of the same, as well as smooth and rough-surfaced leather. Extremely flammable.

2 AREAS OF APPLICATION

Wall-to-wall carpets, rugs and upholstery made of synthetic fibres (polyamide, polyacrylic, polyester, etc.), natural fibres (wool, cotton, sisal, etc.) and mixtures of the same. Also suitable for smooth and rough surfaced leathers. For use at home as well as in the car, boat, caravan, camping and furniture.

Please pay attention to our technical instructions specifically for floors and buildings under www.dr-schutz.com

3 METHOD OF APPLICATION

Give Stain Guard a short shake and spray it evenly onto the clean and completely dry object to be treated from a distance of approx. 25 cm until the impregnated material feels slightly damp to the touch. Apply twice to seating areas and coarsely woven materials and in areas subjected to extreme use. The effect is increased by repeated application. Before re-using the impregnated material, allow it to dry for at least four hours, wherever possible overnight.

Attention: Before use, test for material suitability and colour-fastness in an inconspicuous place or on a scrap of spare material. Any sensitive (e.g., varnished) surfaces should be covered before work commences. Ensure that there is sufficient ventilation during and after use of Stain Guard. Where there is insufficient ventilation, wear respiratory protection. Do not inhale product vapours. Contact with hot liquids or those containing solvents, long-standing stains, the remains of cleaning agents and anti-static treatments and extreme use can reduce the effectiveness of the product. After damp cleaning or stain removal treatments, reapply Stain Guard.

4 CONSUMPTION

1 l = 25 sq. m / one application

5 STORAGE

Store in cool, dry conditions in well sealed receptacles. Store under lock and key and out of the reach of children.



Stain Guard

6 TECHNICAL DATA

pH level cannot be determined since the product is not water-based. Product code for cleaning and care products (Giscode): n.a. Data on ingredients: less than 5% anionic surfactants, oxygen-based bleaching agents. Contains perfumes, LIMONENE, solvents, acids, stabilisers. Keep locked up and out of the reach of children. Store in a cool dry place. Polyolefin packaging. Only feed into recycling systems when clean and completely empty. Stain Guard should be stored in a cool, dry place in its closed original container. Protect from frost. Keep locked up and out of the reach of children. ADR/RID: UN1950 **Aerosols, corrosive, 2.**

CLP: GHS02, GHS07, GHS08. Danger. H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated H315 Causes skin irritation. H319 Causes serious eye irritation H336 May cause drowsiness or dizziness. H304 May be fatal if swallowed and enters airways H412 Harmful to aquatic life with long lasting effects P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 Do not pierce or burn, even after use P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

The Labelling of hazard of aspiration (Asp. Tox. 1 H304) is not required for aerosols and container with sealed spray devices (Regulation (EC) No 1272/2008, Appendix 1, 1.3.3). The product is classified and labelled according to the CLP regulation.

Caution! be sure to note! May cause damages to health by inhalation! Only for using outdoor or inside with good ventilation! Only spray for seconds! Large-area textiles or carpets have to be treated outside!

Completely emptied canisters can be disposed of in domestic waste, or taken to a recycling centre.

7 SPECIAL NOTES

Please pay attention to our technical instructions specifically for floors and buildings under www.dr-schutz.com

8 CROSS-REFERENCE

Our following publications in their updated form are valid as an integral part of this fact sheet:

- General notes on the application of Dr. Schutz finishes
- Safety data sheet available on request.

The quoted printed matter, as well as this product information in its updated form, is available on our homepage www.dr-schutz.com or on request from the address quoted below.

Stain Guard



Dr. Schutz – We Care About Floors

Headquarter
Dr. Schutz GmbH
Holbeinstraße 17
D-53175 Bonn
Tel.: +49 (0)228 / 95 35 2-40
Fax: +49 (0)228 / 95 35 2-46
E-Mail: export@dr-schutz.com
www.dr-schutz.com

UK
Dr. Schutz U.K Ltd.
Unit 24, Anglo Business Park,
Smeaton Close, Aylesbury Bucks
HP19 8UP

Contact: Richard Nelson
Tel.: +44 (0)1296 437827
Fax: +44 (0)1296 334219
E-Mail: richard@dr-schutz.com

Ireland
Dr. Schutz Ireland
35 Pic Du Jer Park,
Ballinlough, Cork

Contact: Paul O'Reardon
Mobile: 0877678388
E-Mail: drschutzireland@gmail.com

North America
Schutz NA
4701 Bath St 46
Philadelphia, PA 19137
USA

Contact: Sam Jamison
Tel.: +1(877) 272- 4889
Mobile: +1(215) 510- 7874
E-Mail: sam@schutzNA.com

The above advice for technical application is given to the best of our knowledge and according to the latest state of technology. Therefore, if our products are used carefully heeding the advice given on their application, as well as following our suggested procedures with the materials intended for use with these products, no damage shall occur. However, our products are used outside and beyond our possible control, and are therefore subject to your own responsibility, which does not release you from the obligation to check for yourself whether our supplied products are suitable for your intended purpose and procedure. Therefore our notes and advice are not legally binding and cannot be used against us as grounds for liability - which includes the rights and protection of any third party. The relevant recommendations, guidelines and standard norms are to be observed, as well as the recognized technical rules. On publication, this product information replaces and supersedes the validity of any previous versions.