

Terrace Oil

1 PRODUCT DESCRIPTION

Unpigmented deep impregnation based on natural oils for use outdoors.

- Good penetrating properties.
- The wood is protected against direct water absorption, while remaining open pored and breathable.
- Accentuates the structure and wood grain.
- Without the addition of biocidal substances, therefore suitable for surfaces with skin contact.

2 AREAS OF APPLICATION

For the impregnation of wooden terraces made of all kinds of wood. Also suitable for the treatment of garden furniture and other wooden objects in outdoor areas.

3 APPLICATION

When working outdoors a minimum temperature of 10°C must be maintained, be mindful of dry weather conditions. If necessary, old coatings should be sanded away beforehand. The entire surface to be treated must be properly cleaned with water and allowed to dry.

Shake up well. Apply the oil evenly with a brush or cloth in the direction of the grain until the wood is saturated. Smooth out well and do not allow layers to form. Treat end grain surfaces especially good. In the case of highly absorbent surfaces repeat the application after drying.

Please note:

- Soft and tropical woods can contain ingredients which inhibit drying or lead to impaired appearance.
- We recommend pre-watering the wood before oiling, which improves its resistant properties.

4 CONSUMPTION

Benchmark 100 ml/m² (10 m²/l). In the case of highly absorbent surfaces and weathered wood increased consumption is possible.

5 DRYING TIME

Can be walked on carefully, or worked on again, after about 10 hours.

Low temperatures, increased humidity, poor ventilation and drying inhibiting wood ingredients can extend the drying time substantially

6 STORAGE

Store in the closed original canister in a cool, dry place. Keep locked away and out of the reach of children. Do not allow the oil to drain into the canalization system.

Terrace Oil

7 TECHNICAL DATA

Contains substances: modified oils, odorless test benzine, lead-free siccatives, additives.
ADR/RID: not a dangerous good as defined by transport regulations.
CLP: GHS08, Danger. May be fatal if swallowed and enters airways.
For safe use please regard the Safety Data Sheet.
Completely emptied canisters can be disposed of in domestic waste.

8 SPECIAL NOTES

- Warning! Danger of self-combustion of oil-soaked working materials, such as cloths, fleeces, sanding dust, etc. These should be enclosed in an air-tight metal container or soaked with water and disposed of in a fire-safe way. The oil itself is not self-combusting.
- All the details are given under laboratory conditions 23°C/50% rH/ with air changed 3 times per hour. Conditions on site can vary and account for different results. Reference wood: oak.
- The product is not formulated with biocidal substances and therefore is not a wood preservative as defined by biocidal regulations.

9 CROSS-REFERENCE

Our following publications in their updated form are valid as an integral part of this fact sheet:

- General notes on the application of Dr. Schutz finishes.
- Safety Data Sheet available on request.

The quoted printed matter, as well as this product information in its updated form, is available on our homepage www.dr-schutz.com or on request from the address quoted below.

Terrace Oil

Dr. Schutz – We Care About Floors

Headquarter
Dr. Schutz GmbH
Holbeinstraße 17
D-53175 Bonn
Tel.: +49 (0)228 / 95 35 2-40
Fax: +49 (0)228 / 95 35 2-46
E-Mail: export@dr-schutz.com
www.dr-schutz.com

UK
Dr. Schutz U.K Ltd.
Unit 24, Anglo Business Park,
Smeaton Close, Aylesbury Bucks
HP19 8UP

Contact: Richard Nelson
Tel.: +44 (0)1296 437827
Fax: +44 (0)1296 334219
E-Mail: richard@dr-schutz.com

Ireland
Dr. Schutz Ireland
35 Pic Du Jer Park,
Ballinlough, Cork

Contact: Paul O'Reardon
Mobile: 0877678388
E-Mail: drschutzireland@gmail.com

North America
Schutz NA
4701 Bath St 46
Philadelphia PA 19137
USA

Contact: Sam Jamison
Tel.: +1 (877) 272-4889
Mobile: +1 (215) 510-7874
E-Mail: sam@schutzNA.com

The above advice for technical application is given to the best of our knowledge and according to the latest state of technology. Therefore, if our products are used carefully heeding the advice given on their application, as well as following our suggested procedures with the materials intended for use with these products, no damage shall occur. However, our products are used outside and beyond our possible control, and are therefore subject to your own responsibility, which does not release you from the obligation to check for yourself whether our supplied products are suitable for your intended purpose and procedure. Therefore our notes and advice are not legally binding and cannot be used against us as grounds for liability - which includes the rights and protection of any third party. The relevant recommendations, guidelines and standard norms are to be observed, as well as the recognized technical rules. On publication, this product information replaces and supersedes the validity of any previous versions.