



Wood& Cork Floor Polish satin

1 PRODUCT DESCRIPTION

Polymer dispersion containing wax for the initial care treatment of all sealed wood and cork floors treated with a water-resistant satin-finish lacquer. Gives the floor a pleasant satin appearance and protects it against scratches.. Especially suitable for wood floors with a satin-gloss top lacquer. Regular cleaning of the applied, protective covering is made easier, ideally with Wood & Cork Floor Cleaner.

- Excellent adhesion, including on UV-sealed ready-made wood floors directly from the manufacturer
- Complies with the requirements of DIN 18032 for floors in sports areas, gyms, etc.

2 AREAS OF APPLICATION

For all wood and cork floors which have been provided with a water-resistant seal.

Please pay attention to our technical instructions specifically for floors and buildings under www.dr-schutz.com

3 METHOD OF APPLICATION

Before opening, ensure that the contents of the canister are well shaken. Apply a thin, even film of Wood & Cork Floor Polish satin undiluted to the thoroughly cleaned floor using the Polish Applicator System or a non-felting, wide-headed wiper mop. Should a shinier surface be required, repeat the application at right-angles to the first once the protective film has dried sufficiently to be walked on. Allow the floor surface to dry for at least 12 hours before use but ideally overnight.

The protection of the floor is maintained if Wood & Cork Floor Polish satin is applied at regular intervals following a thorough cleaning. The care cycle should be adapted in accordance with the amount of wear

- Floors subjected to low levels of wear and tear (e.g., in living rooms and bedrooms, offices not open to the public) once or twice per year.
- Floors subjected to medium-to-high levels of wear and tear (e.g., in corridors, on staircases, in offices open to the public) approximately every 3 to 6 months as required, in areas subjected to extreme wear and tear even more frequently.
- Floors subjected to extreme wear and tear (e.g., in restaurants and pubs, shops, department stores, schools and for dance floors) every 4 to 8 weeks, in areas subjected to even more extreme wear and tear even more frequently.

Notes: Wood & Cork Floor Polish satin reinforces the floor's natural grain and deepens its colour. If there is any doubt, test previously in an inconspicuous area. When applying the product, avoid strong sunlight and drafts. Turn off under-floor central heating before commencing work

4 CONSUMPTION

Initial Protection/ refreshing: 20- 25 ml/m² per application

Wood& Cork Floor Polish satin



5 STORAGE

Store in cool, dry conditions in well sealed receptacles. Store under lock and key and out of the reach of children.

6 TECHNICAL DATA

Ingredients: Contains METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE, BRONOPOL, perfumes, solvents, care components.

pH value: 7,5 – 8,0 (concentrate)

ADR/RID: no dangerous good according ADR

CLP: The product is not classified according to the CLP regulation. EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] an

Completely emptied canisters can be disposed of in domestic waste, or taken to a recycling centre.

7 SPECIAL NOTES

Please pay attention to our technical instructions specifically for floors and buildings under www.dr-schutz.com

8 CROSS-REFERENCE

Our following publications in their updated form are valid as an integral part of this fact sheet:

- General notes on the application of Dr. Schutz finishes
- Safety data sheet available on request.

The quoted printed matter, as well as this product information in its updated form, is available on our homepage www.dr-schutz.com or on request from the address quoted below.

Dr. Schutz – We Care About Floors

Headquarter

Dr. Schutz GmbH
Holbeinstraße 17
D-53175 Bonn
Tel.: +49 (0)228 / 95 35 2-40
Fax: +49 (0)228 / 95 35 2-46
E-Mail: export@dr-schutz.com
www.dr-schutz.com

UK

Dr. Schutz U.K Ltd.
Unit 24, Anglo Business Park,
Smeaton Close, Aylesbury Bucks
HP19 8UP

Contact: Richard Nelson
Tel.: +44 (0)1296 437827
Fax: +44 (0)1296 334219
E-Mail: richard@dr-schutz.com

Ireland

Dr. Schutz Ireland
35 Pic Du Jer Park,
Ballinlough, Cork

Contact: Paul O'Reardon
Mobile: 0877678388
E-Mail: drschutzireland@gmail.com

North America

Schutz NA
4701 Bath St 46
Philadelphia, PA 19137
USA

Contact: Sam Jamison
Tel.: +1(877) 272- 4889
Mobile: +1(215) 510- 7874
E-Mail: sam@schutzNA.com

The above advice for technical application is given to the best of our knowledge and according to the latest state of technology. Therefore, if our products are used carefully heeding the advice given on their application, as well as following our suggested procedures with the materials intended for use with these products, no damage shall occur. However, our products are used outside and beyond our possible control, and are therefore subject to your own responsibility, which does not release you from the obligation to check for yourself whether our supplied products are suitable for your intended purpose and procedure. Therefore our notes and advice are not legally binding and cannot be used against us as grounds for liability - which includes the rights and protection of any third party. The relevant recommendations, guidelines and standard norms are to be observed, as well as the recognized technical rules. On publication, this product information replaces and supersedes the validity of any previous versions.

Wood& Cork Floor Polish satin

