



euku care emulsion

1 PRODUCT DESCRIPTION

Soap cleaner. Concentrate for the mopping and day-to-day cleaning of impregnated-oiled surfaces. Highly effective in removing dirt, while replacing oil, kind to the skin.

Based on natural rape-seed oil of food quality, combined with soap in a gentle process.

2 AREAS OF APPLICATION

For daily cleaning and maintenance and basic cleaning of oiled wood and corque floors. For use in domestic and high traffic areas.

Not recommended for use on wooden floors sealed with waterbased varnishes.

3 APPLICATION

The floor must be pre-cleaned of loose dirt with a broom or vacuum cleaner. Fine dirt, dust, or watersoluble marks should be regularly wiped away with a slightly damp mop. For this purpose add 0,1-0,2 l **euku care emulsion** to approx. 10 l warm water. At the same time the floor is given care substances. Avoid using excessive water; in general the amount of water on wood floors should be kept to the minimum possible.

Please pay attention to our Cleaning and Care Instructions.

- When using for strip-cleaning increase the dilution to 1:10. Apply with a mop, and after allowing it to soak in for a short time (5 minutes) scrub the floor thoroughly while wet (e.g. with a scrubbing brush or monodisc-machine + green pad), remove the dirty solution with a wet-suction vacuum-cleaner and then rinse with clear water. Ventilate well to speed up evaporation of the water!
- After strip-cleaning, or if the floor has been worn and dried out by use and cleaning, it must be oiled subsequently. For this we recommend **euku refresher**.

4 CONSUMPTION

Dilute 0,1-0,2 l in 10 l warm water. In this ratio 5-10 applications per litre.

5 DRYING TIME

Can be used and walked on after the water has dried.

6 CLEANING / CARE

Please note that the surface image of an oil-impregnated floor is only finalized after use, cleaning and care. After complete hardening, use **euku care emulsion** for cleaning and care and **euku refresher** for subsequent oil care. Please observe eukula care instructions for oil impregnated floors.



euku care emulsion

7 STORAGE

24 months in an unopened original canister. Remove any skin which may have formed before use. Store in a cool, dry place. Keep out of the reach of children.

8 TECHNICAL DATA

Contains substances: water, soap of rapeseed oil, ethanol, glycerine, rapeseed oil, potassium citrate, perfume..
pH: ~9

voc (g/l) 78 (ISO11890)

ADR/RID: not a dangerous good as defined by transport regulations.

CLP: The product is not classified according to the CLP regulation.

Even when using low-pollution products, the usual safety measures are to be observed. Keep out of the reach of children. Completely emptied canisters can be disposed of in domestic waste.

8 SPECIAL NOTES

Can create a sticky floor surface if used in excessive concentration. In such a case rinse the floor with warm water and then remove the excess.

9 CROSS-REFERENCE

Our following publications in their updated form are valid as an integral part of this fact sheet:

- General notes on the application of eukula finishes
- Safety data sheet available on request.

The quoted printed matter, as well as this product information in its updated form, is available on our homepage www.eukula.com or on request from the address quoted below.



euku care emulsion

eukula – We Care About Wood Floors

Headquarter
 CC-Dr. Schutz GmbH
 Holbeinstraße 17
 D-53175 Bonn
 Tel.: + 49 228 / 95 35 2-40
 Fax: + 49 228 / 95 35 2-46
 E-Mail: export@dr-schutz.com
www.dr-schutz.com

UK
 Dr. Schutz U.K Ltd.
 Unit 24, Anglo Business Park,
 Smeaton Close, Aylesbury Bucks
 HP19 8UP

Contact: Richard Nelson
 Tel.: 0044 / 1296 437827
 Fax: 0044 / 1296 334219
 E-Mail: richard@dr-schutz.com

Ireland
 Dr. Schutz Ireland
 35 Pic Du Jer Park,
 Ballinlough, Cork

Contact: Paul O'Reardon
 Mobile: 0877678388
 E-Mail:
drschutzireland@gmail.com

North America
 Schutz NA
 4701 Bath St 46, Philadelphia
 PA 19137, USA

Contact: Sam Jamison
 Tel.: 001 / 877 272 4889
 Mobile: 001 / 215 510 7874
 E-Mail: sam@schutzNA.com

The above advice for technical application is given to the best of our knowledge and according to the latest state of technology. Therefore, if our products are used carefully heeding the advice given on their application, as well as following our suggested procedures with the materials intended for use with these products, no damage shall occur. However, our products are used outside and beyond our possible control, and are therefore subject to your own responsibility, which does not release you from the obligation to check for yourself whether our supplied products are suitable for your intended purpose and procedure. Therefore our notes and advice are not legally binding and cannot be used against us as grounds for liability - which includes the rights and protection of any third party. The relevant recommendations, guidelines and standard norms are to be observed, as well as the recognized technical rules. On publication, this product information replaces and supersedes the validity of any previous versions.