

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.04.2015

Version number 1

Revision: 29.04.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- **Identification of the substance/preparation:** *Dr. Schutz Intensive Cleaner for wood, WPC and stone, for outdoor use*

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Not required.

Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- **Application of the substance / the mixture** Basic cleaner

1.3 Details of the supplier of the safety data sheet

Company/undertaking identification:

CC-Dr. Schutz GmbH

Holbeinstr. 17

D-53175 Bonn

Germany

Tel.: +49(0)228-95352-0,

Fax: +49(0)228-95352-28

info@dr-schutz.com

For the UK and Ireland:

Dr. Schutz U.K.

Unit 24

Anglo Buisness Park,

Smeaton Close Aylesbury

Bucks HP19 8UP

Tel.: 0044/1296-437827

Fax: 0044/1296-334219

E-Mail: steve@dr-schutz.com

Further information obtainable from:

Department for product development

E-Mail: steve@dr-schutz.com

1.4 Emergency telephone number:

Dr. Schutz U.K.

steve@dr-schutz.com

0044 (0) 1296 437827(mon – fri 9am-5pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Flammable.

R10: Flammable.

Information concerning particular hazards for human and environment:

In the gas volume of sealed packages vapours of flammable solvents, especially at action of heat, may accumulate. Keep away fire and ignition sources.

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.04.2015

Version number 1

Revision: 29.04.2015

Identification of the substance/preparation: *Dr. Schutz Intensive Cleaner for wood, WPC and stone, for outdoor use*

(Contd. of page 1)

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02

Signal word Warning

Hazard statements

H226 Flammable liquid and vapour.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43	ethanol F R11 Flam. Liq. 2, H225	10-25%
CAS: 5131-66-8 EINECS: 225-878-4 Index number: 603-052-00-8 Reg.nr.: 01-2119475527-28	3-butoxypropan-2-ol Xi R36/38 Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-5%

• **Additional information:** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

• **General information:** Immediately remove any clothing soiled by the product.

• **After inhalation:** No special measures required.

After skin contact:

Rinse with warm water.

After each cleaning use treatment creams, for very dry skin greasy ointments.

• **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.04.2015

Version number 1

Revision: 29.04.2015

Identification of the substance/preparation: *Dr. Schutz Intensive Cleaner for wood, WPC and stone, for outdoor use*

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Not applicable.
- **5.2 Special hazards arising from the substance or mixture** Danger of forming toxic pyrolysis products.
- **5.3 Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid contact with the eyes and skin.
Ensure adequate ventilation
Keep away from ignition sources.
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:**
Prevent from spreading (e.g. by damming-in or oil barriers).
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Follow instructions on the label and in the Technical Product Information Sheet.
Avoid contact with the eyes and skin.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
Store under lock and key and out of the reach of children.
Keep container tightly sealed.
Store receptacle in a well ventilated area.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.04.2015

Version number 1

Revision: 29.04.2015

Identification of the substance/preparation: *Dr. Schutz Intensive Cleaner for wood, WPC and stone, for outdoor use*

(Contd. of page 3)

- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **8.1 Control parameters**

- **Exposure limit values:**

64-17-5 ethanolWEL | Long-term value: 1920 mg/m³, 1000 ppm

- **DNELs** No available values.
- **PNELs** No available values.
- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Occupational exposure controls:**

- **General protective and hygienic measures:**

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

- **Respiratory protection:** Not required.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

- **Body protection:** Not required.

- **Limitation and supervision of exposure into the environment**

Follow instructions for use, dosage and waste disposal.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Fluid

Colour: Colourless

- **Odour:** Alcohol-like

- **Odour threshold:** Not determined.

- **pH-value at 20 °C:** 7.5

- **Change in condition**

Melting point/Melting range: Undetermined.

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.04.2015

Version number 1

Revision: 29.04.2015

Identification of the substance/preparation: *Dr. Schutz Intensive Cleaner for wood, WPC and stone, for outdoor use*

(Contd. of page 4)

Boiling point/Boiling range:	78 °C
· Flash point:	38 °C (Seta Flash Closed Cup)
· Flammability (solid, gaseous):	Undetermined.
· Ignition temperature:	425 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	3.5 Vol %
Upper:	15.0 Vol %
· Vapour pressure at 20 °C:	59 hPa
· Density at 20 °C:	0.977 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C:	22 s (ISO 3 mm)
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section "Possibility of hazardous reactions".
- **10.2 Chemical stability** No information available.
- **Conditions to avoid:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Reacts with strong oxidising agents.
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.
- **10.6 Hazardous decomposition products:** Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

5131-66-8 3-butoxypropan-2-ol

Oral	LD50	2100-5500 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** No data available.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.04.2015

Version number 1

Revision: 29.04.2015

Identification of the substance/preparation: *Dr. Schutz Intensive Cleaner for wood, WPC and stone, for outdoor use*

(Contd. of page 5)

- **on the eye:** No data available.
- **Sensitisation:** No sensitising effects known.
- **Repeated dose toxicity** Undetermined.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** Undetermined.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**
Undetermined.

5131-66-8 3-butoxypropan-2-ol

EC50/48h | >1000 mg/l (Daphnia magna)

- **12.2 Persistence and degradability**
The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.
The solvent is biodegradable.
- **12.3 Bioaccumulative potential** Undetermined.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Behaviour in sewage processing plants:**
Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must be specially treated adhering to official regulations.
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

20 01 29*	detergents containing dangerous substances
07 06 01*	aqueous washing liquids and mother liquors

- **Uncleaned packaging:**
- **Recommendation:**
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

GB

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.04.2015

Version number 1

Revision: 29.04.2015

Identification of the substance/preparation: *Dr. Schutz Intensive Cleaner for wood, WPC and stone, for outdoor use*

(Contd. of page 6)

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	No dangerous goods.
· 14.2 UN proper shipping name	Not applicable.
· 14.3 Transport hazard class(es)	Not applicable.
· 14.4 Packing group	Not applicable.
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Remarks:	Not classified as Dangerous Good according to Special Provision 144, chap. 3.3 ADR.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations:
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- Other regulations, limitations and prohibitive regulations
Other regulations (EC): Regulation (EC) No 648/2004
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

R11 Highly flammable.
R36/38 Irritating to eyes and skin.

· **Training hints ---**· **Recommended restriction of use ---**

· **Department issuing MSDS:** Department for product development

· **Contact:** Dr. Olaf Janßen

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.04.2015

Version number 1

Revision: 29.04.2015

Identification of the substance/preparation: *Dr. Schutz Intensive Cleaner for wood, WPC and stone, for outdoor use*

(Contd. of page 7)

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Flam. Liq. 2: Flammable liquids, Hazard Category 2
Flam. Liq. 3: Flammable liquids, Hazard Category 3
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

· **Sources** Safety data sheet for raw materials, eur-lex.europa.eu

GB