

according to 1907/2006/EC, Article 31 Version number 3

Revision: 10.02.2020

### Printing date 24.06.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

- · Identification of the substance/preparation: Dr. Schutz PU Line Color
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Application of the substance / the mixture Coating

## · 1.3 Details of the supplier of the safety data sheet

• **Company/undertaking identification:** Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany Tel.: +49(0)228-95352-0, Fax: +49(0)228-95352-28 info@dr-schutz.com

For the UK: Dr. Schutz UK Ltd. Unit 24, Anglo Business Park, Smeaton Close, Aylesbury Bucks HP19 8UP Tel.: 0044 / 1296 437827 Fax: 0044 / 1296 334219 email: steve@dr-schutz.com

• Further information obtainable from: Department for product development

• **1.4 Emergency telephone number:** Dr. Schutz UK steve@dr-schutz.com 0044 (0) 1296 437827 (mon - fri 9am-5pm)

# **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Not applicable
- · Hazard pictograms Not applicable
- · Signal word Not applicable
- · Hazard statements Not applicable
- · Additional information:
- EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
- EUH210 Safety data sheet available on request.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.



according to 1907/2006/EC, Article 31

Printing date 24.06.2021

Version number 3

Revision: 10.02.2020

# Identification of the substance/preparation: Dr. Schutz PU Line Color

Dangerous components:		(Contd. of page
	Titandioxid Scarc. 2, H351, EUH211	10-25%
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol substance with a Community workplace exposure limit	1-5%
CAS: 55965-84-9 Index number: 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1)	≥0.00025-<0.0015%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water.
- $\cdot$  4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

<sup>-</sup> GB -

# Dr. Schutz<sup>®</sup>

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.06.2021

Version number 3

Revision: 10.02.2020

## Identification of the substance/preparation: Dr. Schutz PU Line Color

(Contd. of page 2)

# · 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
 • Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store receptacle in a well ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Exposure limit values:

### 57-55-6 Propylene glycol

WEL Long-term value: 474\* 10\*\* mg/m³, 150\* ppm

\*total vapour and particulates \*\*particulates

• Additional information: The lists valid during the making were used as basis.

### · 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties			
• 9.1 Information on basic physic · General Information	al and chemical properties		
· Physical state	Fluid		
· Colour:	Different according to colouring		
		(Contd. on page 4)	



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.06.2021

Version number 3

Revision: 10.02.2020

# Identification of the substance/preparation: Dr. Schutz PU Line Color

	(Contd. of page
Odour:	Specific type
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	ng
range	100°C (7732-18-5 water, distilled, conductivity or of
	similar purity)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	100-101°C (Seta Flash Closed Cup)
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log valu	
Vapour pressure at 20°C:	23 hPa (7732-18-5 water, distilled, conductivity or of
	similar purity)
Density and/or relative density	
Density at 20°C:	1.201 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	1
and environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	9.6 %
VOC (EC)	9.6 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard	
classes	
Explosives	Not applicable
Flammable gases	Not applicable
Aerosols	Not applicable
Oxidising gases	Not applicable
Gases under pressure	Not applicable
Flammable liquids	Not applicable
Flammable solids	Not applicable
Self-reactive substances and mixtures	Not applicable
Pyrophoric liquids	Not applicable
Pyrophoric solids	Not applicable
Self-heating substances and mixtures	Not applicable
Substances and mixtures, which emit	NUL APPIICADIE
flammable gases in contact with water	Not applicable
-	Not applicable
Oxidising liquids Oxidising solids	Not applicable Not applicable

# Dr. Schutz<sup>®</sup>

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.06.2021

Version number 3

Not applicable

Not applicable

Not applicable

Revision: 10.02.2020

(Contd. of page 4)

# Identification of the substance/preparation: Dr. Schutz PU Line Color

· Organic	peroxides
-----------	-----------

Corrosive to metals

Desensitised explosives

# SECTION 10: Stability and reactivity

· 10.1 Reactivity see section "Possibility of hazardous reactions".

- · 10.2 Chemical stability No information available.
- · Conditions to avoid: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

#### · LD/LC50 values relevant for classification:

Titandiox	id		
Oral	LD50	>20,000 mg/kg (rat)	
Dermal	LD50	>10,000 mg/kg (rabbit)	
Inhalative	LC50/4h	>6.82 mg/l (rat)	
· 11.2 Infor	mation o	n other hazards	
· Endocrin	e disrupti	ing properties	
541-02-6	541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane List II		List II
556-67-2 octamethylcyclotetrasiloxane List II;		List II; III	

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

# **SECTION 13: Disposal considerations**

• 13.1 Waste treatment methods Disposal must be made according to official regulations.

(Contd. on page 6)

GB



according to 1907/2006/EC, Article 31

Printing date 24.06.2021

Version number 3

Revision: 10.02.2020

# Identification of the substance/preparation: Dr. Schutz PU Line Color

(Contd. of page 5)

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

# SECTION 14: Transport information

<ul> <li>· 14.1 UN number or ID number</li> <li>· ADR, IMDG, IATA</li> </ul>	Not applicable	
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR, IMDG, IATA</li> </ul>	Not applicable	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Not applicable	
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Not applicable	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Maritime transport in bulk according to instruments</li> </ul>	Not applicable.	
· UN "Model Regulation":	Not applicable	

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

# Department issuing SDS: Department for product development

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 24.06.2021

Version number 3

Revision: 10.02.2020

#### Identification of the substance/preparation: Dr. Schutz PU Line Color

(Contd. of page 6) Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Carc. 2: Carcinogenicity - Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 GB