

according to 1907/2006/EC, Article 31

Revision: 30.07.2021

Printing date 11.12.2023

Version number 13 (replaces version 12)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Identification of the substance/preparation: *Dr. Schutz Secura Mat Hard Sealer*

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • Application of the substance / the mixture Maintenance product

· 1.3 Details of the supplier of the safety data sheet

• **Company/undertaking identification:** Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany Tel.: +49(0)228-95352-0, Fax: +49(0)228-95352-28 info@dr-schutz.com

For the UK: Dr. Schutz UK Ltd. Unit 24, Anglo Business Park, Smeaton Close, Aylesbury Bucks HP19 8UP Tel.: 0044 / 1296 437827 Fax: 0044 / 1296 334219 email: steve@dr-schutz.com • Further information obtainable from: Department for product development • 1.4 Emergency telephone number: Dr. Schutz UK steve@dr-schutz.com 0044 (0) 1296 437827 (mon - fri 9am-5pm)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- · Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the GB CLP regulation.
- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Not applicable
- · Hazard pictograms Not applicable
- Signal word Not applicable
- Hazard statements Not applicable
- · Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- EUH210 Safety data sheet available on request.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB



according to 1907/2006/EC, Article 31

Printing date 11.12.2023

Version number 13 (replaces version 12)

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Secura Mat Hard Sealer

		(Contd. of page 1		
· Dangerous components:				
CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28	ethanediol 🚯 STOT RE 2, H373; 🐠 Acute Tox. 4, H302	1-5%		
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one	<0.05%		
CAS: 55965-84-9 Index number: 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1)	≥0.00025-<0.0015%		
· Regulation (EC) No 648/2004 on detergents / Labelling for contents				
TETRAMETHYLACETYLOCTAHYDRONAPHTHALENES				
preservation agents (2-BROMO-2-NITROPROPANE-1,3-DIOL, BENZISOTHIAZOLINONE, METHYLCHLOROISOTHIAZOLINONE / METHYLISOTHIAZOLINONE, METHYLISOTHIAZOLINONE), perfumes				
• Additional information: For the wording of the listed hazard phrases refer to section 16.				

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: No special measures required.
- After skin contact:

Rinse with warm water.

After each cleaning use treatment creams, for very dry skin greasy ointments.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 11.12.2023

Version number 13 (replaces version 12)

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Secura Mat Hard Sealer

(Contd. of page 2)

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.
- · 6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

Information about fire - and explosion protection:

No special precautions are necessary if used correctly.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Exposure limit values:

107-21-1 ethanediol

- WEL Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm Sk *portiou/acto **vopour
 - Sk *particulate **vapour

• **DNELs** No further relevant information available.

• **PNECs** No further relevant information available.

- \cdot Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- \cdot Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.



according to 1907/2006/EC, Article 31

Printing date 11.12.2023

Version number 13 (replaces version 12)

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Secura Mat Hard Sealer

(Contd. of page 3) Wash hands before breaks and at the end of work. · Respiratory protection: Not required. · Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eve/face protection Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended. · Body protection: Not required. Light weight protective clothing • Environmental exposure controls Follow instructions for use, dosage and waste disposal. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: Whitish · Odour: Fruit-like · Odour threshold: Not determined. · Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range Undetermined. Flammability Undetermined. · Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. · Flash point: >100°C (Seta Flash Closed Cup) · Decomposition temperature: Not determined. · pH at 20°C 8.5 · Viscositv: Kinematic viscosity at 20°C 27 s (ISO 3 mm) · Dynamic: Not determined. Solubility Fully miscible. · water: · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 20°C: 23 hPa · Density and/or relative density · Density at 20°C: 1.029 g/cm³ · Relative density Not determined. · Vapour density Not determined. (Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 11.12.2023

Version number 13 (replaces version 12)

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Secura Mat Hard Sealer

	(Contd. of page 4	
· 9.2 Other information		
· Appearance:		
Form:	Fluid	
· Important information on protection of health		
and environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Solvent content:		
· Organic solvents:	4.0 %	
· VOC (EC)	4.1 %	
· Change in condition		
· Evaporation rate	Not determined.	
Information with regard to physical hazard classes	Net en l'achte	
Explosives	Not applicable	
Flammable gases	Not applicable	
Aerosols	Not applicable	
• Oxidising gases	Not applicable	
Gases under pressure	Not applicable	
· Flammable liquids	Not applicable	
· Flammable solids	Not applicable	
Self-reactive substances and mixtures	Not applicable	
· Pyrophoric liquids	Not applicable	
Pyrophoric solids	Not applicable	
Self-heating substances and mixtures	Not applicable	
Substances and mixtures, which emit		
flammable gases in contact with water	Not applicable	
Oxidising liquids	Not applicable	
Oxidising solids	Not applicable	
Organic peroxides	Not applicable	
Corrosive to metals	Not applicable	
 Desensitised explosives 	Not applicable	

SECTION 10: Stability and reactivity

· 10.1 Reactivity see section "Possibility of hazardous reactions".

- · 10.2 Chemical stability No information available.
- · Conditions to avoid:

Protect from frost.

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No dangerous reactions known.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

107-21-1 ethanediol Oral LD50 4,000

LD50 4,000 mg/kg (rat)

(Contd. on page 6)

GB



according to 1907/2006/EC, Article 31

Printing date 11.12.2023

Version number 13 (replaces version 12)

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Secura Mat Hard Sealer

1 Jormol	(Contd. of pag
Dennai	LD50 >3,500 mg/kg (mouse)
	10,600 mg/kg (rabbit)
	bronopol (INN)
Oral	LD50 305 mg/kg (rat) (OECD 401)
Dermal	LD50 1,600 mg/kg (rabbit)
Skin co	rrosion/irritation
	available.
	n available data, the classification criteria are not met.
	eye damage/irritation available.
	on available data, the classification criteria are not met.
	tory or skin sensitisation Based on available data, the classification criteria are not met.
	ell mutagenicity Based on available data, the classification criteria are not met.
	genicity Based on available data, the classification criteria are not met.
	uctive toxicity Based on available data, the classification criteria are not met.
	ingle exposure Based on available data, the classification criteria are not met. epeated exposure Based on available data, the classification criteria are not met.
	ion hazard Based on available data, the classification criteria are not met.
	nal toxicological information:
	ed dose toxicity Undetermined.
	fects (carcinogenity, mutagenicity and toxicity for reproduction) Undetermined.
11.2 Inf	ormation on other hazards
Endocr	ine disrupting properties
None of	
	the ingredients is listed.
	the ingredients is listed.
OFOTIO	•
SECTIO	the ingredients is listed. N 12: Ecological information
12.1 To	ON 12: Ecological information
12.1 To Aquatio	ON 12: Ecological information xicity a toxicity:
12.1 To Aquatic Undeter	DN 12: Ecological information xicity e toxicity: mined.
12.1 To Aquatic Undeter 107-21-	N 12: Ecological information xicity toxicity: mined. 1 ethanediol
12.1 To Aquatio Undeter 107-21 - EC50/4	DN 12: Ecological information xicity toxicity: mined. 1 ethanediol Bh >100 mg/l (Daphnia magna)
12.1 To Aquatio Undeter 107-21 - EC50/4	N 12: Ecological information xicity toxicity: mined. 1 ethanediol
12.1 To Aquatio Undeter 107-21- EC50/4 LC50/9	DN 12: Ecological information xicity toxicity: mined. 1 ethanediol Bh >100 mg/l (Daphnia magna)
12.1 To Aquatic Undeter 107-21- EC50/4 LC50/90 52-51-7	DN 12: Ecological information xicity e toxicity: mined. 1 ethanediol Bh >100 mg/l (Daphnia magna) Sh >5,000 mg/l (fish)
12.1 To Aquatic Undeter 107-21- EC50/4 LC50/90 52-51-7 LC50/90	DN 12: Ecological information xicity toxicity: mined. 1 ethanediol Bh >100 mg/l (Daphnia magna) Sh >5,000 mg/l (fish) bronopol (INN)
12.1 To Aquatic Undeter 107-21- EC50/4 LC50/90 52-51-7 LC50/90 EC50/7	DN 12: Ecological information xicity stoxicity: mined. 1 ethanediol Bh >100 mg/l (Daphnia magna) Sh >5,000 mg/l (fish) bronopol (INN) Sh 41.2 mg/l (Oncorhynchus mykiss (Rainbow trout))
12.1 To Aquatic Undeter 107-21- EC50/4 LC50/90 52-51-7 LC50/90 EC50/7 12.2 Pe Elimina	N 12: Ecological information xicity e toxicity: mined. 1 ethanediol Bh >100 mg/l (Daphnia magna) Sh >5,000 mg/l (fish) bronopol (INN) Sh 41.2 mg/l (Oncorhynchus mykiss (Rainbow trout)) 2h 0.4-2.8 mg/l (algae) rsistence and degradability ion of contained polymers is possible through precipitation or flocculation.
12.1 To Aquatic Undeter 107-21- EC50/4 LC50/90 52-51-7 LC50/90 EC50/7 12.2 Pe Elimina The sol	DN 12: Ecological information xicity toxicity: mined. 1 ethanediol Bh >100 mg/l (Daphnia magna) Sh >5,000 mg/l (fish) bronopol (INN) Sh 41.2 mg/l (Oncorhynchus mykiss (Rainbow trout)) 2h 0.4-2.8 mg/l (algae) rsistence and degradability ion of contained polymers is possible through precipitation or flocculation. vent is biodegradable.
12.1 To Aquatic Undeten 107-21- EC50/4 LC50/90 EC50/7 12.2 Pe Elimina The solution	NN 12: Ecological information xicity toxicity: mined. 1 ethanediol Bh >100 mg/l (Daphnia magna) Sh >5,000 mg/l (fish) bronopol (INN) Sh 41.2 mg/l (Oncorhynchus mykiss (Rainbow trout)) 2h 0.4-2.8 mg/l (algae) rsistence and degradability ion of contained polymers is possible through precipitation or flocculation. vent is biodegradable. baccumulative potential Undetermined.
12.1 To Aquatic Undeter 107-21- EC50/4 LC50/90 52-51-7 LC50/90 EC50/7 12.2 Pe Elimina The sol 12.3 Bio 12.4 Mo	N 12: Ecological information xicity toxicity: mined. 1 ethanediol 3h >100 mg/l (Daphnia magna) 5h >5,000 mg/l (fish) bronopol (INN) 3h 41.2 mg/l (Oncorhynchus mykiss (Rainbow trout)) 2h 0.4-2.8 mg/l (algae) rsistence and degradability ion of contained polymers is possible through precipitation or flocculation. vent is biodegradable. paccumulative potential Undetermined. ability in soil No further relevant information available.
12.1 To Aquatic Undeter 107-21- EC50/4 LC50/90 52-51-7 LC50/90 EC50/7 12.2 Pe Elimina The sol 12.3 Bio 12.4 Mo 12.5 Re	N 12: Ecological information xicity toxicity: mined. 1 ethanediol 3h >100 mg/l (Daphnia magna) 5h >5,000 mg/l (fish) bronopol (INN) Sh 41.2 mg/l (Oncorhynchus mykiss (Rainbow trout)) 2h 0.4-2.8 mg/l (algae) rsistence and degradability ion of contained polymers is possible through precipitation or flocculation. vent is biodegradable. paccumulative potential Undetermined. ubility in soil No further relevant information available. sults of PBT and vPvB assessment
12.1 To Aquatic Undeter 107-21- EC50/4 LC50/90 52-51-7 LC50/90 EC50/7 12.2 Pe Elimina The sol 12.3 Bio 12.4 Mo 12.5 Re PBT: N	N 12: Ecological information xicity toxicity: mined. 1 ethanediol 3h >100 mg/l (Daphnia magna) 5h >5,000 mg/l (fish) bronopol (INN) 3h 41.2 mg/l (Oncorhynchus mykiss (Rainbow trout)) 2h 0.4-2.8 mg/l (algae) rsistence and degradability ion of contained polymers is possible through precipitation or flocculation. vent is biodegradable. paccumulative potential Undetermined. ability in soil No further relevant information available.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Behaviour in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

(Contd. on page 7)

- GB -



according to 1907/2006/EC, Article 31

Printing date 11.12.2023

Version number 13 (replaces version 12)

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Secura Mat Hard Sealer

(Contd. of page 6)

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product. • **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Not applicable	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Not applicable	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Not applicable	
 14.4 Packing group ADR, IMDG, IATA 	Not applicable	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk according instruments 	to IMO Not applicable.	
· UN "Model Regulation":	Not applicable	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

GB



according to 1907/2006/EC, Article 31

Printing date 11.12.2023

Version number 13 (replaces version 12)

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Secura Mat Hard Sealer

(Contd. of page 7) · Relevant phrases H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. May cause an allergic skin reaction. H317 H318 Causes serious eye damage. H330 Fatal if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. H400 Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. Training hints ---· Recommended restriction of use ---· Department issuing SDS: Department for product development · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2