

**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 31.07.2023

Version number 20 (replaces version 19)

Revision: 30.07.2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Identification of the substance/preparation:** *Dr. Schutz Super Basic Cleaner***1.2 Relevant identified uses of the substance or mixture and uses advised against****Sector of Use**

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Application of the substance / the mixture** Basic cleaner**1.3 Details of the supplier of the safety data sheet****Company/undertaking identification:**

Dr. Schutz GmbH

Holbeinstr. 17

D-53175 Bonn

Germany

Tel.: +49(0)228-95352-0,

Fax: +49(0)228-95352-28

info@dr-schutz.com

For the UK:

Dr. Schutz UK Ltd.

Unit 24, Anglo Business Park,

Smeaton Close, Aylesbury Bucks

HP19 8UP

Tel.: 0044 / 1296 437827

Fax: 0044 / 1296 334219

email: steve@dr-schutz.com

**Further information obtainable from:** Department for product development**1.4 Emergency telephone number:**

GBK Gefahrgut Büro GmbH

telephone: +49 (0)6132 84463

(24-Hour-Number)

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

**Hazard pictograms**

GHS05

**Signal word** Danger**Hazard-determining components of labelling:**

potassium hydroxide

**Hazard statements**

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.07.2023

Version number 20 (replaces version 19)

Revision: 30.07.2021

**Identification of the substance/preparation:** *Dr. Schutz Super Basic Cleaner*

(Contd. of page 1)

· **Precautionary statements**

- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**· **3.2 Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

|  |  |        |
|--|--|--------|
| CAS: 112-34-5<br>EINECS: 203-961-6<br>Index number: 603-096-00-8<br>Reg.nr.: 01-2119475104-44  | 2-(2-butoxyethoxy)ethanol<br>⚠ Eye Irrit. 2, H319  | 10-25% |
| CAS: 5131-66-8<br>EINECS: 225-878-4<br>Index number: 603-052-00-8<br>Reg.nr.: 01-2119475527-28 | 3-butoxypropan-2-ol<br>⚠ Flam. Liq. 3, H226; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319   | 1-5%   |
| CAS: 107-98-2<br>EINECS: 203-539-1<br>Index number: 603-064-00-3<br>Reg.nr.: 01-2119457435-35  | 1-methoxy-2-propanol<br>⚠ Flam. Liq. 3, H226; ⚠ STOT SE 3, H336  | 1-5%   |
| CAS: 1310-58-3<br>EINECS: 215-181-3<br>Index number: 019-002-00-8<br>Reg.nr.: 01-2119487136-33 | potassium hydroxide<br>⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302<br>Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 %<br>Skin Corr. 1B; H314: 2 % ≤ C < 5 %<br>Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %<br>Eye Irrit. 2; H319: 0.5 % ≤ C < 2 % | ≥1-<2% |
| CAS: 68154-97-2  | fatty alcohol, C10-12, ethoxylated, propoxylated<br>⚠ Eye Irrit. 2, H319   | 1-5%   |
| CAS: 15763-76-5<br>EINECS: 239-854-6<br>Reg.nr.: 01-2119489411-37                              | sodium p-cumenesulphonate<br>⚠ Eye Irrit. 2, H319  | 0.1-1% |

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

|  |     |
|--|-----|
| non-ionic surfactants, anionic surfactants | <5% |
| perfumes (LIMONENE, CITRAL)                |     |

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**· **4.1 Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.

(Contd. on page 3)

**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 31.07.2023

Version number 20 (replaces version 19)

Revision: 30.07.2021

**Identification of the substance/preparation:** *Dr. Schutz Super Basic Cleaner*

(Contd. of page 2)

- **After inhalation:**  
Supply fresh air.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
After each cleaning use treatment creams, for very dry skin greasy ointments.  
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Not applicable.
- **5.2 Special hazards arising from the substance or mixture** Danger of forming toxic pyrolysis products.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**  
Cool endangered receptacles with water spray.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Particular danger of slipping on leaked/spilled product.  
Avoid contact with the eyes and skin.  
Ensure adequate ventilation
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Follow instructions on the label and in the Technical Product Information Sheet.  
Wear protective equipment. Keep unprotected persons away.  
Avoid contact with the eyes and skin.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 4)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.07.2023

Version number 20 (replaces version 19)

Revision: 30.07.2021

Identification of the substance/preparation: *Dr. Schutz Super Basic Cleaner*

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store receptacle in a well ventilated area.
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**· **8.1 Control parameters**· **Exposure limit values:****112-34-5 2-(2-butoxyethoxy)ethanol**

|     |  |
|-----|--|
| WEL | Short-term value: 101.2 mg/m <sup>3</sup> , 15 ppm<br>Long-term value: 67.5 mg/m <sup>3</sup> , 10 ppm |
|-----|--|

**107-98-2 1-methoxy-2-propanol**

|     |   |
|-----|---|
| WEL | Short-term value: 560 mg/m <sup>3</sup> , 150 ppm<br>Long-term value: 375 mg/m <sup>3</sup> , 100 ppm<br>Sk |
|-----|---|

**1310-58-3 potassium hydroxide**

|     |                                       |
|-----|---------------------------------------|
| WEL | Short-term value: 2 mg/m <sup>3</sup> |
|-----|---------------------------------------|

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Do not eat, drink, smoke or sniff while working.  
Be sure to clean skin thoroughly after work and before breaks.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

· **Respiratory protection:**

Not necessary if room is well-ventilated.  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.07.2023

Version number 20 (replaces version 19)

Revision: 30.07.2021

Identification of the substance/preparation: *Dr. Schutz Super Basic Cleaner*

(Contd. of page 4)

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.



Tightly sealed goggles

- **Body protection:**

Apron

Light weight protective clothing

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

|   |                              |
|---|------------------------------|
| · <b>Physical state</b>   | Fluid                        |
| · <b>Colour:</b>  | Yellowish                    |
| · <b>Odour:</b>   | Ether-like                   |
| · <b>Odour threshold:</b>   | Not determined.              |
| · <b>Melting point/freezing point:</b>                            | Undetermined.                |
| · <b>Boiling point or initial boiling point and boiling range</b> | Undetermined.                |
| · <b>Flammability</b>   | Not applicable.              |
| · <b>Lower and upper explosion limit</b>                          |                              |
| · <b>Lower:</b>   | 0.9 Vol %                    |
| · <b>Upper:</b>   | 5.9 Vol %                    |
| · <b>Flash point:</b>   | 70°C (Seta Flash Closed Cup) |
| · <b>Auto-ignition temperature:</b>                               | 225°C                        |
| · <b>Decomposition temperature:</b>                               | Not determined.              |
| · <b>pH at 20°C</b>   | 14                           |
| · <b>Viscosity:</b>   |                              |
| · <b>Kinematic viscosity at 20°C</b>                              | 25 s (ISO 3 mm)              |
| · <b>Dynamic:</b>   | Not determined.              |
| · <b>Solubility</b>   |                              |
| · <b>water:</b>   | Fully miscible.              |
| · <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.              |
| · <b>Vapour pressure at 20°C:</b>                                 | 23 hPa                       |
| · <b>Density and/or relative density</b>                          |                              |
| · <b>Density at 20°C:</b>   | 1.025 g/cm <sup>3</sup>      |
| · <b>Relative density</b>   | Not determined.              |
| · <b>Vapour density</b>   | Not determined.              |

- **9.2 Other information**

|  |   |
|--|---|
| · <b>Appearance:</b>   |   |
| · <b>Form:</b>   | Fluid   |
| · <b>Important information on protection of health and environment, and on safety.</b> |   |
| · <b>Ignition temperature:</b>   | Product is not selfigniting.                  |
| · <b>Explosive properties:</b>   | Product does not present an explosion hazard. |
| · <b>Solvent content:</b>  |   |
| · <b>Organic solvents:</b>   | 21.1 %  |
| · <b>VOC (EC)</b>  | 21.1 %  |

(Contd. on page 6)

**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 31.07.2023

Version number 20 (replaces version 19)

Revision: 30.07.2021

**Identification of the substance/preparation:** *Dr. Schutz Super Basic Cleaner*

(Contd. of page 5)

|  |                 |
|--|-----------------|
| · <b>Change in condition</b>   |                 |
| · <b>Evaporation rate</b>  | Not determined. |
| · <b>Information with regard to physical hazard classes</b>                        |                 |
| · <b>Explosives</b>  | Not applicable  |
| · <b>Flammable gases</b>   | Not applicable  |
| · <b>Aerosols</b>  | Not applicable  |
| · <b>Oxidising gases</b>   | Not applicable  |
| · <b>Gases under pressure</b>  | Not applicable  |
| · <b>Flammable liquids</b>   | Not applicable  |
| · <b>Flammable solids</b>  | Not applicable  |
| · <b>Self-reactive substances and mixtures</b>                                     | Not applicable  |
| · <b>Pyrophoric liquids</b>  | Not applicable  |
| · <b>Pyrophoric solids</b>   | Not applicable  |
| · <b>Self-heating substances and mixtures</b>                                      | Not applicable  |
| · <b>Substances and mixtures, which emit flammable gases in contact with water</b> | Not applicable  |
| · <b>Oxidising liquids</b>   | Not applicable  |
| · <b>Oxidising solids</b>  | Not applicable  |
| · <b>Organic peroxides</b>   | Not applicable  |
| · <b>Corrosive to metals</b>   | Not applicable  |
| · <b>Desensitised explosives</b>   | Not applicable  |

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** see section "Possibility of hazardous reactions".
- **10.2 Chemical stability** No information available.
- **Conditions to avoid:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Strong exothermic reaction with acids.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:****112-34-5 2-(2-butoxyethoxy)ethanol**

|        |      |                      |
|--------|------|----------------------|
| Oral   | LD50 | 3,305 mg/kg (rat)    |
| Dermal | LD50 | 2,764 mg/kg (rabbit) |

**5131-66-8 3-butoxypropan-2-ol**

|        |      |                         |
|--------|------|-------------------------|
| Oral   | LD50 | 2,100-5,500 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rat)      |

**107-98-2 1-methoxy-2-propanol**

|            |         |                       |
|------------|---------|-----------------------|
| Oral       | LD50    | 5,200 mg/kg (rat)     |
| Dermal     | LD50    | 14,000 mg/kg (rabbit) |
| Inhalative | LC50/4h | 54.6 mg/l (rat)       |

**1310-58-3 potassium hydroxide**

|      |      |                            |
|------|------|----------------------------|
| Oral | LD50 | 273 mg/kg (rat) (OECD 425) |
|------|------|----------------------------|

(Contd. on page 7)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.07.2023

Version number 20 (replaces version 19)

Revision: 30.07.2021

Identification of the substance/preparation: *Dr. Schutz Super Basic Cleaner*

(Contd. of page 6)

**68154-97-2 fatty alcohol, C10-12, ethoxylated, propoxylated**

Oral LD50 &gt;2,000 mg/kg (rat)

**15763-76-5 sodium p-cumenesulphonate**

Oral LD50 &gt;2,000 mg/kg (rat) (OECD 401)

Dermal LD50 &gt;2,000 mg/kg (rabbit)

Inhalative LC50/4h &gt;5 mg/l (rat)

· **Skin corrosion/irritation** Causes severe skin burns and eye damage.· **Serious eye damage/irritation** Causes serious eye damage.· **11.2 Information on other hazards**· **Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**· **12.1 Toxicity**· **Aquatic toxicity:****112-34-5 2-(2-butoxyethoxy)ethanol**

EC50/48h (static) &gt;100 mg/l (Daphnia magna)

LC50/96h (static) &gt;100 mg/l (algae)

1,300 mg/l (fish)

**5131-66-8 3-butoxypropan-2-ol**

EC50/48h &gt;1,000 mg/l (Daphnia magna)

**107-98-2 1-methoxy-2-propanol**

EC50/48h 23,300 mg/l (Daphnia magna)

**1310-58-3 potassium hydroxide**

EC50/48h 40 mg/l (Daphnia magna)

LC50/96h 45.4 mg/l (Oncorhynchus mykiss (Rainbow trout))

**68154-97-2 fatty alcohol, C10-12, ethoxylated, propoxylated**

EC50/48h 1-10 mg/l (Daphnia magna)

**15763-76-5 sodium p-cumenesulphonate**

EC50/48h (static) &gt;100 mg/l (Daphnia magna)

LC50/96h (static) &gt;100 mg/l (Oncorhynchus mykiss (Rainbow trout))

EC50/96h (static) &gt;100 mg/l (green alga)

· **12.2 Persistence and degradability** No further relevant information available.· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.· **12.5 Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**· **Additional ecological information:**· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

GB

(Contd. on page 8)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.07.2023

Version number 20 (replaces version 19)

Revision: 30.07.2021


Identification of the substance/preparation: *Dr. Schutz Super Basic Cleaner*

(Contd. of page 7)

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

|   |  |
|---|--|
| · <b>14.1 UN number or ID number</b><br>· <b>ADR, IMDG, IATA</b>  | UN1814   |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR</b><br>· <b>IMDG, IATA</b>  | 1814 POTASSIUM HYDROXIDE SOLUTION<br>POTASSIUM HYDROXIDE SOLUTION  |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, IMDG, IATA</b>  |  |
|   |  |
| · <b>Class</b><br>· <b>Label</b>  | 8 Corrosive substances.<br>8   |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>   | III  |
| · <b>14.5 Environmental hazards:</b><br>· <b>Marine pollutant:</b>  | No   |
| · <b>14.6 Special precautions for user</b><br>· <b>Hazard identification number (Kemler code):</b><br>· <b>EMS Number:</b><br>· <b>Segregation groups</b><br>· <b>Stowage Category</b><br>· <b>Segregation Code</b> | Warning: Corrosive substances.<br>80<br>F-A,S-B<br>(SGG18) Alkalis<br>A<br>SG35 Stow "separated from" SGG1-acids       |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b>   | Not applicable.  |
| · <b>Transport/Additional information:</b>  |  |
| · <b>ADR</b><br>· <b>Limited quantities (LQ)</b><br>· <b>Excepted quantities (EQ)</b>   | 5L<br>Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · <b>Transport category</b><br>· <b>Tunnel restriction code</b>   | 3<br>E   |
| · <b>IMDG</b><br>· <b>Limited quantities (LQ)</b>   | 5L   |

(Contd. on page 9)



**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 31.07.2023

Version number 20 (replaces version 19)

Revision: 30.07.2021

**Identification of the substance/preparation:** *Dr. Schutz Super Basic Cleaner*

(Contd. of page 8)

|                                   |  |
|-----------------------------------|--|
| · <b>Excepted quantities (EQ)</b> | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · <b>UN "Model Regulation":</b>   | UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, III   |

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.
- **Recommended restriction of use** For professional users only.
- **Department issuing SDS:** Department for product development
- **Abbreviations and acronyms:**  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3