

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.09.2017 Version number 4 Revision: 09.06.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Identification of the substance/preparation: Dr. Schutz Ultra High Shine Hard Sealer
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU21 Consumer uses: Private households / general public / consumers

- · Application of the substance / the mixture Maintenance product
- · 1.3 Details of the supplier of the safety data sheet
- Company/undertaking identification:

Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany

Tel.: +49(0)228-95352-0, Fax: +49(0)228-95352-28 info@dr-schutz.com

For the UK and Ireland:

Dr. Schutz U.K.

Unit 24

Anglo Buisness Park,

Smeaton Close Aylesbury

Bucks HP19 8UP

Tel.: 0044/1296-437827 Fax: 0044/1296-334219 E-Mail: steve@dr-schutz.com

· Further information obtainable from:

Department for product development

E-Mail: steve@dr-schutz.com

· 1.4 Emergency telephone number:

Dr. Schutz U.K. steve@dr-schutz.com

0044 (0) 1296 437827(mon - fri 9am-5pm)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

GB

Dr. Schutz®

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.09.2017 Version number 4 Revision: 09.06.2017

Identification of the substance/preparation: Dr. Schutz Ultra High Shine Hard Sealer

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	(2-Methoxymethylethoxy)-propanol substance with a Community workplace exposure limit	1-5%
CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28	ethanediol STOT RE 2, H373; Acute Tox. 4, H302	1-5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

No special measures required.

- After inhalation: No special measures required.
- · After skin contact:

Rinse with warm water.

After each cleaning use treatment creams, for very dry skin greasy ointments.

· After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.09.2017 Version number 4 Revision: 09.06.2017

Identification of the substance/preparation: Dr. Schutz Ultra High Shine Hard Sealer

(Contd. of page 2)

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

No special measures required.

Information about fire - and explosion protection:

No special precautions are necessary if used correctly.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Exposure limit values:

(2-Methoxymethylethoxy)-propanol

WEL Long-term value: 308 mg/m³, 50 ppm

107-21-1 ethanediol

WEL Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm

Sk *particulate **vapour

- · DNELs No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Occupational exposure controls:
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.09.2017 Version number 4 Revision: 09.06.2017

Identification of the substance/preparation: Dr. Schutz Ultra High Shine Hard Sealer

(Contd. of page 3)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

Body protection:

Not required.

Light weight protective clothing

· Limitation and supervision of exposure into the environment

Follow instructions for use, dosage and waste disposal.

0.1 Information on basis abusing and	phomical proportion	
9.1 Information on basic physical and o General Information	memical properties	
Appearance:		
Form:	Fluid	
Colour:	Whitish	
Odour:	Fruit-like	
Odour threshold:	Not determined.	
pH-value at 20°C:	8.5	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: Undetermined.	
Flash point:	>100°C (Seta Flash Closed Cup)	
Flammability (solid, gas):	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20°C:	23hPa	
Density at 20°C:	1.035g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20°C:	26s (ISO 3 mm)	
Solvent content:		
Organic solvents:	5.0%	

Dr. Schutz®

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.09.2017 Version number 4 Revision: 09.06.2017

Identification of the substance/preparation: Dr. Schutz Ultra High Shine Hard Sealer

(Contd. of page 4)

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section "Possibility of hazardous reactions".
- 10.2 Chemical stability No information available.
- · Conditions to avoid:

Protect from frost.

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No dangerous reactions known.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values rel	levant for c	lassification:
----------------------	--------------	----------------

107-21-1	ethan	ediol
----------	-------	-------

Oral	LD50	4,000 mg/kg (rat)
Dermal	LD50	>3,500 mg/kg (mouse)
		10,600 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation No data available.
- · Serious eye damage/irritation No data available.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Repeated dose toxicity Undetermined.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Undetermined.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

Undetermined.

107-21-1 ethanediol

EC50/48h >100 mg/l (Daphnia magna) LC50/96h >5,000 mg/l (fish)

12.2 Persistence and degradability

Elimination of contained polymers is possible through precipitation or flocculation. The solvent is biodegradable.

- · 12.3 Bioaccumulative potential Undetermined.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.09.2017 Version number 4 Revision: 09.06.2017

Identification of the substance/preparation: Dr. Schutz Ultra High Shine Hard Sealer

(Contd. of page 5)

- · Ecotoxical effects:
- · Behaviour in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must be specially treated adhering to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· Europear	· European waste catalogue	
20 01 30	detergents other than those mentioned in 20 01 29	
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents or other hazardous substances	

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
<u> </u>		
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Anne	ex II of	
Marpol and the IBC Code	Not applicable.	

(Contd. on page 7)

Dr. Schutz

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.09.2017 Version number 4 Revision: 09.06.2017

Identification of the substance/preparation: Dr. Schutz Ultra High Shine Hard Sealer

(Contd. of page 6)

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

- · Training hints ---
- · Recommended restriction of use ---
- Department issuing SDS: Department for product development
- · Contact: Dr. Reindl
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

- **Sources** Safety data sheet for raw materials, eur-lex.europa.eu
- · * Data compared to the previous version altered.