

according to 1907/2006/EC, Article 31

Printing date 26.10.2021 Version number 7 Revision: 30.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Identification of the substance/preparation: Dr. Schutz Wood & Cork Floor Cleaner
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Not required.
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Floor cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Company/undertaking identification:

Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany

Tel.: +49(0)228-95352-0, Fax: +49(0)228-95352-28 info@dr-schutz.com

For the UK: Dr. Schutz UK Ltd. Unit 24, Anglo Business Park, Smeaton Close, Aylesbury Bucks HP19 8UP

Tel.: 0044 / 1296 437827 Fax: 0044 / 1296 334219 email: steve@dr-schutz.com

- · Further information obtainable from: Department for product development
- · 1.4 Emergency telephone number:

Dr. Schutz UK steve@dr-schutz.com

0044 (0) 1296 437827 (mon - fri 9am-5pm)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

(Contd. on page 2)

Dr. Schutz®

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.10.2021 Version number 7 Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Wood & Cork Floor Cleaner

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
	Fatty alcohol, C8-C14, alkoxylated Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	≥2.5-<5%		
CAS: 97489-15-1 EC number: 307-055-2 Reg.nr.: 01-2119489924-20	Sulfonic acid, C14-17-sec-alkane, sodium salts Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	≥2.5-<3%		
CAS: 52-51-7 EINECS: 200-143-0 Index number: 603-085-00-8 Reg.nr.: 01-2119980938-15	bronopol (INN) Self-react. C, H242; Acute Tox. 3, H331; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	<0.025%		
CAS: 55965-84-9 Index number: 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) ♠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ♠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ♠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ♠ Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%		

· Regulation (EC) No 648/2004 on detergents / Labelling for contents		
non-ionic surfactants, anionic surfactants	<5%	
allergenic fragrances, preservation agents (2-BROMO-2-NITROPROPANE-1,3-DIOL, METHYLCHLOROISOTHIAZOLINONE / METHYLISOTHIAZOLINONE), perfumes (CITRONELLAL, LIMONENE)		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: No special measures required.
- · After skin contact: Rinse with warm water.

(Contd. on page 3)

Dr. Schutz[®]

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.10.2021 Version number 7 Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Wood & Cork Floor Cleaner

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with the eyes and skin.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store receptacle in a well ventilated area.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Exposure limit values:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · DNELs No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 26.10.2021 Version number 7 Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Wood & Cork Floor Cleaner

(Contd. of page 3)

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Be sure to clean skin thoroughly after work and before breaks.

Wash hands before breaks and at the end of work.

· Respiratory protection: Not required.

· Hand protection

After each cleaning use treatment creams, for very dry skin greasy ointments.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

· Body protection:

Not required.

Light weight protective clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Colourless

Pleasant

Not determined.

Undetermined.

· Boiling point or initial boiling point and boiling

range 100°C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.

· **Auto-ignition temperature:** Product is not selfigniting.

• **Decomposition temperature:** Not determined.

• pH at 20°C 9.3

· Viscosity:

Kinematic viscosity at 20°C
 Dynamic:
 27 s (ISO 3 mm)
 Not determined.

· Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20°C: 23 hPa

(Contd. on page 5)

Dr. Schutz[®]

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.10.2021 Version number 7 Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Wood & Cork Floor Cleaner

	(Contd. of page 4)
· Density and/or relative density	
Density at 20°C:	1.023 g/cm ³
Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health	
and environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	·
· Organic solvents:	0.0 %
· VOC (EC)	0.0 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard	
classes	
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
 Self-reactive substances and mixtures 	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
 Self-heating substances and mixtures 	Not applicable
 Substances and mixtures, which emit 	
flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
Oxidising solids	Not applicable

Not applicable

Not applicable

Not applicable

SECTION 10: Stability and reactivity

· Organic peroxides

· Corrosive to metals

· Desensitised explosives

- · 10.1 Reactivity see section "Possibility of hazardous reactions".
- 10.2 Chemical stability No information available.
- · Conditions to avoid: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

GB

Dr. Schutz®

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.10.2021 Version number 7 Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Wood & Cork Floor Cleaner

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50 values relevant for classification:		
Fatty alcohol, C8-C14, alkoxylated		
Oral	Oral LD50 500-2,000 mg/kg (rat) (OECD 423)	
97489-15-1 Sulfonic acid, C14-17-sec-alkane, sodium salts		
Oral	LD50	>500-2,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (mouse)
52-51-7 bronopol (INN)		
Oral	LD50	305 mg/kg (rat) (OECD 401)
Dermal	LD50	1,600 mg/kg (rabbit)

- · Serious eye damage/irritation Causes serious eye irritation.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:			
Fatty alcohol, C8-C14, alkoxylated			
EC50/48h	EC50/48h 10-100 mg/l (Daphnia magna) (OECD 202)		
LC50/96h	10-100 mg/l (Brachydanio rerio)		
97489-15-1 Sulfonic acid, C14-17-sec-alkane, sodium salts			
EC50/48h	EC50/48h 9.81 mg/l (Daphnia magna)		
LC50/96h	LC50/96h 1-10 mg/l (Danio rerio)		
52-51-7 bronopol (INN)			
LC50/96h	LC50/96h 41.2 mg/l (Oncorhynchus mykiss (Rainbow trout))		
EC50/72h	0.4-2.8 mg/l (algae)		

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- GE



according to 1907/2006/EC, Article 31

Printing date 26.10.2021 Version number 7 Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Wood & Cork Floor Cleaner

(Contd. of page 6)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Not applicable
14.2 UN proper shipping nameADR, ADN, IMDG, IATA	Not applicable
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Not applicable
· 14.4 Packing group · ADR, IMDG, IATA	Not applicable
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.
· UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H242 Heating may cause a fire.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

(Contd. on page 8)

according to 1907/2006/EC, Article 31

Revision: 30.07.2021 Printing date 26.10.2021 Version number 7

Identification of the substance/preparation: Dr. Schutz Wood & Cork Floor Cleaner

(Contd. of page 7)

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Department for product development

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Self-react. C: Self-reactive substances and mixtures - Type C/D

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3