

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 10 (replaces version 9)

Revision: 03.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Identification of the substance/preparation: eukula H 99 A
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • **Process category** PROC10 Roller application or brushing
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint
- Uses advised against Product is not intended for private use
- · 1.3 Details of the supplier of the safety data sheet

 Company/undertaking identification: eukula a Brand of Dr.Schutz GmbH Holbeinstraße 17 D-53715 Bonn Phone: +49 (0) 228 / 95352-50 Fax: +49 (0) 228 / 95352-55 info@eukula.com

For the UK: Dr. Schutz UK Ltd. Unit 24, Anglo Business Park, Smeaton Close, Aylesbury Bucks HP19 8UP Tel.: 0044 / 1296 437827 Fax: 0044 / 1296 334219 email: steve@dr-schutz.com

- Further information obtainable from: Department for product development Department for product development • 1.4 Emergency telephone number:
- GBK Gefahrgut Büro GmbH telephone: +49 (0)6132 84463 (24-Hour-Number)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 10 (replaces version 9)

Revision: 03.11.2021

Identification of the substance/preparation: eukula H 99 A

	(Contd. of page
Hazard pictog	
\land	
GHS02 GHS07	,
Signal word D	anger
Hazard-determ	nining components of labelling:
propan-2-ol	
Hazard statem	ients
	mmable liquid and vapour.
	serious eye irritation.
	se drowsiness or dizziness.
Precautionary	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other haza	
Results of PB	T and vPvB assessment
PBT: Not applie	cable.
vPvB: Not app	licable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

· Dangerous components.			
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43	ethanol line Flam. Liq. 2, H225; line Eye Irrit. 2, H319	50-100%	
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225;	≥20-≤25%	
• Additional information: For the wording of the listed bazard phrases refer to section 16			

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.

(Contd. on page 3)

- GB

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 10 (replaces version 9)

Revision: 03.11.2021

Identification of the substance/preparation: eukula H 99 A

(Contd. of page 2)

- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents:

Water with full jet

Not applicable.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

 • 6.1 Personal precautions, protective equipment and emergency procedures Keep away from ignition sources. Ensure adequate ventilation Do not inhale gases / fumes / aerosols.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Do not inhale gases / fumes / aerosols. Wear protective equipment. Keep unprotected persons away. Follow instructions on the label and in the Technical Product Information Sheet. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Information about fire - and explosion protection: Fumes can combine with air to form an explosive mixture. Keep ignition sources away - Do not smoke. Protect against electrostatic charges. 7.2 Conditions for safe storage, including any incompatibilities Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Store in a cool location.

(Contd. on page 4)

GB -

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 10 (replaces version 9)

Revision: 03.11.2021

(Contd. of page 3)

Identification of the substance/preparation: eukula H 99 A

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

 \cdot 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Exposure limit values:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm

Long-term value: 999 mg/m³, 400 ppm

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

Filter A/P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Solvent resistant gloves



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 10 (replaces version 9)

Revision: 03.11.2021

(Contd. of page 4)

Identification of the substance/preparation: eukula H 99 A



Tightly sealed goggles

 \cdot Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemica	I properties
General Information	
Physical state	Fluid
Colour:	Colourless
Odour:	Mild
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	78°C
Flammability	Highly flammable.
Lower and upper explosion limit	0,7
Lower:	2 Vol %
Upper:	15 Vol %
Flash point:	12°C (Seta Flash Closed Cup)
Ignition temperature:	370°C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity at 20°C	135 s (DIN 53211/4)
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value	
Vapour pressure at 20°C:	59 hPa
Density and/or relative density	
Density at 20°C:	0.81 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	
and environment, and on safety.	—
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Solvent separation test:	< 3%
Solvent content:	
Organic solvents:	97.0 %
VOC (EC)	97.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard	
classes	
Explosives	Not applicable
Flammable gases	Not applicable

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 10 (replaces version 9)

Revision: 03.11.2021

Identification of the substance/preparation: eukula H 99 A

		(Contd. of page 5
· Aerosols	Not applicable	
 Oxidising gases 	Not applicable	
· Gases under pressure	Not applicable	
· Flammable liquids	Highly flammable liquid and vapour.	
· Flammable solids	Not applicable	
Self-reactive substances and mixtures	Not applicable	
Pyrophoric liquids	Not applicable	
Pyrophoric solids	Not applicable	
Self-heating substances and mixtures	Not applicable	
Substances and mixtures, which emit		
flammable gases in contact with water	Not applicable	
· Oxidising liquids	Not applicable	
• Oxidising solids	Not applicable	
· Organic peroxides	Not applicable	
Corrosive to metals	Not applicable	
· Desensitised explosives	Not applicable	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section "Possibility of hazardous reactions".
- · 10.2 Chemical stability No information available.
- · Conditions to avoid: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
64-17-5 et	hanol		
Oral	LD50	10,470 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (rabbit) (OECD 402)	
Inhalative	LC50/4h	117-125 mg/l (rat) (OECD 403)	
67-63-0 p	67-63-0 propan-2-ol		
Oral	LD50	4,750 mg/kg (rat)	
Dermal	LD50	13,400 mg/kg (rabbit)	
Inhalative	LC50/4h	30 mg/l (rat)	
· STOT-sin	gle expos	ge/irritation Causes serious eye irritation. sure May cause drowsiness or dizziness. n other hazards	
· Endocrine	e disrupti	ing properties	
None of th	e ingredie	ents is listed.	
-			GI

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 10 (replaces version 9)

Revision: 03.11.2021

Identification of the substance/preparation: eukula H 99 A

(Contd. of page 6)

	(Conta. of page 6)
SECTION 12: Ec	ological information
· 12.1 Toxicity	
· Aquatic toxicity:	
64-17-5 ethanol	
EC50/48h	12,900 mg/l (algae) (OECD 201)
67-63-0 propan-2	2-01
EC50/48h	>100 mg/l (Daphnia magna)
LC50/96h (dynam	nic) 10,000 mg/l (fish) (OECD 203)
PBT: Not applica vPvB: Not applica 12.6 Endocrine of The product does 12.7 Other adver Additional ecolo General notes: Water hazard cla	able. disrupting properties s not contain substances with endocrine disrupting properties. rse effects ogical information: ss 1 (German Regulation) (Self-assessment): slightly hazardous for water each ground water/water course. Do not allow undiluted product or large quantities of it to
SECTION 13: Dis	sposal considerations
• 13.1 Waste treat • Recommendatio Must not be dispo	

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
ADR, IMDG, IATA	UN1263	
14.2 UN proper shipping name		
ADR	1263 PAINT	
IMDG, IATA	PAINT	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	3 Flammable liquids.	
Label	3	
14.4 Packing group		
ADR, IMDG, IATA		

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 10 (replaces version 9)

Revision: 03.11.2021

Identification of the substance/preparation: eukula H 99 A

	(Contd. of page 7)
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: 	Warning: Flammable liquids. - F-E, <u>S-E</u>
Stowage Category	A
 14.7 Maritime transport in bulk according to IM instruments 	Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
 Transport category Tunnel restriction code 	3 E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1263 PAINT, 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant phrases
- H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
- · Department issuing SDS: eukula, Department Research & Developement
- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 9)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 10 (replaces version 9)

Revision: 03.11.2021

Identification of the substance/preparation: eukula H 99 A

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic	(Contd. of page 8)
vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	GB