

Page 1/9

Revision: 07.02.2023

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.09.2023

Version number 2 (replaces version 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Identification of the substance/preparation: eukula VIROBAC Additiv
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Application of the substance / the mixture

Sealing

Multi-pack product

- · 1.3 Details of the supplier of the safety data sheet
- Company/undertaking identification:

eukula

a Brand of Dr.Schutz GmbH

Holbeinstraße 17

D-53715 Bonn

Phone: +49 (0) 228 / 95352-50

Fax: +49 (0) 228 / 95352-55

info@eukula.com

For the UK:

Dr. Schutz UK Ltd.

Unit 24, Anglo Business Park,

Smeaton Close, Aylesbury Bucks

HP19 8UP

Tel.: 0044 / 1296 437827 Fax: 0044 / 1296 334219

email: steve@dr-schutz.com

- · Further information obtainable from: Department for product development
- · 1.4 Emergency telephone number:

Dr. Schutz UK

steve@dr-schutz.com

0044 (0) 1296 437827 (mon - fri 9am-5pm)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Warning

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 06.09.2023 Version number 2 (replaces version 1) Revision: 07.02.2023

Identification of the substance/preparation: eukula VIROBAC Additiv

(Contd. of page 1)

· Hazard statements

H226 Flammable liquid and vapour.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 Reg.nr.: 01-2119457435-35	1-methoxy-2-propanol Flam. Liq. 3, H226; STOT SE 3, H336	5-10%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25	propan-2-ol	1-5%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air.
- · After skin contact:

Rinse with warm water.

After each cleaning use treatment creams, for very dry skin greasy ointments.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 06.09.2023 Version number 2 (replaces version 1) Revision: 07.02.2023

Identification of the substance/preparation: eukula VIROBAC Additiv

(Contd. of page 2)

- · For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture Danger of forming toxic pyrolysis products.
- 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the eves and skin.

Do not inhale gases / fumes / aerosols.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· Information about fire - and explosion protection:

No special precautions are necessary if used correctly.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Keep container tightly sealed.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Exposure limit values:

107-98-2 1-methoxy-2-propanol

WEL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm

Sk

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 06.09.2023 Version number 2 (replaces version 1) Revision: 07.02.2023

Identification of the substance/preparation: eukula VIROBAC Additiv

(Contd. of page 3)

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Hand protection

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.



Tightly sealed goggles

· Body protection:

Not required.

Light weight protective clothing

· Environmental exposure controls Follow instructions for use, dosage and waste disposal.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid
Yellow
Alcohol-like
Not determined.
Undetermined.

· Boiling point or initial boiling point and boiling

range 100°C (7732-18-5 water, distilled, conductivity or of

similar purity)

Flammability Undetermined. Flammable.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 06.09.2023 Version number 2 (replaces version 1) Revision: 07.02.2023

Identification of the substance/preparation: eukula VIROBAC Additiv

(Contd. of page 4)

· Lower and upper explosion limit

Lower: 1.5 Vol % (107-98-2 1-methoxy-2-propanol)
 Upper: 13.7 Vol % (107-98-2 1-methoxy-2-propanol)

• Flash point: 44°C (Seta Flash Closed Cup)

• Auto-ignition temperature: 270°C (107-98-2 1-methoxy-2-propanol)

• **Decomposition temperature:** Not determined.

· pH at 20°C

Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

·Solubility

water: Fully miscible.
 Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20°C: 23 hPa (7732-18-5 water, distilled, conductivity or of

similar purity)

· Density and/or relative density

Density at 20°C: 0.98 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

• Organic solvents: 12.0 % • VOC (EC) 12.0 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

Explosives
 Flammable gases
 Aerosols
 Oxidising gases
 Gases under pressure
 Not applicable
 Not applicable
 Not applicable

• Flammable liquids Flammable liquid and vapour.

Flammable solids
 Self-reactive substances and mixtures
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures

Not applicable
Not applicable
Not applicable
Not applicable

· Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Desensitised explosives

Not applicable
Not applicable
Not applicable
Not applicable

according to 1907/2006/EC, Article 31

Printing date 06.09.2023 Version number 2 (replaces version 1) Revision: 07.02.2023

Identification of the substance/preparation: eukula VIROBAC Additiv

(Contd. of page 5)

SECTION 10: Stability and reactivity

- 10.1 Reactivity see section "Possibility of hazardous reactions".
- · 10.2 Chemical stability No information available.
- · Conditions to avoid:

Protect from frost.

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No dangerous reactions known.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:				
107-98-2	107-98-2 1-methoxy-2-propanol				
Oral	LD50	5,200 mg/kg (rat)			
Dermal	LD50	14,000 mg/kg (rabbit)			
Inhalative	Inhalative LC50/4h 54.6 mg/l (rat)				
67-63-0 p	67-63-0 propan-2-ol				
Oral	LD50	4,750 mg/kg (rat)			
Dermal	LD50	13,400 mg/kg (rabbit)			
Inhalative	LC50/4h	30 mg/l (rat)			

· Skin corrosion/irritation

No data available.

Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

No data available.

Based on available data, the classification criteria are not met.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Repeated dose toxicity Undetermined.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Undetermined.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

Undetermined.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 06.09.2023 Version number 2 (replaces version 1) Revision: 07.02.2023

Identification of the substance/preparation: eukula VIROBAC Additiv

12.2 Persistence and degradability

Elimination of contained polymers is possible through precipitation or flocculation.

The solvent is biodegradable.

- · 12.3 Bioaccumulative potential Undetermined.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Behaviour in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3092
· 14.2 UN proper shipping name · ADR · IMDG, IATA	3092 1-METHOXY-2-PROPANOL 1-METHOXY-2-PROPANOL
· 14.3 Transport hazard class(es) · ADR, IMDG, IATA	



Class 3 Flammable liquids.

(Contd. on page 8)

according to 1907/2006/EC, Article 31

Printing date 06.09.2023 Version number 2 (replaces version 1) Revision: 07.02.2023

Identification of the substance/preparation: eukula VIROBAC Additiv

	(Contd. of page 7
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids. 30 F-E,S-D A
· 14.7 Maritime transport in bulk according to IM instruments	O Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3
· Tunnel restriction code	D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3092 1-METHOXY-2-PROPANOL, 3, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- · Other regulations, limitations and prohibitive regulations

Other regulations (EC): Directive 2004/42/EC

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

(Contd. on page 9)

according to 1907/2006/EC, Article 31

Printing date 06.09.2023 Version number 2 (replaces version 1) Revision: 07.02.2023

Identification of the substance/preparation: eukula VIROBAC Additiv

(Contd. of page 8)

· Training hints ---

· Recommended restriction of use

Not intended for spraying and industrial processing.

Restricted to professional users.

People who suffer from allergies, asthma, chronic or recurring respiratory illnesses should not be deployed in any process using the product.

· Department issuing SDS: Department for product development

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

GB