

**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 8 (replaces version 7)

Revision: 05.08.2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Identification of the substance/preparation:** *eukula perform 461 satin (Base)***1.2 Relevant identified uses of the substance or mixture and uses advised against****Sector of Use**

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Product category** PC9a Coatings and paints, thinners, paint removers**Process category** PROC10 Roller application or brushing**Application of the substance / the mixture** Coating compound/ Surface coating/ paint**1.3 Details of the supplier of the safety data sheet****Company/undertaking identification:**

eukula

a Brand of Dr.Schutz GmbH

Holbeinstraße 17

D-53715 Bonn

Phone: +49 (0) 228 / 95352-50

Fax: +49 (0) 228 / 95352-55

info@eukula.com

For the UK:

Dr. Schutz UK Ltd.

Unit 24, Anglo Business Park,

Smeaton Close, Aylesbury Bucks

HP19 8UP

Tel.: 0044 / 1296 437827

Fax: 0044 / 1296 334219

email: steve@dr-schutz.com

**Further information obtainable from:** Department for product development**1.4 Emergency telephone number:**

Dr. Schutz UK

steve@dr-schutz.com

0044 (0) 1296 437827 (mon - fri 9am-5pm)

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the GB CLP regulation.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008** Not applicable**Hazard pictograms** Not applicable**Signal word** Not applicable**Hazard statements** Not applicable**Additional information:**

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.

(Contd. on page 2)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 8 (replaces version 7)

Revision: 05.08.2021

**Identification of the substance/preparation:** *eukula perform 461 satin (Base)*

(Contd. of page 1)

· **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

### · 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

#### · **Dangerous components:**

CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	1-5%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.05%
CAS: 55965-84-9 Index number: 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### · 4.1 Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Rinse with warm water.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Rinse out mouth and then drink plenty of water.

### · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### · 5.1 Extinguishing media

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Not applicable.

### · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

### · 5.3 Advice for firefighters

- **Protective equipment:** No special measures required.

(Contd. on page 3)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 8 (replaces version 7)

Revision: 05.08.2021

**Identification of the substance/preparation:** *eukula perform 461 satin (Base)*

(Contd. of page 2)

**Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

**6.2 Environmental precautions:**

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**6.4 Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling** No special precautions are necessary if used correctly.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** Store receptacle in a well ventilated area.

**7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

**8.1 Control parameters**

**Exposure limit values:**

**34590-94-8 Dipropylene glycol monomethyl ether**

WEL	Long-term value: 308 mg/m <sup>3</sup> , 50 ppm
Sk	

**DNELs** No further relevant information available.

**PNELs** No further relevant information available.

**Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls**

**Appropriate engineering controls** No further data; see item 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:** Wash hands before breaks and at the end of work.

**Respiratory protection:** Not required.

**Hand protection**

Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 8 (replaces version 7)

Revision: 05.08.2021

**Identification of the substance/preparation:** *eukula perform 461 satin (Base)*

(Contd. of page 3)

• **Material of gloves**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection** Goggles recommended during refilling
- **Body protection:** Light weight protective clothing

## SECTION 9: Physical and chemical properties

• **9.1 Information on basic physical and chemical properties**

• **General Information**

- |   |                                   |
|---|-----------------------------------|
| • <b>Physical state</b>   | Fluid                             |
| • <b>Colour:</b>  | Whitish                           |
| • <b>Odour:</b>   | Characteristic                    |
| • <b>Odour threshold:</b>   | Not determined.                   |
| • <b>Melting point/freezing point:</b>                            | Undetermined.                     |
| • <b>Boiling point or initial boiling point and boiling range</b> | 100°C                             |
| • <b>Flammability</b>   | Not applicable.                   |
| • <b>Lower and upper explosion limit</b>                          |                                   |
| • <b>Lower:</b>   | Not determined.                   |
| • <b>Upper:</b>   | Not determined.                   |
| • <b>Flash point:</b>   | >100°C (Seta Flash Closed Cup)    |
| • <b>Decomposition temperature:</b>                               | Not determined.                   |
| • <b>pH at 20°C</b>   | 7.5                               |
| • <b>Viscosity:</b>   |                                   |
| • <b>Kinematic viscosity at 20°C</b>                              | 25 s (DIN 53211/4)                |
| • <b>Dynamic:</b>   | Not determined.                   |
| • <b>Solubility</b>   |                                   |
| • <b>water:</b>   | Not miscible or difficult to mix. |
| • <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.                   |
| • <b>Vapour pressure at 20°C:</b>                                 | 23 hPa                            |
| • <b>Density and/or relative density</b>                          |                                   |
| • <b>Density at 20°C:</b>   | 1.04 g/cm <sup>3</sup>            |
| • <b>Relative density</b>   | Not determined.                   |
| • <b>Vapour density</b>   | Not determined.                   |

• **9.2 Other information**

- |  |   |
|--|---|
| • <b>Appearance:</b>   |   |
| • <b>Form:</b>   | Fluid   |
| • <b>Important information on protection of health and environment, and on safety.</b> |   |
| • <b>Auto-ignition temperature:</b>  | Product is not selfigniting.                  |
| • <b>Explosive properties:</b>   | Product does not present an explosion hazard. |
| • <b>Solvent content:</b>  |   |
| • <b>Organic solvents:</b>   | 4.1 %   |
| • <b>VOC (EC)</b>  | 4.1 %   |
| • <b>Change in condition</b>   |   |
| • <b>Evaporation rate</b>  | Not determined.                               |

(Contd. on page 5)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 8 (replaces version 7)

Revision: 05.08.2021

**Identification of the substance/preparation:** *eukula perform 461 satin (Base)*

(Contd. of page 4)

- |   |                |
|---|----------------|
| <b>Information with regard to physical hazard classes</b>                   |                |
| · Explosives  | Not applicable |
| · Flammable gases   | Not applicable |
| · Aerosols  | Not applicable |
| · Oxidising gases   | Not applicable |
| · Gases under pressure  | Not applicable |
| · Flammable liquids   | Not applicable |
| · Flammable solids  | Not applicable |
| · Self-reactive substances and mixtures                                     | Not applicable |
| · Pyrophoric liquids  | Not applicable |
| · Pyrophoric solids   | Not applicable |
| · Self-heating substances and mixtures                                      | Not applicable |
| · Substances and mixtures, which emit flammable gases in contact with water | Not applicable |
| · Oxidising liquids   | Not applicable |
| · Oxidising solids  | Not applicable |
| · Organic peroxides   | Not applicable |
| · Corrosive to metals   | Not applicable |
| · Desensitised explosives   | Not applicable |

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section "Possibility of hazardous reactions".
- **10.2 Chemical stability** No information available.
- **Conditions to avoid:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

### LD/LC50 values relevant for classification:

#### 52-51-7 bronopol (INN)

Oral	LD50	305 mg/kg (rat) (OECD 401)
Dermal	LD50	1,600 mg/kg (rabbit)

- **Skin corrosion/irritation**  
No data available.  
Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**  
No data available.  
Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 6)

**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 8 (replaces version 7)

Revision: 05.08.2021

**Identification of the substance/preparation:** *eukula perform 461 satin (Base)*

(Contd. of page 5)

**· 11.2 Information on other hazards****· Endocrine disrupting properties**

541-02-6	2,2,4,4,6,6,8,8,10,10-decamethylcyclotetrasiloxane	List II
556-67-2	octamethylcyclotetrasiloxane	List II, III

**SECTION 12: Ecological information****· 12.1 Toxicity****· Aquatic toxicity:****52-51-7 bronopol (INN)**

LC50/96h	41.2 mg/l (Oncorhynchus mykiss (Rainbow trout))
EC50/72h	0.4-2.8 mg/l (algae)

**· 12.2 Persistence and degradability** No further relevant information available.**· 12.3 Bioaccumulative potential** No further relevant information available.**· 12.4 Mobility in soil** No further relevant information available.**· 12.5 Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**· 12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

**· 12.7 Other adverse effects****· Additional ecological information:****· General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

**SECTION 13: Disposal considerations****· 13.1 Waste treatment methods** Disposal must be made according to official regulations.**· Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**· Uncleaned packaging:****· Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****· 14.1 UN number or ID number****· ADR, ADN, IMDG, IATA**

Not applicable

**· 14.2 UN proper shipping name****· ADR, ADN, IMDG, IATA**

Not applicable

**· 14.3 Transport hazard class(es)****· ADR, ADN, IMDG, IATA****· Class**

Not applicable

**· 14.4 Packing group****· ADR, IMDG, IATA**

Not applicable

**· 14.5 Environmental hazards:****· Marine pollutant:**

No

(Contd. on page 7)

**Safety data sheet**

according to 1907/2006/EC, Article 31

Printing date 26.01.2023

Version number 8 (replaces version 7)

Revision: 05.08.2021

**Identification of the substance/preparation:** *eukula perform 461 satin (Base)*

(Contd. of page 6)

- |   |                 |
|---|-----------------|
| · <b>14.6 Special precautions for user</b>                            | Not applicable. |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>                                       | Not applicable  |

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** *eukula*, Department Research & Development· **Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 3: Acute toxicity – Category 3
- Acute Tox. 4: Acute toxicity – Category 4
- Acute Tox. 2: Acute toxicity – Category 2
- Skin Corr. 1C: Skin corrosion/irritation – Category 1C
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Skin Sens. 1: Skin sensitisation – Category 1
- Skin Sens. 1A: Skin sensitisation – Category 1A
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2