Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021 Version number 13 Revision: 28.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Identification of the substance/preparation: Dr. Schutz Elatex Stain Remover
- · UFI: C220-A0AJ-V00W-Q32P
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against Not required.
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Cleaning material/ Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Company/undertaking identification:

Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany

Tel.: +49(0)228-95352-0, Fax: +49(0)228-95352-28 info@dr-schutz.com

For Ireland: Dr Schutz P.M.C Flooring 35 Pic Du Jer Park Ballinlough T12 R9F9 CORK

IRELAND phone: +353 (0) 87 767 8388 Email: paul@drschutzireland.com

· Further information obtainable from: Department for product development

• 1.4 Emergency telephone number: Dr Schutz P.M.C Flooring limited phone: +353 (0) 87 767 8388 Email: paul@drschutzireland.com

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Not applicable
- · Hazard pictograms Not applicable
- · Signal word Not applicable
- · Hazard statements Not applicable
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

Page 2/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021 Version number 13 Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Elatex Stain Remover

(Contd. of page 1)

· Determination of endocrine-disrupting properties

128-37-0 Butylated hydroxytoluene

List II

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	25-50%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35	1-methoxy-2-propanol Flam. Liq. 3, H226; STOT SE 3, H336	5-10%
CAS: 7722-84-1 EINECS: 231-765-0 Reg.nr.: 01-2119485845-22	hydrogen peroxide solution ③ Ox. Liq. 1, H271; ⑤ Skin Corr. 1A, H314; ① Acute Tox. 4, H302; Acute Tox. 4, H332 Specific concentration limits: Ox. Liq. 1; H271: $C \ge 70$ % Ox. Liq. 2; H272: 50 % ≤ $C < 70$ % Skin Corr. 1A; H314: $C \ge 70$ % Skin Corr. 1B; H314: 50 % ≤ $C < 70$ % Skin Irrit. 2; H315: 35 % ≤ $C < 50$ % Eye Dam. 1; H318: $C \ge 8$ % Eye Irrit. 2; H319: 5 % ≤ $C < 8$ % STOT SE 3; $C \ge 35$ %	≥1-<5%
CAS: 128-37-0	Butylated hydroxytoluene	≥0.1-<0.25%
EINECS: 204-881-4	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

- Regulation (EC) No 648/2004 on detergents / Labelling for contents
 oxygen-based bleaching agents
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

No special measures required.

- · After inhalation: No special measures required.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

<5%

Page 3/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021 Version number 13 Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Elatex Stain Remover

(Contd. of page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet. No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store receptacle in a well ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

- IE

Page 4/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021 Version number 13 Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Elatex Stain Remover

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Exposure limit values:

34590-94-8 Dipropylene glycol monomethyl ether

OEL Long-term value: 308 mg/m³, 50 ppm

Sk, IOELV

107-98-2 1-methoxy-2-propanol

OEL Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm IOELV

7722-84-1 hydrogen peroxide solution

OEL Short-term value: 3 mg/m³, 2 ppm Long-term value: 1.5 mg/m³, 1 ppm

128-37-0 Butylated hydroxytoluene

OEL Long-term value: 2 mg/m³

- · DNELs No further relevant information available.
- PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

· Body protection:

Not required.

Light weight protective clothing

ΙE

Page 5/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021 Version number 13 Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Elatex Stain Remover

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Colourless

Ether-like

Not determined.

Undetermined.

· Boiling point or initial boiling point and boiling

range Undetermined.
• Flammability Not applicable.

· Lower and upper explosion limit

• **Lower:** 1.1 Vol % • **Upper:** 14 Vol %

Flash point:
 Auto-ignition temperature:
 80°C (Seta Flash Closed Cup)
 Product is not selfigniting.

· Decomposition temperature: Not determined.

• pH at 20°C 2.5

· Viscosity:

Kinematic viscosity at 20°C
 Dynamic:
 31 s (ISO 3 mm)
 Not determined.

· Solubility

water: Fully miscible.
Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20°C: 23 hPa

· Density and/or relative density

Density at 20°C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

Ignition temperature: 190°C

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

• Organic solvents: 74.1 % • VOC (EC) 74.1 %

· Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard

classes

Explosives
 Flammable gases
 Aerosols
 Oxidising gases
 Gases under pressure
 Not applicable
 Not applicable
 Not applicable

(Contd. on page 6)

Page 6/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021 Version number 13 Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Elatex Stain Remover

(Contd. of page 5)

· Flammable liquids · Flammable solids	Not applicable Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
 Self-heating substances and mixtures 	Not applicable
· Substances and mixtures, which emit	
flammable gases in contact with water	Not applicable
· Oxidising liquids	Not applicable
· Oxidising solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	Not applicable
· Desensitised explosives	Not applicable

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section "Possibility of hazardous reactions".
- · 10.2 Chemical stability No information available.
- · Conditions to avoid: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

107-98-2 1-methoxy-2-propanol	· LD/LC50 values relevant for classification:			
Dermal LD50 14,000 mg/kg (rabbit) Inhalative LC50/4h 54.6 mg/l (rat) 7722-84-1 hydrogen peroxide solution Oral LD50 694 mg/kg (rat) (OECD 401) Dermal LD50 >2,000 mg/kg (rabbit) 128-37-0 Butylated hydroxytoluene	107-98-2 1	107-98-2 1-methoxy-2-propanol		
Inhalative LC50/4h 54.6 mg/l (rat)	Oral	LD50	5,200 mg/kg (rat)	
7722-84-1 hydrogen peroxide solution Oral LD50 694 mg/kg (rat) (OECD 401) Dermal LD50 >2,000 mg/kg (rabbit) 128-37-0 Butylated hydroxytoluene	Dermal	LD50	14,000 mg/kg (rabbit)	
Oral LD50 694 mg/kg (rat) (OECD 401) Dermal LD50 >2,000 mg/kg (rabbit) 128-37-0 Butylated hydroxytoluene	Inhalative	LC50/4h	54.6 mg/l (rat)	
Dermal LD50 >2,000 mg/kg (rabbit) 128-37-0 Butylated hydroxytoluene	7722-84-1 hydrogen peroxide solution			
128-37-0 Butylated hydroxytoluene	Oral	LD50	694 mg/kg (rat) (OECD 401)	
	Dermal	LD50	>2,000 mg/kg (rabbit)	
Oral LD50 >6,000 mg/kg (rat) (OECD 401)	128-37-0 Butylated hydroxytoluene			
	Oral	LD50	>6,000 mg/kg (rat) (OECD 401)	
Dermal LD50 >2,000 mg/kg (rat) (OECD 402)			, , , ,	

· Skin corrosion/irritation

No data available.

Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

No data available.

Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 7)

Page 7/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021 Version number 13 Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Elatex Stain Remover

(Contd. of page 6)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

List II

SECTION 12: Ecological information

· 12.1 Toxicity

	1211 TOXION		
ſ	· Aquatic toxicity:		
Ī	107-98-2 1-methoxy-2-propanol		
Ī	EC50/48h	23,300 mg/l (Daphnia magna)	
Ī	7722-84-1 hydrogen peroxide solution		
Ī	LC50/96h (static)	16.4 mg/l (fish)	
	LC50/48h (static)	2.4 ml/l (Daphnia magna)	
Ī	128-37-0 Butylated hydroxytoluene		
Ī	EC50/48h	0.48 mg/l (Daphnia magna) (OECD 202)	
	EC50/72h	>0.4 mg/l (algae)	

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods Disposal must be made according to official regulations.
- · European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- · Uncleaned packaging:
- \cdot **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 8)

Page 8/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021 Version number 13 Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Elatex Stain Remover

(Contd. of page 7)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Not applicable
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Not applicable
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Not applicable
· 14.4 Packing group · ADR, IMDG, IATA	Not applicable
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.
· UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

Page 9/9

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 13 Revision: 28.07.2021 Printing date 28.07.2021

Identification of the substance/preparation: Dr. Schutz Elatex Stain Remover

(Contd. of page 8)

· Relevant phrases

H226 Flammable liquid and vapour.

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Department for product development
- · Contact: Dr. Reindl
- · Version number of previous version: 12
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Ox. Liq. 1: Oxidizing liquids - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1