Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31 Printing date 28.07.2021 Version number 15 Revision: 28.07.2021 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Identification of the substance/preparation: Dr. Schutz Outdoor Wood Refresher · UFI: HXF0-70V3-U004-X9GC · 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Application of the substance / the mixture Cleaning material/ Detergent · 1.3 Details of the supplier of the safety data sheet · Company/undertaking identification: Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany Tel.: +49(0)228-95352-0, Fax: +49(0)228-95352-28 info@dr-schutz.com For Ireland: Dr Schutz P.M.C Flooring 35 Pic Du Jer Park Ballinlough T12 R9F9 CORK IRELAND phone: +353 (0) 87 767 8388 Email: paul@drschutzireland.com · Further information obtainable from: Department for product development · 1.4 Emergency telephone number: Dr Schutz P.M.C Flooring limited phone: +353 (0) 87 767 8388 Email: paul@drschutzireland.com **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 E Z GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

(Contd. on page 2)

ΙE・

Page 2/9

Safety data sheet


according to 1907/2006/EC, Article 31

Printing date 28.07.2021

Version number 15

Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Outdoor Wood Refresher



SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:	
CAS: 6153-56-6 Oxalic acid	≥3-≤5%
EINECS: 205-634-3 📀 Eye Dam. 1, H318; 🗘 Acute Tox. 4, H302; Acute Tox. 4, H312	
· Regulation (EC) No 648/2004 on detergents / Labelling for contents	
non-ionic surfactants	<5%
· Additional information: For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed Gastric or intestinal disorders Nausea
- Hazards Danger of impaired breathing.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

IE

Page 3/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021

Version number 15

Revision: 28.07.2021

(Contd. of page 2)

Identification of the substance/preparation: Dr. Schutz Outdoor Wood Refresher

• For safety reasons unsuitable extinguishing agents: Not applicable.

- **5.2 Special hazards arising from the substance or mixture** In case of fire, the following can be released: Carbon monoxide (CO)
- 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

• Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- **6.2 Environmental precautions:** Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water. • 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Follow instructions on the label and in the Technical Product Information Sheet.
Avoid contact with the eyes.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Information about fire - and explosion protection: No special measures required.
7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: Provide acid-resistant floor.
Information about storage in one common storage facility:
Store away from foodstuffs.

- Store away from oxidising agents.
- Further information about storage conditions: Keep container tightly sealed. Store receptacle in a well ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Page 4/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021

Version number 15

Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Outdoor Wood Refresher

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Exposure limit values:

102-71-6 Triethanolamine

OEL Long-term value: 5 mg/m³

- · DNELs No further relevant information available.
- PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Use skin protection cream for skin protection. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.



Tightly sealed goggles

· Body protection:

Acid resistant protective clothing

(Contd. on page 5)

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.07.2021

Version number 15

Revision: 28.07.2021

(Contd. of page 4)

Identification of the substance/preparation: Dr. Schutz Outdoor Wood Refresher

Light weight protective clothing

SECTION 9: Physical and chemical properties				
· 9.1 Information on basic physical and chemical properties				
· General Information				
· Physical state	Fluid			
· Colour:	Whitish			
· Odour:	Recognisable			
· Odour threshold:	Not determined.			
 Melting point/freezing point: 	Undetermined.			
· Boiling point or initial boiling point and boiling	3			
range	100°C			
· Flammability	Not applicable.			
· Lower and upper explosion limit				
· Lower:	Not determined.			
· Upper:	Not determined.			
· Flash point:	Not applicable.			
· Auto-ignition temperature:	Product is not selfigniting.			
Decomposition temperature:	Not determined.			
· pH at 20°C	2.3			
· Viscosity:	-			
· Kinematic viscosity	Not determined.			
· Dynamic at 20°C:	219 mPas			
· Solubility				
· water:	Fully miscible.			
· Partition coefficient n-octanol/water (log value				
· Vapour pressure at 20°C:	23 hPa			
Density and/or relative density				
· Density at 20°C:	1.007 g/cm ³			
· Relative density	Not determined.			
· Vapour density	Not determined.			
9.2 Other information				
· Appearance:				
· Form:	Viscous			
· Important information on protection of health	VISCOUS			
and environment, and on safety.				
· Ignition temperature:	200°C			
· Explosive properties:	Product does not present an explosion hazard.			
· Change in condition				
· Evaporation rate	Not determined.			
•				
Information with regard to physical hazard				
classes	NetworkProduct			
	Not applicable			
· Flammable gases	Not applicable			
· Aerosols	Not applicable			
· Oxidising gases	Not applicable			
· Gases under pressure	Not applicable			
	(Contd. on page 6)			

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021

Version number 15

Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Outdoor Wood Refresher

		(Contd. of page 5)
· Flammable liquids	Not applicable	
· Flammable solids	Not applicable	
 Self-reactive substances and mixtures 	Not applicable	
 Pyrophoric liquids 	Not applicable	
· Pyrophoric solids	Not applicable	
· Self-heating substances and mixtures	Not applicable	
· Substances and mixtures, which emit		
flammable gases in contact with water	Not applicable	
· Oxidising liquids	Not applicable	
· Oxidising solids	Not applicable	
· Organic peroxides	Not applicable	
· Corrosive to metals	Not applicable	
 Desensitised explosives 	Not applicable	

SECTION 10: Stability and reactivity

· 10.1 Reactivity see section "Possibility of hazardous reactions".

- · 10.2 Chemical stability No information available.
- · Conditions to avoid: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Reacts with alkali (lyes).

Reacts with strong oxidising agents.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

6153-56-6 Oxalic acid

Oral LD50 375 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

Page 6/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021

Version number 15

Revision: 28.07.2021

(Contd. of page 6)

Identification of the substance/preparation: Dr. Schutz Outdoor Wood Refresher

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

6153-56-6 Oxalic acid

EC50/48h 162.2 mg/l (Daphnia magna)

- EC50/16h 1,550 mg/l (Pse)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

SECTION 13: Disposal considerations

• **13.1 Waste treatment methods** Disposal must be made according to official regulations.

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

20 01 29* detergents containing hazardous substances

06 01 06* other acids

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, ADN, IMDG, IATA

Not applicable

(Contd. on page 8)

Page 7/9

Page 8/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2021

Version number 15

Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Outdoor Wood Refresher

		(Contd. of page 7)
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Not applicable	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Not applicable	
 14.4 Packing group ADR, IMDG, IATA 	Not applicable	
 · 14.5 Environmental hazards: · Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk according instruments 	to IMO Not applicable.	
· UN "Model Regulation":	Not applicable	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed. H312 Harmful in contact with skin.

H318 Causes serious eye damage.

· Department issuing SDS: Department for product development

(Contd. on page 9)

۰IE

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.07.2021

Version number 15

Revision: 28.07.2021

Identification of the substance/preparation: Dr. Schutz Outdoor Wood Refresher

	(Contd. of page 8
Contact: Dr. Reindl	
Version number of previous version: 14	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par ro	ute (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (REACH)	
PNEC: Predicted No-Effect Concentration (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 4: Acute toxicity – Category 4	
Eve Dam. 1: Serious eve damage/eve irritation – Category 1	

Page 9/9