Page 1/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 5

Revision: 30.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Identification of the substance/preparation: Dr. Schutz Stain Guard · UFI: MGS0-E0G5-U002-C65H · 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Application of the substance / the mixture Cleaning material/ Detergent · 1.3 Details of the supplier of the safety data sheet · Company/undertaking identification: Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany Tel.: +49(0)228-95352-0, Fax: +49(0)228-95352-28 info@dr-schutz.com For Ireland: Dr Schutz P.M.C Flooring 35 Pic Du Jer Park Ballinlough T12 R9F9 CORK IRELAND phone: +353 (0) 87 767 8388 Email: paul@drschutzireland.com · Further information obtainable from: Department for product development · 1.4 Emergency telephone number: GBK Gefahrgut Büro GmbH telephone: +49 (0)6132 84463 (24-Hour-Number) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame

 Aerosol 1
 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

 Image: Chronic 2
 GHS09 environment

 Aquatic Chronic 2
 H411

 Toxic to aquatic life with long lasting effects.

 Image: Chronic 2
 H411

 Image: Chronic 2
 H415

 Image: Chronic 2
 H415

 I

Page 2/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 5

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Stain Guard

(Contd. of page 1) · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The Labelling of hazard of aspiration (Asp. Tox. 1 H304) is not required for aerosols and container with sealed spray devices (Regulation (EC) No 1272/2008, Appendix 1, 1.3.3). The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 GHS07 GHS09 · Signal word Danger · Hazard-determining components of labelling: Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane isopropyl acetate · Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. H315 H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. P251 P271 Use only outdoors or in a well-ventilated area. Call a POISON CENTER/doctor if you feel unwell. P312 Specific treatment (see on this label). P321 P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Page 3/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 5

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Stain Guard

	(Con	td. of page 2
· Dangerous components:		
CAS: 64742-49-0 EC number: 921-024-6	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	50-100%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32	butane, pure ♦ Flam. Gas 1A, H220; ♦ Acute Tox. 3, H331; Press. Gas (Comp.), H280	25-50%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21	propane Flam. Gas 1A, H220; ⊗ Acute Tox. 1, H330; Press. Gas (Comp.), H280	5-10%
CAS: 108-21-4 EINECS: 203-561-1	isopropyl acetate Flam. Liq. 2, H225; () Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	1-5%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27	isobutane ♦ Flam. Gas 1A, H220; ♦ Acute Tox. 1, H330; Press. Gas (Comp.), H280	1-5%
CAS: 123-86-4 EINECS: 204-658-1 Reg.nr.: 01-2119485493-29	n-butyl acetate	0.1-1%
· Regulation (EC) No 648/200	04 on detergents / Labelling for contents	
aliphatic hydrocarbons		≥30%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Immediately remove any clothing soiled by the product.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek medical treatment.

Rinse out mouth and then drink plenty of water.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 4)

IF

Page 4/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 5

Revision: 30.07.2021

(Contd. of page 3)

Identification of the substance/preparation: Dr. Schutz Stain Guard

- For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- \cdot 5.3 Advice for firefighters
- Protective equipment: Wear fully protective suit.
- Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Keep away from ignition sources. Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away. · 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Allow to evaporate. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. · 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

 Information about fire - and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Protect from heat.
 Protect against electrostatic charges.
 Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e.

electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

• Information about storage in one common storage facility: Store away from oxidising agents.

(Contd. on page 5)

Page 5/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 5

Revision: 30.07.2021

(Contd. of page 4)

Identification of the substance/preparation: Dr. Schutz Stain Guard

• Further information about storage conditions:

Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Exposure limit values:

106-97-8 butane, pure

OEL Short-term value: 1000 ppm

- 74-98-6 propane
- OEL Asphx

108-21-4 isopropyl acetate

OEL Short-term value: 150 ppm

Long-term value: 100 ppm

75-28-5 isobutane

OEL Short-term value: 1000 ppm

123-86-4 n-butyl acetate

OEL Short-term value: 950 mg/m³, 200 ppm Long-term value: 710 mg/m³, 150 ppm

• DNELs No further relevant information available.

- · PNECs No further relevant information available.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

- Avoid contact with the eyes and skin.
- · Respiratory protection:

Not necessary if room is well-ventilated.

Filter AX

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 6)

Page 6/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 5

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Stain Guard

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20°C:

(Contd. of page 5) Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves Butyl rubber, BR The selection of the suitable gloves does not only depend on the material, but also on further marks of guality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eve/face protection Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended. Tightly sealed goggles · Body protection: Not required. Light weight protective clothing **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties · General Information · Physical state Aerosol · Colour: Colourless · Odour: Solvent-like · Odour threshold: Not determined. · Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range -44°C · Flammability Extremely flammable liquefied gas. · Lower and upper explosion limit · Lower: 0.8 Vol % · Upper: 8.5 Vol % · Flash point: -97°C (Seta Flash Closed Cup, 74-98-6 propane) · Auto-ignition temperature: Product is not selfigniting. · Decomposition temperature: Not determined. · pH Not determined. · Viscosity: · Kinematic viscosity Not determined. · Dynamic: Not determined. · Solubility · water: Fully miscible.

> 2,100 hPa (106-97-8 butane, pure) (Contd.

(Contd. on page 7)

E-

Page 7/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 5

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Stain Guard

	(Contd. of page
 Density and/or relative density 	
· Density at 20°C:	0.675 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
 9.2 Other information 	
· Appearance:	
· Form:	Aerosol
 Important information on protection of health and environment, and on safety. 	
· Ignition temperature:	365°C (106-97-8 butane, pure)
· Explosive properties:	Not determined.
· Solvent content:	
· Organic solvents:	35.9 %
· Change in condition	
· Evaporation rate	Not applicable.
 Information with regard to physical hazard classes 	Netensiechie
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
• Pyrophoric solids	Not applicable
• Self-heating substances and mixtures	Not applicable
 Substances and mixtures, which emit flammable gases in contact with water 	Not applicable
· Oxidising liquids	Not applicable Not applicable
· Oxidising inquids · Oxidising solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	Not applicable
· Desensitised explosives	Not applicable
י הפינואוואפת בצאוראונא	

SECTION 10: Stability and reactivity

· 10.1 Reactivity see section "Possibility of hazardous reactions".

- 10.2 Chemical stability No information available.
- Conditions to avoid: Danger of bursting in case of strong heating or misuse of the packing.
- 10.3 Possibility of hazardous reactions
- Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 8)

IE -

Page 8/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 5

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Stain Guard

(Contd. of page 7) • 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 \cdot Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

106-97-8 butane, pure

Inhalative LC50/4h 658 mg/l (rat)

74-98-6 propane

Inhalative LC50/4h >20 mg/l (rat)

108-21-4 isopropyl acetateOralLD50

LD50 3,000 mg/kg (rat)

75-28-5 isobutane

Inhalative LC50/4h (static) >20 mg/l (rat)

Skin corrosion/irritation

No data available.

Causes skin irritation.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish

(Contd. on page 9)

Page 9/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 5

Revision: 30.07.2021

(Contd. of page 8)

Identification of the substance/preparation: Dr. Schutz Stain Guard

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Also poisonous for fish and plankton in water bodies.

Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods Disposal must be made according to official regulations.

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1950
· 14.2 UN proper shipping name	
ADR	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS
· IMDG	AEROSOLS (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane), MARINE POLLUTANT
	AEROSOLS, flammable
 14.3 Transport hazard class(es) 	
· ADR	
· Class	2 5F Gases.
· Label	2.1
·IMDG	
· Class	2.1
	2.1

Page 10/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 5

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Stain Guard

	(Contd. of page 9
· Class · Label	2.1 2.1
· 14.4 Packing group · ADR, IMDG, IATA	Not applicable
 • 14.5 Environmental hazards: • Marine pollutant: • Special marking (ADR): 	Product contains environmentally hazardous substances: Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane No Symbol (fish and tree) Symbol (fish and tree)
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code Segregation Code 	Warning: Gases. - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
 14.7 Maritime transport in bulk according to IMC instruments) Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category 	1L Code: E0 Not permitted as Excepted Quantity
Tunnel restriction code	2 D
 IMDG Limited quantities (LQ) 	1L
	(Contd. on page 1

Page 11/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 5

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Stain Guard

	(Contd. of page 10)	
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity	
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements $500\ t$
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.

(Contd. on page 12)

Page 12/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 5

Identification of the substance/preparation: Dr. Schutz Stain Guard

Revision: 30.07.2021

(Contd. of page 11) H331 Toxic if inhaled. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. · Department issuing SDS: Department for product development · Contact: Dr. Reindl · Version number of previous version: 4 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases - Category 1A Aerosol 1: Aerosols - Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 1: Acute toxicity – Category 1 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2