Page 1/12

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Aerosol 1

GHS07

Eye Irrit. 2 H319

STOT SE 3 H336

· 2.2 Label elements

Version number 11

Revision: 30.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Identification of the substance/preparation: Dr. Schutz Super Stain Remover R · UFI: 3W70-R08J-Q00J-P9Q2 · 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Application of the substance / the mixture Cleaning material/ Detergent · 1.3 Details of the supplier of the safety data sheet · Company/undertaking identification: Dr. Schutz GmbH Holbeinstr. 17 D-53175 Bonn Germany Tel.: +49(0)228-95352-0, Fax: +49(0)228-95352-28 info@dr-schutz.com For Ireland: Dr Schutz P.M.C Flooring 35 Pic Du Jer Park Ballinlough T12 R9F9 CORK IRELAND phone: +353 (0) 87 767 8388 Email: paul@drschutzireland.com · Further information obtainable from: Department for product development · 1.4 Emergency telephone number: GBK Gefahrgut Büro GmbH telephone: +49 (0)6132 84463 (24-Hour-Number) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Causes serious eye irritation.

The product is classified and labelled according to the CLP regulation.

· Labelling according to Regulation (EC) No 1272/2008

May cause drowsiness or dizziness.

Page 2/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 11

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Super Stain Remover R

· Hazard pictog	(Contd. of page 1)		
GHS02 GHS07	,		
0			
· Signal word D	anger		
	nining components of labelling:		
n-butyl acetate			
1-methoxy-2-pr	opanol		
ethyl acetate			
<ul> <li>Hazard statem</li> </ul>			
	tremely flammable aerosol. Pressurised container: May burst if heated.		
	uses serious eye irritation.		
	ly cause drowsiness or dizziness.		
<ul> <li>Precautionary</li> </ul>			
P101	If medical advice is needed, have product container or label at hand.		
P102	Keep out of reach of children.		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.		
	No smoking.		
P211	Do not spray on an open flame or other ignition source.		
P251	Do not pierce or burn, even after use.		
P271	Use only outdoors or in a well-ventilated area.		
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,		
	if present and easy to do. Continue rinsing.		
P312	Call a POISON CENTER/doctor if you feel unwell.		
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
P405	Store locked up.		
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.		
P501	Dispose of contents/container in accordance with local/regional/national/international		
	regulations.		
	ated exposure may cause skin dryness or cracking.		
	ins (R)-p-mentha-1,8-diene. May produce an allergic reaction.		
· 2.3 Other haza			
	Results of PBT and vPvB assessment		
	• PBT: Not applicable.		
<ul> <li>vPvB: Not app</li> </ul>	licadie.		

### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 123-86-4 EINECS: 204-658-1 Reg.nr.: 01-2119485493-29	n-butyl acetate Tlam. Liq. 3, H226; () STOT SE 3, H336, EUH066	25-50%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32	butane, pure Flam. Gas 1A, H220; 🚸 Acute Tox. 3, H331; Press. Gas (Comp.), H280	10-25%
		(Contd. on page 3)

Page 3/12

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 11

Revision: 30.07.2021

#### Identification of the substance/preparation: Dr. Schutz Super Stain Remover R

		(Contd. of page 2)	
CAS: 107-98-2 EINECS: 203-539-1	1-methoxy-2-propanol Flam. Lig. 3, H226; () STOT SE 3, H336	≥20-≤25%	
Reg.nr.: 01-2119457435-35			
CAS: 141-78-6	ethyl acetate	≥10-<20%	
EINECS: 205-500-4 Reg.nr.: 01-2119475103-46	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336, EUH066		
CAS: 75-28-5	isobutane (containing $\geq$ 0,1% butadiene (203-450-8))	5-10%	
EINECS: 200-857-2	♦ Flam. Gas 1A, H220; ♦ Muta. 1B, H340; Carc. 1A, H350; Press. Gas (Comp.), H280		
CAS: 74-98-6	propane	1-5%	
EINECS: 200-827-9 Reg.nr.: 01-2119486944-21	♦ Flam. Gas 1A, H220;   Acute Tox. 1, H330; Press. Gas (Comp.), H280		
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	≥0.1-<0.25%	
EINECS: 227-813-5 Reg.nr.: 01-2119529223-47	Flam. Liq. 3, H226; S Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317		
· Regulation (EC) No 648/20	· Regulation (EC) No 648/2004 on detergents / Labelling for contents		
aliphatic hydrocarbons	aliphatic hydrocarbons ≥15 - <30°		
allergenic fragrances, LIMO	allergenic fragrances, LIMONENE		
• Additional information: For the wording of the listed bazard phrases refer to section 16			

• Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

#### · General information:

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Immediately remove any clothing soiled by the product.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Seek medical treatment.

Rinse out mouth and then drink plenty of water.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents:
- Water with full jet
- Not applicable.

· 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4) IE

Page 4/12

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 11

Revision: 30.07.2021

(Contd. of page 3)

Identification of the substance/preparation: Dr. Schutz Super Stain Remover R

· 5.3 Advice for firefighters

• Protective equipment: Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Keep away from ignition sources. Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Allow to evaporate. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### $\cdot$ 7.1 Precautions for safe handling

Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

 Information about fire - and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
 7.2 Conditions for safe storage, including any incompatibilities.

 $\cdot$  7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

• Information about storage in one common storage facility: Store away from oxidising agents.

(Contd. on page 5)

Page 5/12

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 11

Revision: 30.07.2021

(Contd. of page 4)

Identification of the substance/preparation: Dr. Schutz Super Stain Remover R

· Further information about storage conditions:

Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

#### · Exposure limit values:

123-86-4 n-butyl acetate

OEL Short-term value: 950 mg/m<sup>3</sup>, 200 ppm Long-term value: 710 mg/m<sup>3</sup>, 150 ppm

**106-97-8 butane, pure** OEL Short-term value: 1000 ppm

107-98-2 1-methoxy-2-propanol

OEL Short-term value: 568 mg/m<sup>3</sup>, 150 ppm Long-term value: 375 mg/m<sup>3</sup>, 100 ppm IOELV

141-78-6 ethyl acetate

OEL Short-term value: 1468 mg/m<sup>3</sup>, 400 ppm Long-term value: 734 mg/m<sup>3</sup>, 200 ppm

IOEĹV

75-28-5 isobutane (containing ≥ 0,1% butadiene (203-450-8))

OEL Short-term value: 1000 ppm

74-98-6 propane

OEL Asphx

• DNELs No further relevant information available.

• PNECs No further relevant information available.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

Not necessary if room is well-ventilated. Filter AX

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 6)

IE

Page 6/12

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 11

Revision: 30.07.2021

(Contd. of page 5)

#### Identification of the substance/preparation: Dr. Schutz Super Stain Remover R

#### · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

#### Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.9$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level x).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye/face protection

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.



Tightly sealed goggles

#### · Body protection:

Not required. Light weight protective clothing

# SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and che	mical properties			
<ul> <li>General Information</li> </ul>				
· Physical state	Aerosol			
· Colour:	Colourless			
· Odour:	Ether-like			
Odour threshold: Not determined.				
• Melting point/freezing point: Undetermined.				
· Boiling point or initial boiling point and boiling				
range -44°C				
· Flammability	nability Extremely flammable liquefied gas.			
Lower and upper explosion limit				
· Lower:	1.2 Vol %			
Upper: 13.7 Vol %				
-97°C (Seta Flash Closed Cup)				
Auto-ignition temperature:	Product is not selfigniting.			
Decomposition temperature:	Not determined.			
	(Cont	td on nade 7)		

(Contd. on page 7)

IE

Page 7/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 11

Revision: 30.07.2021

### Identification of the substance/preparation: Dr. Schutz Super Stain Remover R

	(Contd. of page
·рН	Not determined.
· Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value	ue) Not determined.
Vapour pressure at 20°C:	2,500-4,000 hPa
Density and/or relative density	
Density at 20°C:	0.775 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
· Appearance: · Form:	Aarosol
	Aerosol
Important information on protection of health	11
and environment, and on safety.	270%
Ignition temperature:	270°C
Explosive properties:	Not determined.
Solvent content:	20.0.0/
Organic solvents:	92.0 %
VOC (EC)	100.0 %
Change in condition	
· Evaporation rate	Not applicable.
<ul> <li>Information with regard to physical hazard</li> </ul>	
classes	
· Explosives	Not applicable
· Flammable gases	Not applicable
Aerosols	Extremely flammable aerosol. Pressurised container
	May burst if heated.
• Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
• Substances and mixtures, which emit	not applicable
	Netensieshie
flammable gases in contact with water	Not applicable
• Oxidising liquids	Not applicable
• Oxidising solids	Not applicable
()rappic porovidos	Not applicable
Organic peroxides	
• Corrosive to metals • Desensitised explosives	Not applicable Not applicable

(Contd. on page 8)

Page 8/12

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 11

Revision: 30.07.2021

Identification of the substance/preparation: Dr. Schutz Super Stain Remover R

(Contd. of page 7)

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity see section "Possibility of hazardous reactions".

· 10.2 Chemical stability No information available.

• Conditions to avoid: Danger of bursting in case of strong heating or misuse of the packing.

· 10.3 Possibility of hazardous reactions

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

• 10.4 Conditions to avoid No further relevant information available.

 $\cdot$  10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 $\cdot$  Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

· LD/LC50 values relevant for classification:				
123-86-4 r	123-86-4 n-butyl acetate			
Oral	LD50	13,100 mg/kg (rat)		
Dermal	LD50	>5,000 mg/kg (rabbit)		
Inhalative	LC50/4h	>21 mg/l (rat)		
106-97-8 k	butane, p	ure		
Inhalative	LC50/4h	658 mg/l (rat)		
107-98-2 1	I-methox	y-2-propanol		
Oral	LD50	5,200 mg/kg (rat)		
Dermal	LD50	14,000 mg/kg (rabbit)		
Inhalative	LC50/4h	54.6 mg/l (rat)		
141-78-6 🤅	141-78-6 ethyl acetate			
Oral	LD50	5,620 mg/kg (rabbit)		
Inhalative	LC50/4h	1,600 mg/l (rat)		
74-98-6 pr	74-98-6 propane			
Inhalative	LC50/4h	>20 mg/l (rat)		
5989-27-5	(R)-p-me	entha-1,8-diene		
Oral	LD50	4,400 mg/kg (rat)		
· Skin corro		tation		
No data av		data the eleccification extension are not mot		
		data, the classification criteria are not met. <b>ge/irritation</b> Causes serious eye irritation.		
		<b>sensitisation</b> Based on available data, the classification criteria are not	ot met	
		<b>icity</b> Based on available data, the classification criteria are not met.	St mot.	
		ased on available data, the classification criteria are not met.		
		city Based on available data, the classification criteria are not met.		
• STOT-single exposure May cause drowsiness or dizziness.				
• STOT-repeated exposure Based on available data, the classification criteria are not met.				
<ul> <li>Aspiration</li> </ul>	n hazard	Based on available data, the classification criteria are not met.		

(Contd. on page 9)

IE

Page 9/12

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 11

Revision: 30.07.2021

(Contd. of page 8)

Identification of the substance/preparation: Dr. Schutz Super Stain Remover R

### · 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:
- 123-86-4 n-butyl acetate

EC50/48h 205 mg/l (Daphnia magna)

107-98-2 1-methoxy-2-propanol

EC50/48h 23,300 mg/l (Daphnia magna)

5989-27-5 (R)-p-mentha-1,8-diene

EC50/48h 0.4 mg/l (Daphnia magna)

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods Disposal must be made according to official regulations.

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 05 04<sup>\*</sup> gases in pressure containers (including halons) containing hazardous substances

· Uncleaned packaging:

 $\cdot$  Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
<ul> <li>· 14.1 UN number or ID number</li> <li>· ADR, IMDG, IATA</li> </ul>	UN1950	
		(Contd. on page 10)

Page 10/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 11

Revision: 30.07.2021

## Identification of the substance/preparation: Dr. Schutz Super Stain Remover R

	(Contd. of page
14.2 UN proper shipping name ADR IMDG IATA	1950 AEROSOLS AEROSOLS AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class Label	2 5F Gases. 2.1
IMDG, IATA	
Class Label	2.1 2.1
14.4 Packing group ADR, IMDG, IATA	Not applicable
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code Segregation Code	Warning: Gases. - F-D,S-U SW1 Protected from sources of heat. SW2 Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
14.7 Maritime transport in bulk according to IMC instruments	class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
•	class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
instruments	class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

Page 11/12

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 11

Revision: 30.07.2021

#### Identification of the substance/preparation: Dr. Schutz Super Stain Remover R

	(Contd. of page 10)
· Tunnel restriction code	D
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements  $150\ t$
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements  $500\ t$
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.

(Contd. on page 12)

IE -

Page 12/12

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.07.2021

Version number 11

Revision: 30.07.2021

# Identification of the substance/preparation: Dr. Schutz Super Stain Remover R (Contd. of page 11) H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H336 May cause drowsiness or dizziness. H340 May cause genetic defects. H350 May cause cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. · Department issuing SDS: Department for product development · Contact: Dr. Reindl · Version number of previous version: 10 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases - Category 1A Aerosol 1: Aerosols - Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 1: Acute toxicity - Category 1 Acute Tox. 3: Acute toxicity - Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Muta. 1B: Germ cell mutagenicity - Category 1B Carc. 1A: Carcinogenicity - Category 1A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1