acc. to OSHA HCS

Printing date 06/15/2021

Reviewed on 03/02/2020

1 Identification

- · Product identifier
- · Trade name: Dr. Schutz ESD Basecoat
- · Application of the substance / the mixture Floor cleaner
- · Details of the supplier of the safety data sheet

 Manufacturer/Supplier: Supplier: Dr. Schutz GmbH Holbeinstraße 17 D-53175 Bonn Tel: +49 228/95 35 2-0 Fax: +49 228/95 35 2-46 E-Mail: export@dr-schutz.com

Import: Schutz NA LLC 8701 Torresdale Ave Suite P Philadelphia PA 19136 USA Tel.: +1 (877) 272-4889 Mobile: +1 610-310-2412 E-Mail: sam@dr-schutz.us Web: www.schutzna.com

- Information department: Department for product development E-Mail: sam@schutzna.com
 Emergency telephone number:
- Dr. Schutz NA, Contact: Sam Jamison Tel.: 001/877 2724889 Mo-Fr 8am - 7pm

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labeling: Quartz (SiO2)
- · Hazard statements
- May cause cancer.
- Precautionary statements
 Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)



acc. to OSHA HCS

Printing date 06/15/2021

Reviewed on 03/02/2020

Trade name: Dr. Schutz ESD Basecoat

	(Contd. of page 1)
IF exposed or concerned: Get medical advice/attention.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regu	lations.
 Information pertaining to particular dangers for man and environment: 	
· NFPA ratings (scale 0 - 4)	
Health = 0	
Fire = 1	
Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH D Health = *0	
FIRE FIRE = 1 REACTIVITY REACTIVITY = 0	
Reactivity = 0	
· Other hazards	
 Results of PBT and vPvB assessment 	
• PBT: Not applicable.	

- PBI: Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

111-90-0	Diethylene glycol monoethyl ether	5-10%
14808-60-7	Quartz (SiO2)	5-10%
121-44-8	triethylamine	≥0.1-<1%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: No special measures required.
- · After skin contact: After each cleaning use treatment creams, for very dry skin greasy ointments.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- \cdot Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Nicht anwendbar
- Special hazards arising from the substance or mixture Danger of toxic pyrolysis products.
- · Advice for firefighters
- Protective equipment: Do not inhale explosion gases or combustion gases.
- · Additional information

Cool endangered receptacles with water spray.

(Contd. on page 3)

-US

Dr. Schutz[®]

Safety Data Sheet

acc. to OSHA HCS

Reviewed on 03/02/2020

Trade name: Dr. Schutz ESD Basecoat

Printing date 06/15/2021

(Contd. of page 2)

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

Avoid contact Particular dar Environment Prevent from Dilute with ple Do not allow t Methods and Absorb with li Reference to See Section 8 See Section 8	 cautions, protective equipment and emergency procedures with the eyes and skin. ager of slipping on leaked/spilled product. tal precautions: spreading (e.g. by damming-in or oil barriers). enty of water. to enter sewers/ surface or ground water. d material for containment and cleaning up: quid-binding material (sand, diatomite, acid binders, universal binders, sawdu o other sections 7 for information on safe handling. 8 for information on personal protection equipment. 13 for disposal information. ction Criteria for Chemicals 	st).
· PAC-1:		
111-90-0	Diethylene glycol monoethyl ether	75 ppm
14808-60-7	Quartz (SiO2)	0.075 mg/m ³
121-44-8	triethylamine	1 ppm
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	18 mg/m³
9005-00-9	Polyoxyethylenstearylether	5.7 mg/m ³
67-63-0	propan-2-ol	400 ppm
7447-41-8	lithium chloride	2.3 mg/m ³
556-67-2	octamethylcyclotetrasiloxane	30 ppm
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	0.6 mg/m ³
· PAC-2:		
111-90-0	Diethylene glycol monoethyl ether	100 ppm
14808-60-7	Quartz (SiO2)	33 mg/m ³
121-44-8	triethylamine	170 ppm
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	100 mg/m ³
	Polyoxyethylenstearylether	63 mg/m ³
67-63-0	propan-2-ol	2000* ppm
7447-41-8	lithium chloride	25 mg/m ³
	octamethylcyclotetrasiloxane	68 ppm
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	6.6 mg/m ³
· PAC-3:		
111-90-0	Diethylene glycol monoethyl ether	450 ppm
14808-60-7	Quartz (SiO2)	200 mg/m ³
121-44-8	triethylamine	1,000 ppm
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	630 mg/m³
9005-00-9	Polyoxyethylenstearylether	380 mg/m ³
67-63-0	propan-2-ol	12000** ppm
7447-41-8	lithium chloride	150 mg/m ³
556-67-2	octamethylcyclotetrasiloxane	130 ppm
		(Contd. on page 4)

on page 4) US

acc. to OSHA HCS

Printing date 06/15/2021

Reviewed on 03/02/2020

Trade name: Dr. Schutz ESD Basecoat

26172-55-4 5-chloro-2-methyl-2H-isothiazol-3-one

(Contd. of page 3) 40 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet. Avoid contact with the eyes and skin.

Store in cool, dry place in tightly closed receptacles.

Information about protection against explosions and fires:

No special precautions are necessary if used correctly.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store under lock and key and out of the reach of children. Store receptacle in a well ventilated area.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace: The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

	-
111-90	0-0 Diethylene glycol monoethyl ether
WEEL	Long-term value: 25 ppm
121-44	4-8 triethylamine
PEL	Long-term value: 100 mg/m ³ , 25 ppm
TLV	Short-term value: 4.14 mg/m ³ , 1 ppm
	Long-term value: 2.07 mg/m³, 0.5 ppm Skin
· Additi	onal information: The lists that were valid during the creation were used as basis.
 Perso Gener Be sur Use sl Wash Breatl Protect Avoid To avoid 	sure controls nal protective equipment: ral protective and hygienic measures: re to clean skin thoroughly after work and before breaks. kin protection cream for skin protection. hands before breaks and at the end of work. hing equipment: Not required. ction of hands: direct contact with the chemical/ the product/ the preparation by organizational measures. bid skin problems reduce the wearing of gloves to the required minimum. ove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to prepar	ion of the glove material on consideration of the penetration times, rates of diffusion and the
degrad	

(Contd. on page 5)

acc. to OSHA HCS

Reviewed on 03/02/2020

Trade name: Dr. Schutz ESD Basecoat

(Contd. of page 4)

Material of gloves Butyl rubber, BR

Printing date 06/15/2021

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

- Body protection:
- Not required.
- Light weight protective clothing

 \cdot Limitation and supervision of exposure into the environment

Follow instructions for use, dosage and waste disposal.

9 Physical and chemical properties

Information on basic physical and	chemical properties	
· General Information		
 Appearance: Form: 	Fluid	
Color:	Grey	
· Odor:	Mild	
· Odor threshold:	Not determined.	
· pH-value at 20°C (68°F):	8	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100°C (212°F)	
· Flash point:	>100°C (>212°F) (Seta Flash Closed Cup)	
· Flammability (solid, gaseous):	Undetermined.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
 Vapor pressure at 20°C (68°F): 	23 hPa (17.3 mm Hg)	
· Density at 20°C (68°F):	1.08 g/cm³ (9.013 lbs/gal)	
 Relative density 	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
 Solubility in / Miscibility with 		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
		(Contd. on page 6)

acc. to OSHA HCS

Printing date 06/15/2021

Reviewed on 03/02/2020

Trade name: Dr. Schutz ESD Basecoat

		(Contd. of page
Kinematic at 20°C (68°F):	30 s (DIN 53211/4)	
· Solvent content:		
Organic solvents:	7.7 %	
VOC content ASTM D3960:	7.65 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity siehe Abschnitt "Möglichkeit gefährlicher Reaktionen"
- · Chemical stability keine Angaben
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available. • Incompatible materials: No dangerous reactions known.
- Hazardous decomposition products: Danger of toxic pyrolysis products.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Keine Daten verfügbar.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

14807-96-6 Talc (Mg3H2(SiO3)4)

14808-60-7 Quartz (SiO2)

67-63-0 propan-2-ol

· NTP (National Toxicology Program)

14808-60-7 Quartz (SiO2)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability
- The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.
- The solvent is biodegradable. • Behavior in environmental systems:
- Bioaccumulative potential Undetermined.
- Mobility in soil No further relevant information available.

(Contd. on page 7)

-US —

3

1 3

Κ

acc. to OSHA HCS

Reviewed on 03/02/2020

Printing date 06/15/2021

Trade name: Dr. Schutz ESD Basecoat

(Contd. of page 6)

· Ecotoxical effects:

• Behavior in sewage processing plants: Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	Not applicable
 · UN proper shipping name · DOT, ADR, IMDG, IATA 	Not applicable
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Not applicable
 Packing group DOT, ADR, IMDG, IATA 	Not applicable
 Environmental hazards: Marine pollutant: 	No
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	I of Not applicable.
· UN "Model Regulation":	Not applicable

(Contd. on page 8)

US

(Contd. of page 7)

· Sara

Safety Data Sheet

acc. to OSHA HCS

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Reviewed on 03/02/2020

15 Regulatory information

121-44-8 triethylamine

67-63-0 propan-2-ol

Printing date 06/15/2021

Trade name: Dr. Schutz ESD Basecoat

Section 355 (extremely hazardous substances):

None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): 111-90-0 Diethylene glycol monoethyl ether 143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol · TSCA (Toxic Substances Control Act): 7732-18-5 water, distilled, conductivity or of similar purity ACTIVE 111-90-0 Diethylene glycol monoethyl ether ACTIVE 14807-96-6 Talc (Mg3H2(SiO3)4) ACTIVE 14808-60-7 Quartz (SiO2) ACTIVE 29911-28-2 (2-butoxymethylethoxy)propanol ACTIVE 121-44-8 triethylamine ACTIVE Polyethersiloxan-Copolymer without labeling 1174627-68-9 Pentanoic acid, 5-(dimethylamino)-2-methyl-5-oxo-, methylester ACTIVE Polyethersiloxan-Copolymer without labeling 143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol ACTIVE ACTIVE 2634-33-5 1,2-benzisothiazol-3(2H)-one 9005-00-9 Polyoxyethylenstearylether ACTIVE ACTIVE

67-63-0 propan-2-ol 7447-41-8 lithium chloride ACTIVE 541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane ACTIVE 556-67-2 octamethylcyclotetrasiloxane ACTIVE 2682-20-4 2-methyl-2H-isothiazol-3-one ACTIVE 26172-55-4 5-chloro-2-methyl-2H-isothiazol-3-one ACTIVE · Hazardous Air Pollutants

121-44-8 triethylamine

· Proposition 65

· Chemicals known to cause cancer:

14808-60-7 Quartz (SiO2)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

14807-96-6 Talc (Mg3H2(SiO3)4)

(Contd. on page 9)

A4

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/02/2020

Printing date 06/15/2021

rade name: D	r. Schutz ESD Basecoat
	(Contd. of pa
	Quartz (SiO2)
	triethylamine
67-63-0	propan-2-ol
	National Institute for Occupational Safety and Health)
14808-60-7	Quartz (SiO2)
• GHS label e The product • Hazard pict	is classified and labeled according to the Globally Harmonized System (GHS).
GHS08	
· Signal word	I Danger
Quartz (SiO2 • Hazard stat May cause of • Precautiona Obtain spec Do not hand Wear protect IF exposed of Store locked Dispose of of • National regula	ements cancer. ary statements ial instructions before use. le until all safety precautions have been read and understood. tive gloves/protective clothing/eye protection/face protection. or concerned: Get medical advice/attention. I up. ontents/container in accordance with local/regional/national/international regulations. gulations: ations, limitations and prohibitive regulations tions (EC): Regulation (EC) No 648/2004 afety assessment: A Chemical Safety Assessment has not been carried out.
This informa	tion is based on our present knowledge. However, this shall not constitute a guarantee fo product features and shall not establish a legally valid contractual relationship.
 Training hir Recommen 	nts ded restriction of use
Contact: Dr Date of pre Abbreviatio RiD: Règlemer the Internationa IATA-DGR: Da ICAO: Internati ICAO-TI: Techn ADR: Accord re International Ca	s issuing SDS: Department for product development . Reindl baration / last revision 06/15/2021 / 1 ns and acronyms: t international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concern I Transport of Dangerous Goods by Rail) ngerous Goods Regulations by the "International Air Transport Association" (IATA) onal Civil Aviation Organisation nical Instructions by the "International Civil Aviation Organisation" (ICAO) elatif au transport international des marchandises dangereuses par route (European Agreement Concerning the arriage of Dangerous Goods by Road) onal Maritime Code for Dangerous Goods

- IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)

(Contd. of page 9)

us

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/02/2020

Printing date 06/15/2021

Trade name: Dr. Schutz ESD Basecoat

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Carc. 1A: Carcinogenicity - Category 1A