acc. to OSHA HCS

Printing date 06/15/2021

Reviewed on 04/01/2021

1 Identification

- · Product identifier
- · Trade name: Dr. Schutz Lino Primer (Basis)
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint
- · Details of the supplier of the safety data sheet

 Manufacturer/Supplier: Supplier: Dr. Schutz GmbH Holbeinstraße 17 D-53175 Bonn Tel: +49 228/95 35 2-0 Fax: +49 228/95 35 2-46 E-Mail: export@dr-schutz.com

Import: Schutz NA LLC 8701 Torresdale Ave Suite P Philadelphia PA 19136 USA Tel.: +1 (877) 272-4889 Mobile: +1 610-310-2412 E-Mail: sam@dr-schutz.us Web: www.schutzna.com Information department: Department for product development • Emergency telephone number:

Dr. Schutz NA, Contact: Sam Jamison Tel.: 001/877 2724889 Mo-Fr 8am - 7pm

2 Hazard(s) identification

\cdot Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not applicable
- · Hazard pictograms Not applicable
- · Signal word Not applicable
- · Hazard statements Not applicable
- · Information pertaining to particular dangers for man and environment:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTHIHealth = 0FIRE1Fire = 1REACTIVITYReactivity = 0

- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

acc. to OSHA HCS

Printing date 06/15/2021

Dr. Schutz[®]

Reviewed on 04/01/2021

Trade name: Dr. Schutz Lino Primer (Basis)

(Contd. of page 1)

1-5%

≥0.1-<1%

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

111-90-0 Diethylene glycol monoethyl ether

121-44-8 triethylamine

4 First-aid measures

· Description of first aid measures

• General information: Immediately remove any clothing soiled by the product. No special measures required.

- · After inhalation: No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Nicht anwendbar
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.
· Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals
· PAC-1:
111-90-0 Diethylene glycol monoethyl ether
121-44-8 triethylamine

1 ppm (Contd. on page 3)

75 ppm

US

acc. to OSHA HCS

Reviewed on 04/01/2021

Printing date 06/15/2021

Trade name: Dr. Schutz Lino Primer (Basis)

		(Contd. of page 2
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	18 mg/m³
9005-00-9	Polyoxyethylenstearylether	5.7 mg/m³
67-63-0	propan-2-ol	400 ppm
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	0.6 mg/m ³
· PAC-2:		
111-90-0	Diethylene glycol monoethyl ether	100 ppm
121-44-8	triethylamine	170 ppm
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	100 mg/m ³
9005-00-9	Polyoxyethylenstearylether	63 mg/m ³
67-63-0	propan-2-ol	2000* ppm
26172-55-4	26172-55-4 5-chloro-2-methyl-2H-isothiazol-3-one	
· PAC-3:		
111-90-0	Diethylene glycol monoethyl ether	450 ppm
121-44-8	triethylamine	1,000 ppm
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	630 mg/m ³
9005-00-9	Polyoxyethylenstearylether	380 mg/m ³
67-63-0	propan-2-ol	12000** ppm
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	40 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet. No special measures required.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store receptacle in a well ventilated area.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

111-90-0 Diethylene glycol monoethyl ether

WEEL Long-term value: 25 ppm

121-44-8 triethylamine

PEL Long-term value: 100 mg/m³, 25 ppm TLV Short-term value: 4.14 mg/m³, 1 ppm

Long-term value: 2.07 mg/m³, 0.5 ppm Skin

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

US -

Safety Data Sheet acc. to OSHA HCS

Printing date 06/15/2021

Reviewed on 04/01/2021

Trade name: Dr. Schutz Lino Primer (Basis)

(Contd. of page 3)

	(10,
Exposure controls	
Personal protective equipment:	
General protective and hygienic measures:	
The usual precautionary measures for handling chemicals should be followed.	
Breathing equipment: Use suitable respiratory protective device in case of insufficient v	ventilation.
Protection of hands:	
The glove material has to be impermeable and resistant to the product/ the substance/ the Due to missing tests no recommendation to the glove material can be given for the product preparation/ the chemical mixture.	
Selection of the glove material on consideration of the penetration times, rates of diffusio degradation	on and the
Material of gloves	
The selection of the suitable gloves does not only depend on the material, but also on fur quality and varies from manufacturer to manufacturer. As the product is a preparation of substances, the resistance of the glove material can not be calculated in advance and ha checked prior to the application.	several
Penetration time of glove material	
The exact break trough time has to be found out by the manufacturer of the protective gl be observed.	oves and has to
Eye protection:	
Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recom Body protection: Light weight protective clothing	

· Information on basic physical and	chemical properties	
· General Information		
· Appearance: Form:	Fluid	
Color:	Whitish	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value at 20°C (68°F):	8.2	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	>34°C (>93.2°F)	
· Flash point:	>100°C (>212°F) (Seta Flash Closed Cup)	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20°C (68°F):	23 hPa (17.3 mm Hg)	
· Density at 20°C (68°F):	1.019 g/cm³ (8.504 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	

acc. to OSHA HCS

Printing date 06/15/2021

Reviewed on 04/01/2021

Trade name: Dr. Schutz Lino Primer (Basis)

		(Contd. of page
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20°C (68°F):	11 s (DIN 53211/4)	
· Solvent content:		
Organic solvents:	2.3 %	
VOC content ASTM D3960:	2.25 %	
	23.0 g/l / 0.19 lb/gal	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity siehe Abschnitt "Möglichkeit gefährlicher Reaktionen"
- · Chemical stability keine Angaben
- \cdot Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- \cdot Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- \cdot Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Keine Daten verfügbar.
- on the eye: Keine Daten verfügbar.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- 67-63-0 propan-2-ol
- · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.

3

US

(Contd. of page 5)



Safety Data Sheet

acc. to OSHA HCS

Printing date 06/15/2021

Reviewed on 04/01/2021

Trade name: Dr. Schutz Lino Primer (Basis)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods Disposal must be made according to official regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

Not applicable
Not applicable
Not applicable
Not applicable
No
Not applicable.
f Not applicable.
Not applicable

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

111-90-0 Diethylene glycol monoethyl ether

(Contd. on page 7)

us -

Safety Data Sheet acc. to OSHA HCS

Reviewed on 04/01/2021

Printing date 06/15/2021

Trade name: Dr. Schutz Lino Primer (E	3asis)
---------------------------------------	--------

		(Contd. of page 6)
121-44-8 tri	•	
	[2-(2-butoxyethoxy)ethoxy]ethanol	
67-63-0 pi	opan-2-ol	
· TSCA (Toxi	c Substances Control Act):	
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
	Diethylene glycol monoethyl ether	ACTIVE
29911-28-2	(2-butoxymethylethoxy)propanol	ACTIVE
121-44-8	triethylamine	ACTIVE
	Polyethersiloxan-Copolymer without labeling	*
	Polyethersiloxan-Copolymer without labeling	*
	2-[2-(2-butoxyethoxy)ethoxy]ethanol	ACTIVE
	1,2-benzisothiazol-3(2H)-one	ACTIVE
	Polyoxyethylenstearylether	ACTIVE
	propan-2-ol	ACTIVE
	5-chloro-2-methyl-2H-isothiazol-3-one	ACTIVE
2682-20-4	2-methyl-2H-isothiazol-3-one	ACTIVE
· Hazardous	Air Pollutants	
121-44-8 tri	ethylamine	
· Proposition	65	
· Chemicals	known to cause cancer:	
None of the	ingredients is listed.	
· Chemicals	known to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
· Chemicals	known to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
· Chemicals	known to cause developmental toxicity:	
None of the	ingredients is listed.	
	nity categories	
· EPA (Envir	onmental Protection Agency)	
None of the	ingredients is listed.	
· TLV (Thres	hold Limit Value)	
121-44-8 tri	•	A4
67-63-0 pi	opan-2-ol	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)	i
None of the	ingredients is listed.	
· GHS label e	lements Not applicable]
	ograms Not applicable	
	Not applicable	
	ements Not applicable afety assessment: A Chemical Safety Assessment has not been carried out.	
Unemical 5		

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Department for product development

(Contd. on page 8) -US Dr. Schutz[°]

Safety Data Sheet acc. to OSHA HCS

Printing date 06/15/2021

Reviewed on 04/01/2021

Trade name: Dr. Schutz Lino Primer (Basis)

r. Reindl r. Reindl ate of preparation / last revision 06/15/2021 / 4 bbreviations and acronyms: DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the ternational Carriage of Dangerous Goods by Road) IDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) DC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic		(Contd. of page 7
r. Reindl ate of preparation / last revision 06/15/2021 / 4 bbreviations and acronyms: DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the ternational Carriage of Dangerous Goods by Road) IDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) DC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic	Contact:	
ate of preparation / last revision 06/15/2021 / 4 bbreviations and acronyms: DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the ternational Carriage of Dangerous Goods by Road) IDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) DC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic	Dr. Reindl	
ate of preparation / last revision 06/15/2021 / 4 bbreviations and acronyms: DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the ternational Carriage of Dangerous Goods by Road) IDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) DC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic	Dr. Reindl	
bbreviations and acronyms: DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the ternational Carriage of Dangerous Goods by Road) IDG: International Maritime Code for Dangerous Goods DT: US Department of Transportation TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) DC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic		5/2021 / 4
DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the ternational Carriage of Dangerous Goods by Road) IDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic		5/2021/ 4
ternational Carriage of Dangerous Goods by Road) IDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic		
IDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic		
OT: US Department of Transportation TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic		
TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic	0	Goods
NECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic		
LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic		sial Chemical Substances
AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic		
FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) DC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic		
MIS: Hazardous Materials Identification System (USA) DC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic	(
OC: Volatile Organic Compounds (USA, EU) 3T: Persistent, Bioaccumulative and Toxic		
	VOC: Volatile Organic Compounds (USA, ÉU)	,
VB: very Persistent and very Bioaccumulative	PBT: Persistent, Bioaccumulative and Toxic	
VB. Very reisistent and very bloaddannalative	vPvB: very Persistent and very Bioaccumulative	
	NIOSH: National Institute for Occupational Safety	
	OSHA: Occupational Safety & Health	
	TLV: Threshold Limit Value	
	PEL: Permissible Exposure Limit	
=L: Recommended Exposure Limit	REL: Recommended Exposure Limit	