Safety Data Sheet

acc. to OSHA HCS

Printing date 07/28/2023 Reviewed on 01/23/2023

1 Identification

- · Product identifier
- · Trade name: Dr. Schutz Marknomor satin
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Supplier:

Dr. Schutz GmbH Holbeinstraße 17 D-53175 Bonn

Tel: +49 228/95 35 2-0 Fax: +49 228/95 35 2-46 E-Mail: export@dr-schutz.com

Import:

Schutz NA LLC 8701 Torresdale Ave

Suite P

Philadelphia PA 19136

USA

Tel.: +1 (877) 272-4889 Mobile: +1 610-310-2412 E-Mail: sam@dr-schutz.us Web: www.schutzna.com

· Information department: Department for product development

· Emergency telephone number:

Dr. Schutz NA,

Contact: Sam Jamison Tel.: 001/877 2724889 Mo-Fr 8am - 7pm

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not applicable
- Hazard pictograms Not applicable
- · Signal word Not applicable
- Hazard statements Not applicable
- Information pertaining to particular dangers for man and environment:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

- US

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/28/2023 Reviewed on 01/23/2023

Trade name: Dr. Schutz Marknomor satin

(Contd. of page 1)

3 Composition/information on ingredients

· Identification number(s) XQ30-X0F3-Q009-8K4W

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components: Not applicable

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

No special measures required.

- · After inhalation: Supply fresh air.
- · After skin contact: Rinse with warm water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Nicht anwendbar
- · Special hazards arising from the substance or mixture Danger of toxic pyrolysis products.
- · Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

acc. to OSHA HCS

Reviewed on 01/23/2023 Printing date 07/28/2023

Trade name: Dr. Schutz Marknomor satin

· Protective A	ction Criteria for Chemicals	(Contd. of page 2)		
PAC-1:				
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	18 mg/m ³		
1336-21-6	ammonia	61 ppm		
9005-00-9	Polyoxyethylenstearylether	5.7 mg/m ³		
67-63-0	propan-2-ol	400 ppm		
112-34-5	2-(2-butoxyethoxy)ethanol	30 ppm		
556-67-2	octamethylcyclotetrasiloxane	30 ppm		
	formaldehyde	0.90 ppm		
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	0.6 mg/m ³		
· PAC-2:				
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	100 mg/m ³		
1336-21-6	ammonia	330 ppm		
9005-00-9	Polyoxyethylenstearylether	63 mg/m ³		
67-63-0	propan-2-ol	2000* ppm		
112-34-5	2-(2-butoxyethoxy)ethanol	33 ppm		
556-67-2	octamethylcyclotetrasiloxane	68 ppm		
50-00-0	formaldehyde	14 ppm		
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	6.6 mg/m ³		
· PAC-3:	PAC-3:			
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	630 mg/m ³		
1336-21-6	ammonia	2,300 ppm		
9005-00-9	Polyoxyethylenstearylether	380 mg/m ³		
	propan-2-ol	12000** ppm		
112-34-5	2-(2-butoxyethoxy)ethanol	200 ppm		
556-67-2	octamethylcyclotetrasiloxane	130 ppm		
50-00-0	formaldehyde	56 ppm		
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	40 mg/m ³		

7 Handling and storage

- Handling:
- · Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

No special measures required.

Information about protection against explosions and fires:

No special precautions are necessary if used correctly.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Store receptacle in a well ventilated area.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/28/2023 Reviewed on 01/23/2023

Trade name: Dr. Schutz Marknomor satin

· Specific end use(s) No further relevant information available.

(Contd. of page 3)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

- · Breathing equipment: Not required.
- Protection of hands:

Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

- · Body protection: Light weight protective clothing
- · Limitation and supervision of exposure into the environment

Follow instructions for use, dosage and waste disposal.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Color: Whitish
Odor: Specific type
Odor threshold: Not determined.

· pH-value at 20°C (68°F):

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: >98°C (>208.4°F)

8

(Contd. on page 5)

acc. to OSHA HCS

Printing date 07/28/2023 Reviewed on 01/23/2023

Trade name: Dr. Schutz Marknomor satin

		(Contd. of page 4)
· Flash point:	>100°C (>212°F) (Seta Flash Closed Cup)	
· Flammability (solid, gaseous):	Undetermined.	
· Auto igniting:	365°C (689°F)	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure at 20°C (68°F):	23 hPa (17.3 mm Hg)	
 Density at 20°C (68°F): Relative density Vapor density Evaporation rate 	1.031 g/cm³ (8.604 lbs/gal) Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water	r): Not determined.	
· Viscosity: Dynamic: Kinematic at 20°C (68°F):	Not determined. 80 s (DIN 53211/4)	
· Solvent content: Organic solvents: VOC content ASTM D3960:	0.0 % 0.01 % 0.1 g/l / 0.00 lb/gal	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity siehe Abschnitt "Möglichkeit gefährlicher Reaktionen"
- · Chemical stability keine Angaben
- · Thermal decomposition / conditions to be avoided:

Protect from frost.

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No dangerous reactions known.
- · Hazardous decomposition products: Danger of toxic pyrolysis products.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No further relevant information available.
- · on the eye: No further relevant information available.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)

acc. to OSHA HCS

Printing date 07/28/2023 Reviewed on 01/23/2023

Trade name: Dr. Schutz Marknomor satin

(Contd. of page 5)

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (Intern	ational Agency for Research on Cancer)	
67-63-0 prop	pan-2-ol	3
50-00-0 form	naldehyde	1
· NTP (Nation	al Toxicology Program)	
50-00-0 form	naldehyde	K
· OSHA-Ca (O	Occupational Safety & Health Administration)	
50-00-0 form	naldehyde	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: Undetermined.
- Persistence and degradability

Elimination of contained polymers is possible through precipitation or flocculation.

The solvent is biodegradable.

- · Behavior in environmental systems:
- · Bioaccumulative potential Undetermined.
- · **Mobility in soil** No further relevant information available.
- · Ecotoxical effects:
- · Behavior in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

- US

Dr. Schutz[®]

Safety Data Sheet acc. to OSHA HCS

Reviewed on 01/23/2023 Printing date 07/28/2023

Trade name: Dr. Schutz Marknomor satin

(Contd. of page 6)

UN-Number	
DOT, ADR, ADN, IMDG, IATA	Not applicable
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not applicable
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable
Packing group DOT, ADR, IMDG, IATA	Not applicable
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex	x II of Not applicable.
UN "Model Regulation":	Not applicable

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara · Section 355 (extremely hazardous substances):

50-00-0 formaldehyde	
Section 313 (Specific toxic chemical listings):	
1336-21-6 ammonia	
143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol	
52-51-7 bronopol (INN)	
67-63-0 propan-2-ol	
112-34-5 2-(2-butoxyethoxy)ethanol	
50-00-0 formaldehyde	
· TSCA (Toxic Substances Control Act):	
7732-18-5 water, distilled, conductivity or of similar purity	ACTIVE
77-90-7 Tributyl acetylcitrate	ACTIVE
219756-63-5 Alkylether sulphate 7 EO, sodium salt	ACTIVE
9011-05-6 Polymethylharnstoffharz	ACTIVE
Polyethersiloxan-Copolymer without labeling	*
1336-21-6 ammonia	ACTIVE
68551-13-3 Alcohols, C12-15, ethoxylated propoxylated	ACTIVE
9005-00-9 Polyoxyethylenstearylether	ACTIVE
143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol	ACTIVE
2634-33-5 1,2-benzisothiazol-3(2H)-one	ACTIVE
52-51-7 bronopol (INN)	ACTIVE
67-63-0 propan-2-ol	ACTIVE
112-34-5 2-(2-butoxyethoxy)ethanol	ACTIVE
541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane	ACTIVE

acc. to OSHA HCS

Printing date 07/28/2023 Reviewed on 01/23/2023

Trade name: Dr. Schutz Marknomor satin

	(Cont	d. of page 7)
556-67-2	octamethylcyclotetrasiloxane	ACTIVE
50-00-0	formaldehyde	ACTIVE
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	ACTIVE
2682-20-4	2-methyl-2H-isothiazol-3-one	ACTIVE

Hazardous Air Pollutants

50-00-0 formaldehyde

- · Proposition 65
- Chemicals known to cause cancer:

50-00-0 formaldehyde

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Cancerogenity categories

	EPA (Environmental Protection Agency)	
	50-00-0 formaldehyde	B1
ſ	TLV (Threshold Limit Value)	
ſ	67-63-0 propan-2-ol	A4
Ī	50-00-0 formaldehyde	A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

50-00-0 formaldehyde

- · GHS label elements Not applicable
- Hazard pictograms Not applicable
- · Signal word Not applicable
- Hazard statements Not applicable
- · National regulations:
- · Other regulations, limitations and prohibitive regulations

Other regulations (EC): Directive 2004/42/EC

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Training hints ---
- · Recommended restriction of use

Not intended for spraying and industrial processing.

Only for trade users

People who suffer from allergies, asthma, chronic or recurring respiratory illnesses should not be deployed in any process using the product.

- · Department issuing SDS: Department for product development
- Contact:
- · Date of preparation / last revision 07/28/2023
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/28/2023 Reviewed on 01/23/2023

Trade name: Dr. Schutz Marknomor satin

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

(Contd. of page 8)