Dr. Schutz®

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/15/2021 Reviewed on 03/30/2021

1 Identification

- · Product identifier
- · Trade name: Dr. Schutz Primer (für Sichtspachtelböden / for screed floors)
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Supplier:

Dr. Schutz GmbH Holbeinstraße 17 D-53175 Bonn

Tel: +49 228/95 35 2-0 Fax: +49 228/95 35 2-46 E-Mail: export@dr-schutz.com

Import:

Schutz NA LLC 8701 Torresdale Ave

Suite P

Philadelphia PA 19136

USA

Tel.: +1 (877) 272-4889 Mobile: +1 610-310-2412 E-Mail: sam@dr-schutz.us Web: www.schutzna.com

· Information department: Department for product development

· Emergency telephone number:

Dr. Schutz NA,

Contact: Sam Jamison Tel.: 001/877 2724889 Mo-Fr 8am - 7pm

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not applicable
- · Hazard pictograms Not applicable
- · Signal word Not applicable
- · Hazard statements Not applicable
- Information pertaining to particular dangers for man and environment:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

- US



acc. to OSHA HCS

Printing date 06/15/2021 Reviewed on 03/30/2021

Trade name: Dr. Schutz Primer (für Sichtspachtelböden / for screed floors)

(Contd. of page 1)

3 Composition/information on ingredients

- · Identification number(s) 7XH0-V0R7-V00H-44VU
- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

111-90-0 Diethylene glycol monoethyl ether

1-5%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

No special measures required.

- · After inhalation: Supply fresh air.
- · After skin contact:

Rinse with warm water.

After each cleaning use treatment creams, for very dry skin greasy ointments.

· After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

 \cdot Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Nicht anwendbar
- · Special hazards arising from the substance or mixture Danger of toxic pyrolysis products.
- · Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes and skin.

Particular danger of slipping on leaked/spilled product.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dilute with plenty water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

acc. to OSHA HCS

Printing date 06/15/2021 Reviewed on 03/30/2021

Trade name: Dr. Schutz Primer (für Sichtspachtelböden / for screed floors)

Protective Action Criteria for Chemicals (Contd. of page 2)

DAC 4.	
· PAC-1:	
111-90-0 Diethylene glycol monoethyl ether	75 ppm
9005-00-9 Polyoxyethylenstearylether	5.7 mg/m ³
· PAC-2:	
111-90-0 Diethylene glycol monoethyl ether	100 ppm
9005-00-9 Polyoxyethylenstearylether	63 mg/m ³
· PAC-3:	
111-90-0 Diethylene glycol monoethyl ether	450 ppm
9005-00-9 Polyoxyethylenstearylether	380 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

No special measures required.

Information about protection against explosions and fires:

No special precautions are necessary if used correctly.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Store receptacle in a well ventilated area.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

111-90-0 Diethylene glycol monoethyl ether

WEEL Long-term value: 25 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

- · Breathing equipment: Not required.
- · Protection of hands:

Avoid direct contact with the chemical/ the product/ the preparation by organizational measures.

To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

on page -

acc. to OSHA HCS

Printing date 06/15/2021 Reviewed on 03/30/2021

Trade name: Dr. Schutz Primer (für Sichtspachtelböden / for screed floors)

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

Body protection:

Not required.

Light weight protective clothing

· Limitation and supervision of exposure into the environment

Follow instructions for use, dosage and waste disposal.

9 Physical and chemical properties

9 Filysical and chemical properties		
Information on basic physical and chemical properties General Information		
· Appearance:		
Form:	Fluid	
Color:	Whitish	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value at 20°C (68°F):	8.5	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100°C (212°F)	
· Flash point:	>100°C (>212°F) (Seta Flash Closed Cup)	
· Flammability (solid, gaseous):	Undetermined.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20°C (68°F):	23 hPa (17.3 mm Hg)	
· Density at 20°C (68°F):	1.02 g/cm³ (8.512 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
	(0)	

(Contd. on page 5)

Dr. Schutz®

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/15/2021 Reviewed on 03/30/2021

Trade name: Dr. Schutz Primer (für Sichtspachtelböden / for screed floors)

(Contd. of page 4)

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined.

Kinematic at 20°C (68°F): 16 s (ISO 4 mm)

· Solvent content:

Organic solvents: 7.0 % VOC content ASTM D3960: 7.00 %

71.4 g/l / 0.60 lb/gal

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity siehe Abschnitt "Möglichkeit gefährlicher Reaktionen"
- · Chemical stability keine Angaben
- · Thermal decomposition / conditions to be avoided:

Protect from frost.

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No dangerous reactions known.
- · Hazardous decomposition products: Danger of toxic pyrolysis products.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Keine Daten verfügbar.
- · on the eye: Keine Daten verfügbar.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- · Aquatic toxicity: Undetermined.

(Contd. on page 6)

acc. to OSHA HCS

Printing date 06/15/2021 Reviewed on 03/30/2021

Trade name: Dr. Schutz Primer (für Sichtspachtelböden / for screed floors)

(Contd. of page 5)

· Persistence and degradability

Elimination of contained polymers is possible through precipitation or flocculation.

The solvent is biodegradable.

- · Behavior in environmental systems:
- · Bioaccumulative potential Undetermined.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:

· Behavior in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

Transport information		
UN-Number DOT, ADR, ADN, IMDG, IATA	Not applicable	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	Not applicable	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	k II of Not applicable.	
UN "Model Regulation":	Not applicable	

- US

acc. to OSHA HCS

Reviewed on 03/30/2021 Printing date 06/15/2021

Trade name: Dr. Schutz Primer (für Sichtspachtelböden / for screed floors)

(Contd. of page 6)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

111-90-0	Diethylene glycol monoethyl ether
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol

52-51-7 bronopol (INN)

· TSCA (Toxi	c Substances Control Act):	
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
	(2-butoxymethylethoxy)propanol	ACTIVE
111-90-0	Diethylene glycol monoethyl ether	ACTIVE
	Polymer without labeling	*
		ACTIVE
68551-13-3	Alcohols, C12-15, ethoxylated propoxylated	ACTIVE
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol	ACTIVE
52-51-7	bronopol (INN)	ACTIVE
9005-00-9	Polyoxyethylenstearylether	ACTIVE
1071-93-8	adipohydrazide	ACTIVE
2634-33-5	1,2-benzisothiazol-3(2H)-one	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Not applicable
- · Hazard pictograms Not applicable
- · Signal word Not applicable
- · Hazard statements Not applicable
- · National regulations:
- · Other regulations, limitations and prohibitive regulations Other regulations (EC): Directive 2004/42/EC

(Contd. on page 8)

Dr. Schutz®

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/15/2021 Reviewed on 03/30/2021

Trade name: Dr. Schutz Primer (für Sichtspachtelböden / for screed floors)

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Training hints ---
- · Recommended restriction of use Not intended for spraying and industrial processing.
- · Department issuing SDS: Department for product development
- · Contact:
- Dr. Reindl
- Dr. Reindl
- · Date of preparation / last revision 06/15/2021 / 8
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

US