acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 09/23/2016

1 Identification

- · Product identifier
- · Trade name: Dr. Schutz Superbond
- · Application of the substance / the mixture Priming
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Supplier: Dr. Schutz GmbH Holbeinstraße 17 D-53175 Bonn Tel: +49 228/95 35 2-0 Fax: +49 228/95 35 2-46 E-Mail: export@dr-schutz.com

Import: Dr. Schutz NA 4701 Bath St. 46 Philadelphia PA 19137 Tel.: 001/877 2724889 E-Mail: sam@schutzna.com · Information department: E-Mail: sam@schutzna.com Department for product development · Emergency telephone number:

Dr. Schutz NA. Tel.: 001/877 2724889 Mo-Fr 8am - 7pm

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · NFPA ratings (scale 0 4)



Reactivity = 0· HMIS-ratings (scale 0 - 4)



- Reactivity = 0
- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

- US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2017

Trade name: Dr. Schutz Superbond

(Contd. of page 1)

Reviewed on 09/23/2016

· Dangerous components: Void

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

- No special measures required.
- · After inhalation: Supply fresh air.
- · After skin contact:

Rinse with warm water.

After each cleaning use treatment creams, for very dry skin greasy ointments.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: Not applicable.
- · Special hazards arising from the substance or mixture Danger of toxic pyrolysis products.
- · Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Avoid contact with the eyes and skin.
Do not inhale gases / fumes / aerosols.
Environmental precautions:
Prevent from spreading (e.g. by damming-in or oil barriers).
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
· Reference to other sections

- No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals
- · PAC-1:

107-46-0 hexamethyldisiloxane

13 ppm (Contd. on page 3)

(Contd. of page 2)

140 ppm

150 ppm

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 09/23/2016

Trade name: Dr. Schutz Superbond

· PAC-2:

107-46-0 hexamethyldisiloxane

· PAC-3:

107-46-0 hexamethyldisiloxane

7 Handling and storage

· Handling:

· Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

No special measures required.

Information about protection against explosions and fires:

No special precautions are necessary if used correctly.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Store receptacle in a well ventilated area.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

- · Breathing equipment: Not required.
- · Protection of hands:

Avoid direct contact with the chemical/ the product/ the preparation by organizational measures. To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

[,] 19 -

(Contd. of page 3)

Safety Data Sheet

acc. to OSHA HCS

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger

Reviewed on 09/23/2016

Trade name: Dr. Schutz Superbo

Printing date 03/15/2017

be observed. • Eye protection:

Irade	name:	Dr.	Schutz	Superbond	

· Penetration time of glove material

quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended. · Body protection: Not required. Light weight protective clothing · Limitation and supervision of exposure into the environment Follow instructions for use, dosage and waste disposal. **9** Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Fluid Color: Colorless · Odor: Amine-like · Odor threshold: Not determined. · pH-value at 20 °C (68 °F): 10 · Change in condition Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** 100 °C (212 °F) >100 °C (>212 °F) (Seta Flash Closed Cup) · Flash point: · Flammability (solid, gaseous): Undetermined. · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting.

 Danger of explosion: 	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F):	1.007 g/cm³ (8.403 lbs/gal)	
· Relative density	Not determined.	
 Vapor density 	Not determined.	
 Evaporation rate 	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 °C (68 °F):	21 s (ISO 3 mm)	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content ASTM D3960:	0.0 g/l / 0.00 lb/gl	

(Contd. on page 5)

⁻US

Dr. Schutz[®]

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 09/23/2016

Trade name: Dr. Schutz Superbond

(Contd. of page 4)

Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity see section "Possibility of hazardous reactions".
- · Chemical stability No information available.
- · Thermal decomposition / conditions to be avoided: Protect from frost.

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No dangerous reactions known.
- · Hazardous decomposition products: Danger of toxic pyrolysis products.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No data available.
- · on the eye: No data available.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- · Aquatic toxicity: Undetermined.
- Persistence and degradability Elimination of contained polymers is possible through precipitation or flocculation. The solvent is biodegradable.
- · Behavior in environmental systems:
- · Bioaccumulative potential Undetermined.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Behavior in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 09/23/2016

Trade name: Dr. Schutz Superbond

(Contd. of page 5)

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must be specially treated adhering to official regulations. Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, ADN	Void	
IMDG, IATA	Void	
	No dangerous goods.	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group	Not applicable.	
DOT, ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Reviewed on 09/23/2016

Printing date 03/15/2017

Trade name: Dr. Schutz Superbond

(Contd. of page 6)

15 Regulatory information

· Safety, hea · Sara	Ith and environmental regulations/legislation specific for the substance or mixture
· Section 355	o (extremely hazardous substances):
None of the	ingredients is listed.
· Section 313	(Specific toxic chemical listings):
None of the	ingredients is listed.
· TSCA (Toxi	c Substances Control Act):
5064-31-3	trisodium nitrilotriacetate
	Poly(oxy-1,2-ethanediyl),a-acetyl-w-[3-[1,3,3,3-tetramethyl-1- [(trimethylsilyl)oxy]disiloxanyl]propoxy]
	hexamethyldisiloxane
	water, distilled, conductivity or of similar purity
· Proposition	
	known to cause cancer:
None of the	ingredients is listed.
· Chemicals	known to cause reproductive toxicity for females:
None of the	ingredients is listed.
· Chemicals	known to cause reproductive toxicity for males:
None of the	ingredients is listed.
· Chemicals	known to cause developmental toxicity:
None of the	ingredients is listed.
-	nity categories
	onmental Protection Agency)
None of the	ingredients is listed.
· TLV (Thres	hold Limit Value established by ACGIH)
None of the	ingredients is listed.
	National Institute for Occupational Safety and Health)
	ingredients is listed.
· National reg	gulations:
Other regula	ations, limitations and prohibitive regulations ations (EC): Directive 2004/42/EC afety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Training hints ---

• Recommended restriction of use Not intended for spraying and industrial processing.

· Department issuing SDS: Department for product development

- US

Dr. Schutz[•]

Safety Data Sheet acc. to OSHA HCS

Printing date 03/15/2017

Reviewed on 09/23/2016

Trade name: Dr. Schutz Superbond

	(Contd. of page 7
Contact:	
Dr. Reindl	
Dr. Olaf Janßen	
Date of preparation / last revision 03/15/2017 / 1	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agree International Carriage of Dangerous Goods by Road)	ement concerning the
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
* Data compared to the previous version altered.	