Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2021 Reviewed on 04/26/2021

1 Identification

- · Product identifier
- · Trade name: Dr. Schutz UV Marknomor
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Supplier:

Dr. Schutz GmbH Holbeinstraße 17 D-53175 Bonn

Tel: +49 228/95 35 2-0 Fax: +49 228/95 35 2-46 E-Mail: export@dr-schutz.com

Import:

Schutz NA LLC

8701 Torresdale Ave

Suite P

Philadelphia PA 19136

USA

Tel.: +1 (877) 272-4889 Mobile: +1 610-310-2412 E-Mail: sam@dr-schutz.us Web: www.schutzna.com

- · Information department: Department for product development
- · Emergency telephone number:

Dr. Schutz NA,

Contact: Sam Jamison Tel.: 001/877 2724889 Mo-Fr 8am - 7pm

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

2-Propenic acid, pentarythritol reaction product

2-methyl-2H-isothiazol-3-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2021 Reviewed on 04/26/2021

Trade name: Dr. Schutz UV Marknomor

(Contd. of page 1)

· Hazard statements

Causes serious eye damage.

May cause an allergic skin reaction.

· Precautionary statements

Do not breathe spray.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Information pertaining to particular dangers for man and environment:
- NFPA ratings (scale 0 4)



Health = 3Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3

Fire = 0

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Identification number(s) JDK0-G0G0-200W-DXSX
- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
1245638-61-2	2-Propenic acid, pentarythritol reaction product	≥5-<10%
7473-98-5	2-hydroxy-2-methylpropiophenone	0.1-1%
121-44-8	triethylamine	≥0.1-<1%
102-71-6	Triethanolamine	0.1-1%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Rinse with warm water.

Immediately wash with water and soap and rinse thoroughly.

· After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Reviewed on 04/26/2021 Printing date 06/16/2021

Trade name: Dr. Schutz UV Marknomor

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Nicht anwendbar
- · Special hazards arising from the substance or mixture Danger of toxic pyrolysis products.
- Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:		
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	18 mg/m³
121-44-8	triethylamine	1 ppm
102-71-6	Triethanolamine	15 mg/m ³
9005-00-9	Polyoxyethylenstearylether	5.7 mg/m
67-63-0	propan-2-ol	400 ppm
556-67-2	octamethylcyclotetrasiloxane	30 ppm
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	0.6 mg/m
PAC-2:		
FAC-2.		
	Siliciumdioxid, auf chemischem Weg gewonnen	100 mg/m
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen triethylamine	100 mg/m 170 ppm
112945-52-5 121-44-8		170 ppm
112945-52-5 121-44-8 102-71-6	triethylamine	
112945-52-5 121-44-8 102-71-6 9005-00-9	triethylamine Triethanolamine	170 ppm 240 mg/m
112945-52-5 121-44-8 102-71-6 9005-00-9 67-63-0	triethylamine Triethanolamine Polyoxyethylenstearylether	170 ppm 240 mg/m 63 mg/m³

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2021 Reviewed on 04/26/2021

Trade name: Dr. Schutz UV Marknomor

		(Contd. of page 3)
· PAC-3:		
112945-52-5	Siliciumdioxid, auf chemischem Weg gewonnen	630 mg/m ³
121-44-8	triethylamine	1,000 ppm
102-71-6	Triethanolamine	1,500 mg/m ³
9005-00-9	Polyoxyethylenstearylether	380 mg/m ³
67-63-0	propan-2-ol	12000** ppm
556-67-2	octamethylcyclotetrasiloxane	130 ppm
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	40 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

No special precautions are necessary if used correctly.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Keep receptacle tightly sealed.

Store receptacle in a well ventilated area.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

121-	44-8 triethylamine		
PEL	Long-term value: 100 mg/m³, 25 ppm		
TLV	Short-term value: 4.14 mg/m³, 1 ppm Long-term value: 2.07 mg/m³, 0.5 ppm Skin		
102-	102-71-6 Triethanolamine		
TLV	Long-term value: 5 mg/m³		

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2021 Reviewed on 04/26/2021

Trade name: Dr. Schutz UV Marknomor

(Contd. of page 4)

Be sure to clean skin thoroughly after work and before breaks.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Impervious gloves



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.



Tightly sealed goggles

- Body protection: Light weight protective clothing
- · Limitation and supervision of exposure into the environment

Follow instructions for use, dosage and waste disposal.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Color: Whitish

Odor: Specific type
Odor threshold: Not determined.

• pH-value at 20°C (68°F): 7.8

· Change in condition

Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** Undetermined.

· Flash point: Not applicable.

(Contd. on page 6)

Dr. Schutz[®]

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2021 Reviewed on 04/26/2021

Trade name: Dr. Schutz UV Marknomor

		(Contd. of page 5
· Flammability (solid, gaseous):	Undetermined.	
· Ignition temperature:	365°C (689°F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20°C (68°F):	23 hPa (17.3 mm Hg)	
· Density at 20°C (68°F):	1.04 g/cm³ (8.679 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20°C (68°F):	40 s (DIN 53211/4)	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content ASTM D3960:	0.01 %	
	0.1 g/l / 0.00 lb/gal	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity siehe Abschnitt "Möglichkeit gefährlicher Reaktionen"
- · Chemical stability keine Angaben
- · Thermal decomposition / conditions to be avoided:

Protect from frost.

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No dangerous reactions known.
- · Hazardous decomposition products: Danger of toxic pyrolysis products.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:		
1245638	1245638-61-2 2-Propenic acid, pentarythritol reaction product	
Oral	LD50	1,350 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2021 Reviewed on 04/26/2021

Trade name: Dr. Schutz UV Marknomor

7473-98-5 2-hydroxy-2-methylpropiophenone
Oral LD50 1,694 mg/kg (rat)
Dermal LD50 6,929 mg/kg (rat) (OECD 402)

· Primary irritant effect:

- · on the skin: No further relevant information available.
- · on the eye:

No further relevant information available.

Irritating effect.

· Sensitization:

No sensitizing effects known.

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

İrritant

· Carcinogenic categories

· IARC (Int	ernational Agency for Research on Cancer)	
102-71-6	Triethanolamine	3
67-63-0	propan-2-ol	3
· NTP (Nat	ional Toxicology Program)	
None of the	ne ingredients is listed.	
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of the	ne ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

Undetermined.

ſ	1245638-61-2 2-Propenic acid, pentarythritol reaction product		
ſ	EC50/48h	13 mg/l (Daphnia magna) (OECD 202)	
	LC50/96h	3.2 mg/l (Cyprinus carpio (Karpfen)) (OECD 203)	

Persistence and degradability

Elimination of contained polymers is possible through precipitation or flocculation.

The solvent is biodegradable.

- · Behavior in environmental systems:
- · Bioaccumulative potential Undetermined.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

· Behavior in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2021 Reviewed on 04/26/2021

Trade name: Dr. Schutz UV Marknomor

(Contd. of page 7)

- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not applicable
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Not applicable
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Not applicable
· Packing group · DOT, ADR, IMDG, IATA	Not applicable
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	k II of Not applicable.
· UN "Model Regulation":	Not applicable

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 3	· Section 355 (extremely hazardous substances):		
None of the	he ingredients is listed.		
· Section 3	313 (Specific toxic chemical listings):		
121-44-8	triethylamine		
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol		
67-63-0	propan-2-ol		
· TSCA (To	· TSCA (Toxic Substances Control Act):		

	•	
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
7473-98-5	2-hydroxy-2-methylpropiophenone	ACTIVE

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2021 Reviewed on 04/26/2021

Trade name: Dr. Schutz UV Marknomor

	(Cor	ntd. of page 8)
121-44-8	triethylamine	ACTIVE
	Polyethersiloxan-Copolymer without labeling	*
102-71-6	Triethanolamine	ACTIVE
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol	ACTIVE
9005-00-9	Polyoxyethylenstearylether	ACTIVE
2634-33-5	1,2-benzisothiazol-3(2H)-one	ACTIVE
67-63-0	propan-2-ol	ACTIVE
2682-20-4	2-methyl-2H-isothiazol-3-one	ACTIVE
541-02-6	2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane	ACTIVE
	octamethylcyclotetrasiloxane	ACTIVE
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	ACTIVE

· Hazardous Air Pollutants

121-44-8 triethylamine

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

121-44-8	triethylamine	A4
67-63-0	propan-2-ol	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

2-Propenic acid, pentarythritol reaction product

2-methyl-2H-isothiazol-3-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one

· Hazard statements

Causes serious eye damage.

May cause an allergic skin reaction.

(Contd. on page 10)

Dr. Schutz[®]

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2021 Reviewed on 04/26/2021

Trade name: Dr. Schutz UV Marknomor

(Contd. of page 9)

· Precautionary statements

Do not breathe spray.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Other regulations, limitations and prohibitive regulations

Other regulations (EC): Directive 2004/42/EC

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Training hints ---

· Recommended restriction of use

Not intended for spraying and industrial processing.

Only for trade users

People who suffer from allergies, asthma, chronic or recurring respiratory illnesses should not be deployed in any process using the product.

- · Department issuing SDS: Department for product development
- · Contact: Dr. Reindl
- · Date of preparation / last revision 06/16/2021 / 12

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

US